

STREET




BASIC TIRE INFORMATION

SAFETY INFORMATION: THE FOLLOWING INFORMATION MUST BE GIVEN TO PURCHASING PERSONNEL, MOTORCYCLE TECHNICIANS, TIRE FITTERS AND CUSTOMERS.

TYPICAL TIRE MARKINGS

- 01 Nominal section width, expressed in metric, inch or alpha; see size chart below.
- 02 Ratio between tire section height and nominal section width. This ratio is not indicated when section width is expressed in inches (eg. 3.50-18).
- 03 Code for tire construction (- = Bias, R = Radial, B = Bias Belted).
- 04 Nominal rim diameter size in inches.
- 05 "Motorcycle" in abbreviated form.
- 06 Differentiates motorcycle tires and rims from those designed for other vehicles. Shown on some models only.
- 07 Speed symbol. Indicates the tire's speed; see speed rating chart below.
- 08 Tubeless (TL) or tubetype (TT), as applicable.
- 09 Expresses the tire's maximum load capacity (pounds) at the pressure indicated (psi); see load index chart below.
- 10 Indicates where the tire was produced.
- 11 Abbreviation of "US Department of Transportation." Serves to indicate that the tire conforms to the regulations issued by the US Department of Transportation. Includes the serial # for the tire, and the last 3 or 4 numbers represent the date. Example 3805 means the tire was produced in the 38th week of 2005.
- 12 The arrows indicate the direction of rotation of the tire according to the fitting position (Front-rear); applicable for directional tires only.
- 13 Number of plies and material.
- 13 Tread Wear Indicator, as applicable



Note: Tire markings on chart are representational, and actual tire markings may differ from shown. Markings may vary by manufacturer.

SPEED RATING CHART

	J	L	M	P	Q	R	S	T	H	V/VB	(V)/(VB)	W	(W)
MPH	62	74	81	93	100	106	112	118	130	149	149+	168	168+

LOAD INDEX CHART

47 = 386 lb.	53 = 454 lb.	59 = 536 lb.	65 = 639 lb.	71 = 761 lb.	77 = 908 lb.	83 = 1,074 lb.
48 = 397 lb.	54 = 467 lb.	60 = 551 lb.	66 = 661 lb.	72 = 783 lb.	78 = 937 lb.	84 = 1,102 lb.
49 = 408 lb.	55 = 481 lb.	61 = 567 lb.	67 = 677 lb.	73 = 805 lb.	79 = 963 lb.	85 = 1,135 lb.
50 = 414 lb.	56 = 494 lb.	62 = 584 lb.	68 = 694 lb.	74 = 827 lb.	80 = 992 lb.	86 = 1,168 lb.
51 = 430 lb.	57 = 507 lb.	63 = 600 lb.	69 = 716 lb.	75 = 853 lb.	81 = 1,019 lb.	87 = 1,202 lb.
52 = 441 lb.	58 = 520 lb.	64 = 617 lb.	70 = 739 lb.	76 = 882 lb.	82 = 1,047 lb.	

SIZE

Size may be indicated in inches, metric, or by letters (alpha). The chart shows the approximate comparison of the different size indications.

STREET TIRE SIZE CONVERSION CHART

INCH:	2.75/3.00	3.25	3.50	3.75/4.00	4.25/4.50	5.00/5.10	5.50	6.00
METRIC:	80	90	100	110	120	130	140	150
ALPHA:	MH	MJ	MM	MN/MP	MR	MT	MU	MV

MOTORCYCLE OFF-ROAD TIRE SIZE CONVERSION CHART

METRIC	FRONT TIRES	METRIC	INCH	METRIC	REAR TIRES	METRIC	INCH	METRIC	FRONT TIRES	METRIC	INCH	METRIC	REAR TIRES	METRIC	INCH								
60/100	90/80	2.50/2.75	80/100	80/90	2.50/3.60	80/100	100/80	3.00/3.25	100/100	130/80	4.00/4.50	70/100	90/80	2.75/3.00	90/100	110/90	3.60/4.10	-	-	-	120/100	140/80	5.00/5.10

SAFETY WARNINGS:

MAINTAIN RECOMMENDED TIRE PRESSURE AND FOLLOW OWNER'S MANUAL.

FAILURE TO FOLLOW MANUFACTURER'S RECOMMENDATIONS AND REQUIREMENTS CAN CAUSE TIRE FAILURE RESULTING IN SERIOUS INJURY OR DEATH.

ALL TIRES SHOULD BE MOUNTED ONLY BY TRAINED PERSONNEL. ONLY PROPERLY TRAINED PERSONNEL USING PROPER TOOLS AND SAFETY EQUIPMENT SHOULD UNDERTAKE MOUNTING OF TIRES AND THEY SHOULD FOLLOW RECOMMENDED PROCEDURES, ESPECIALLY FOR ATV/UTV TIRES, INCLUDING BUT NOT LIMITED TO THE FOLLOWING: (I) USE ONLY A CLIP-ON STYLE AIR CHUCK WITH A LONG EXTENSION HOSE, REMOTE FILLER AND INFLATION GAUGE; (II) USING A TIRE MOUNTING LUBRICANT, LUBE THE TIRE AND RIM BEAD SEAT; (III) THE TIRE AND WHEEL MUST BE LOCATED AWAY FROM ALL PERSONNEL USING A SOLID BARRIER LIKE A BLOCK WALL OR TIRE MOUNTING CAGE BETWEEN THE TIRE/WHEEL ASSEMBLY AND THE INSTALLER WITH THE TIRE/WHEEL ASSEMBLY BEING OUT OF "LINE OF SIGHT" DURING THE INFLATION PROCESS; (IV) DETERMINE THE TIRE'S MAXIMUM RECOMMENDED TIRE INFLATION PRESSURE; (V) REMOVE THE VALVE CORE FROM THE VALVE, INFLATE THE TIRE UNTIL THE BEADS' SEAT SNAP OR UNTIL THE MANUFACTURER'S MAXIMUM RECOMMENDED TIRE PRESSURE IS REACHED BUT NEVER EXCEED THE TIRE MANUFACTURER'S MAXIMUM PRESSURE; (VI) IF THE TIRE BEADS DO NOT SNAP, STOP AND RELEASE ALL AIR FROM THE TIRE/WHEEL ASSEMBLY AND CALL THE MANUFACTURER FOR HELP; (VII) ONCE THE TIRE BEAD IS SEATED, DISCONNECT THE CHUCK, RE-INSTALL THE VALVE CORE AND INFLATE TO PROPER OPERATING PRESSURE.

All part numbers in **BOLD MAGENTA** are new this year.

STREET TIRE SIZE APPLICATION GUIDE

•The following guide shows all available tires for Street Bike, Sport Bike, Scooter, Moped and Sidecar applications. Tires in this guide are listed in order, sorted by rim diameter (small to large), overall section width/aspect ratio, market application and front and/or rear applications. Simply find the size, front or rear and market application of tire for your vehicle.

The Application corresponds to the following codes:

CRS/TOUR – Cruiser bike/touring bike applications
DUALSPORT – Dual sport/adventure touring applications
CUSTOM – Cruiser/custom bikes
GEN – Commuting/general all-purpose street tire
MEDIUM – Medium race compound
MOPED – Moped
MOTARD – SuperMotard tire for street/track
OEM – OE replacement tire as suggested by the manufacturer
RACE – High-performance track/street

SCOOTER – Scooter
SIDECAR – General-purpose sidecar applications
SOFT – Soft race compound
SPORT – Sport riding/performance tire
SPRTNG – Sport-touring
SPRSPT – Sport riding/track day tire
SUPERSOFT – Softest race compound
WS – White stripe sidewall
WWW – Wide white wall

NOTE: The information provided here is not warranted as to the truth or accuracy by Parts Unlimited or its parent company, LeMans Corporation. The information is collected from the tire manufacturer and published for your reference. Any additional information or questions regarding this information or questions about the fitment and maintenance of the tires should be obtained from the tire manufacturers.

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
8"						
BRIDGESTONE	BS-0054	TW2	3.5-8	F/R	SCOOTER/OEM	57
CONTINENTAL	0340-0007	LB	3.5-8	F/R	SCOOTER	80
MICHELIN	SCTR-11	REGGAE	3.5-8	F/R	SCOOTER	34
10"						
IRC	IRC975	MB-8	2.5-10	F/R	SCOOTER	90
KENDA	K329-01	K329	2.5-10	F/R	SCOOTER	84
BRIDGESTONE	BH-0100	HOOP	2.75-10	F/R	SCOOTER/OEM	56
IRC	IRC359	MB510	2.75-10	F/R	SCOOTER	90
KENDA	K329-02	K329	2.75-10	F/R	SCOOTER	84
CONTINENTAL	97100	ZIPPY1	3.00-10	F/R	SCOOTER	80
DURO	0340-0129	HF294	3.00-10	F/R	SCOOTER	94
DURO	0340-0125	HF290	3.00-10	F/R	SCOOTER	94
IRC	0340-0409	MB90	3.00-10	F/R	SCOOTER	90
IRC	IRC363	MB520	3.00-10	F/R	SCOOTER	89
KENDA	K413-01	K413	3.00-10	F/R	SCOOTER	84
METZELER	0340-0405	ME1	3.00-10	F/R	SCOOTER	44
MICHELIN	0340-0568	S1	3.00-10	F/R	SCOOTER	34
MICHELIN	0340-0009	S83	3.00-10	F/R	SCOOTER	34
PIRELLI	SC30-01	SC30	3.00-10	F/R	SCOOTER	66
PIRELLI	SL26-01	SL26	3.00-10	F/R	SCOOTER	66
PIRELLI	SL26-02	SL26	3.50-10	F/R	SCOOTER	66
BRIDGESTONE	BS-0149	ML2	3.50-10	F/R	SCOOTER	57
BRIDGESTONE	BH-0230	HOOP	3.50-10	F/R	SCOOTER/OEM	56
CONTINENTAL	0340-0006	K62	3.50-10	F/R	SCOOTER	80
CONTINENTAL	97101	ZIPPY1	3.50-10	F/R	SCOOTER	80
DURO	0340-0130	HF294	3.50-10	F/R	SCOOTER	94
DURO	0340-0126	HF290	3.50-10	F/R	SCOOTER	94
IRC	IRC364	MB520	3.50-10	F/R	SCOOTER	89
KENDA	K329-03	K329	3.50-10	F/R	SCOOTER	84
KENDA	K41302	K413	3.50-10	F/R	SCOOTER	84
METZELER	0340-0406	ME1	3.50-10	F/R	SCOOTER	44
MICHELIN	0340-0569	S1	3.50-10	F/R	SCOOTER	34
MICHELIN	SCTR-14	S83	3.50-10	F/R	SCOOTER	34
PIRELLI	SC30-02	SC30	3.50-10	F/R	SCOOTER	66
IRC	0340-0410	MB90	3.50-10	F/R	SCOOTER	90
BRIDGESTONE	BS-00172	TW	4.00-10	F/R	SCOOTER/OEM	57
BRIDGESTONE	0340-0037	ML16 B	4.00-10	R	SCOOTER/OEM	57
BRIDGESTONE	BS-0205	ML17	4.00-10	F	SCOOTER/OEM	57
IRC	IRC362	MB510	4.00-10	F/R	SCOOTER	90
BRIDGESTONE	BH-0140	HOOP	80/90-10	F/R	SCOOTER/OEM	56
IRC	0340-0411	MB90	80/90-10	F/R	SCOOTER	90
IRC	0340-0412	MB90	80/100-10	F/R	SCOOTER	90
DURO	HF912-01	SCOOTER	90/90-10	F/R	SCOOTER	94
KENDA	K329-04	K329	90/90-10	F/R	SCOOTER	84
KENDA	K413-03	K413	90/90-10	F/R	SCOOTER	84
METZELER	0340-0407	ME1	90/90-10	F/R	SCOOTER	44
MICHELIN	SCTR-07	S1	90/90-10	F/R	SCOOTER	34
PIRELLI	SL26-03	SL26	90/90-10	F/R	SCOOTER	66
IRC	0340-0413	MB90	90/90-10	F/R	SCOOTER	90
KENDA	K413-04	K413	100/80-10	F/R	SCOOTER	84
METZELER	0340-0138	ME 7 TEEN	100/80-10	F/R	SCOOTER	44
MICHELIN	0340-0570	S1	100/80-10	F/R	SCOOTER	34
PIRELLI	SL38-01	SL38	100/80-10	F	SCOOTER	66
KENDA	K413-05	K413	100/90-10	F/R	SCOOTER	84
MICHELIN	0340-0008	S1	100/90-10	F/R	SCOOTER	34
MICHELIN	0340-0010	S83	100/90-10	F/R	SCOOTER	34
PIRELLI	SL26-04	SL26	100/90-10	F/R	SCOOTER	66
KENDA	K41306	K413	110/80-10	F/R	SCOOTER	84
MICHELIN	0340-0088	S1	110/80-10	F/R	SCOOTER	34
IRC	0340-0414	MB90	100/90-10	F/R	SCOOTER	90

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
10" (CONT)						
METZELER	0340-0139	ME 7 TEEN	120/70-10	F/R	SCOOTER	44
MICHELIN	0340-0448	CITY GRIP	120/70-10	R	SCOOTER	34
PIRELLI	SL38-02	SL38	120/70-10	R	SCOOTER	66
BRIDGESTONE	BS-0250	ML16	120/90-10	R	SCOOTER/OEM	57
BRIDGESTONE	BS-157414	ML50	120/90-10	F/R	SCOOTER	57
DURO	0340-0127	HF290	120/90-10	F/R	SCOOTER	94
DURO	0340-0131	HF903	120/90-10	F/R	SCOOTER	94
IRC	0340-0029	MB99	120/90-10	F/R	SCOOTER	89
KENDA	K32905	K329	120/90-10	F/R	SCOOTER	84
KENDA	K413-07	K413	120/90-10	F/R	SCOOTER	84
METZELER	0340-0408	ME7 TEEN	120/90-10	F/R	SCOOTER	44
MICHELIN	SCTR-09	REGGAE	120/90-10	F/R	SCOOTER	34
MICHELIN	0340-0011	BOPPER	120/90-10	F/R	SCOOTER	34
PIRELLI	SL26-05	SL26	120/90-10	F/R	SCOOTER	66
PIRELLI	SL60-01	SL60	120/90-10	F/R	SCOOTER	67
KENDA	K761-01	K761	120/90-10	F/R	SCOOTER	85
IRC	0341-0017	WF-930	120/90J-10	R	SCOOTER	89
KENDA	K413-08	K413	130/70-10	F/R	SCOOTER	84
METZELER	0340-0075	ME7 TEEN	130/70-10	F/R	SCOOTER	44
MICHELIN	0340-0089	S1	130/70-10	F/R	SCOOTER	34
BRIDGESTONE	BS-157422	ML50	130/90-10	F/R	SCOOTER	57
DURO	HF903-20	SCOOTER	130/90-10	F/R	SCOOTER	94
DURO	0340-0128	HF290	130/90-10	F/R	SCOOTER	94
IRC	0340-0030	MB99	130/90-10	F/R	SCOOTER	89
KENDA	K413-09	K413	130/90-10	F/R	SCOOTER	84
KENDA	K76102	K761	130/90-10	F/R	SCOOTER	85
MICHELIN	SCTR-10	REGGAE	130/90-10	F/R	SCOOTER	34
MICHELIN	0340-0012	BOPPER	130/90-10	F/R	SCOOTER	34
PIRELLI	SL26-09	SL26	130/90-10	F/R	SCOOTER	66
PIRELLI	SL60-02	SL60	130/90-10	F/R	SCOOTER	67
KENDA	K32906	K329	140/90-10	F/R	SCOOTER	84
11"						
MICHELIN	0340-0459	CITY GRIP	110/70-11	F	SCOOTER	34
PIRELLI	0340-0085	SL38	110/70-11	F	SCOOTER	66
MICHELIN	0340-0562	CITY GRIP	120/70-11	F	SCOOTER	34
12"						
DUNLOP	0340-0452	TT93GP	100/90-12	F/R	SCOOTER	26
IRC	0341-0014	WF-930	110/90L-12	F	SCOOTER	89
DURO	0340-0132	HF912A	110/70-12	F/R	SCOOTER	94
IRC	0340-0357	S5540	110/70-12	F	SCOOTER	89
KENDA	K761-03	K761	110/70-12	F	SCOOTER	85
KENDA	K413-10	K413	110/70-12	F/R	SCOOTER	84
KENDA	K76104	K761	110/90-12	F/R	SCOOTER	85
MICHELIN	0340-0320	CITY GRIP	110/90-12	F	SCOOTER	34
MICHELIN	0340-0390	POWER PURE SC	110/90-12	F	SCOOTER	33
BRIDGESTONE	BS-0370	ML17	110/100-12	F	SCOOTER/OEM	57
PIRELLI	SL26-07	SL26	110/100-12	F/R	SCOOTER	66
IRC	0341-0015	WF-930	110/100J-12	F	SCOOTER	89
CONTINENTAL	0340-0076	ZIPPY 1	120/70-12	F/R	SCOOTER	80
DURO	HF903-21	SCOOTER	120/70-12	F/R	SCOOTER	94
DURO	HF912-02	SCOOTER	120/70-12	F/R	SCOOTER	94
IRC	0340-0358	S5540	120/70-12	R	SCOOTER	89
KENDA	K413-11	K413	120/70-12	F/R	SCOOTER	84
KENDA	K76105	K761	120/70-12	F/R	SCOOTER	85
MAXXIS	M6024	0340-0565	120/70-12	F/R	SCOOTER	94
MICHELIN	BPR-04	BOPPER	120/70-12	F/R	SCOOTER	34
MICHELIN	0340-0317	CITY GRIP	120/70-12	F	SCOOTER	34
MICHELIN	0340-0391	POWER PURE SC	120/70-12	F	SCOOTER	33
PIRELLI	0340-0347	DIABLO	120/70-12	F	SCOOTER	65
PIRELLI	SL26-10	SL26	120/70-12	F/R	SCOOTER	66

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



STREET TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
12" (CONT)						
PIRELLI	0340-0403	SL36 (SYNERGY)	120/70-12	F/R	SCOOTER	66
DUNLOP	0340-0453	T193GP	120/80-12	F/R	SCOOTER	26
AVON		AM63 VIPER				
	0340-0060	STRYKE	130/70-12	F/R	SCOOTER	75
BRIDGESTONE	BH-154288	B02	130/70-12	R	SCOOTER/OEM	56
CONTINENTAL	0340-0077	ZIPPY 1	130/70-12	F/R	SCOOTER	80
DURO	HF903-22	SCOOTER	130/70-12	F/R	SCOOTER	94
DURO	HF912-03	SCOOTER	130/70-12	F/R	SCOOTER	94
KENDA	K41312	K413	130/70-12	F/R	SCOOTER	84
KENDA	K761-07	K761	130/70-12	F/R	SCOOTER	85
MAXXIS	M6024	0340-0564	130/70-12	F/R	SCOOTER	94
MICHELIN	BPR-05	BOPPER	130/70-12	F/R	SCOOTER	34
MICHELIN	0340-0324	CITY GRIP	130/70-12	R	SCOOTER	34
MICHELIN	0340-0395	POWER PURE SC	130/70-12	R	SCOOTER	33
PIRELLI	0340-0078	DIABLO SCOOTER	130/70-12	F/R	SCOOTER	65
PIRELLI	SL26-11	SL26	130/70-12	F/R	SCOOTER	66
PIRELLI	0340-0402	SL36 (SYNERGY)	130/70-12	F/R	SCOOTER	66
IRC	0341-0018	WF-930	130/70L-12	R	SCOOTER	89
PIRELLI	0340-0404	SL36 (SYNERGY)	140/60-12	F/R	SCOOTER	66
KENDA	K413-13	K413	140/70-12	F/R	SCOOTER	84
MICHELIN	0340-0396	POWER PURE SC	140/70-12	R	SCOOTER	33
13"						
MICHELIN	0340-0460	CITY GRIP	110/70-13	F	SCOOTER	34
AVON		AM63 VIPER				
	0340-0043	STRYKE	110/90-13	F	SCOOTER	75
BRIDGESTONE	BH-154261	B03	110/90-13	F	SCOOTER/OEM	56
BRIDGESTONE	0340-0002	B03	110/90-13	F	SCOOTER/OEM	56
MICHELIN	0340-0322	CITY GRIP	110/90-13	F	SCOOTER	34
MICHELIN	0340-0392	POWER PURE SC	110/90-13	F	SCOOTER	33
METZELER	0340-0154	FEELFREE	110/90-13	F	SCOOTER	44
PIRELLI	0340-0314	DIABLO SCOOTER	110/90-13	F	SCOOTER	65
IRC	0341-0020	SS-530	110/90R-13	F	SCOOTER	89
DUNLOP	0340-0073	SX01	120/70-13	F	SCOOTER	26
MICHELIN	0340-0442	POWER PURE SC	120/70-13	F	SCOOTER	33
AVON		AM63 VIPER				
	0340-0052	STRYKE	130/70-13	R	SCOOTER	75
AVON		AM63 VIPER				
	0340-0061	STRYKE	130/60-13	F/R	SCOOTER	75
DURO	HF903-23	SCOOTER	130/60-13	F/R	SCOOTER	94
KENDA	K413-15	K413	130/60-13	F/R	SCOOTER	84
MICHELIN	0340-0458	POWER PURE SC	130/60-13	R	SCOOTER	33
PIRELLI	SL26-06	SL26	130/60-13	F/R	SCOOTER	66
BRIDGESTONE	0340-0003	B02	130/70-13	F/R	SCOOTER/OEM	56
DUNLOP	0340-0136	SX01	130/70-13	R	SCOOTER	26
IRC	0341-0022	SS-530	130/70-13	R	SCOOTER	89
METZELER	0340-0155	FEELFREE	130/70-13	R	SCOOTER/GEN	44
MICHELIN	0340-0329	CITY GRIP	130/70-13	R	SCOOTER	34
MICHELIN	0340-0398	POWER PURE SC	130/70-13	R	SCOOTER	33
PIRELLI	0340-0315	DIABLO SCOOTER	130/70-13	R	SCOOTER	65
MICHELIN	0340-0330	CITY GRIP	140/60-13	R	SCOOTER	34
MICHELIN	0340-0399	POWER PURE SC	140/60-13	R	SCOOTER	33
PIRELLI	0340-0316	DIABLO SCOOTER	140/60-13	R	SCOOTER	65
BRIDGESTONE	BH-0416	B02	150/70-13	R	SCOOTER/OEM	56
BRIDGESTONE	0340-0120	B02	150/70-13	R	SCOOTER/OEM	56
DUNLOP	0340-0137	SX01	150/70-13	R	SCOOTER	26
METZELER	0340-0144	FEELFREE	150/70-13	R	SCOOTER	44
MICHELIN	0340-0463	CITY GRIP	150/70-13	R	SCOOTER	34
MICHELIN	0340-0400	POWER PURE SC	150/70-13	R	SCOOTER	33
PIRELLI	0340-0081	DIABLO SCOOTER	150/70-13	F/R	SCOOTER	65
AVON		AM63 VIPER				
	0340-0053	STRYKE	150/70-13	R	SCOOTER	75
IRC	0341-0023	SS-530	150/70-13	R	SCOOTER	89
14"						
BRIDGESTONE	BS-0016	TW8	3.00-14	R	DUALSPORT/OEM	58
IRC	0341-0024	NR77	70/90-14	F	GEN	88
IRC	0341-0025	NR77	80/90-14	R	GEN	88
IRC	0341-0087	NR73	90/90-14	F/R	SCOOTER	91
IRC	0340-0376	SS560	90/90-14	F	SCOOTER/OEM	90
MICHELIN	0340-0447	CITY GRIP	90/90-14	F	SCOOTER	34
PIRELLI	0340-0346	DIABLO SCOOTER	90/90-14	F	SCOOTER/OEM	65
IRC	0340-0377	SS560	100/90-14	R	SCOOTER/OEM	90
MICHELIN	0340-0449	CITY GRIP	100/90-14	F	SCOOTER	34
PIRELLI	0340-0348	DIABLO SCOOTER	100/90-14	R	SCOOTER/OEM	65
MICHELIN	0340-0464	CITY GRIP	110/80-14	F	SCOOTER	34
PIRELLI	0341-0067	MANDRAKE MT15	110/80-14	F	SCOOTER/OEM	67
AVON		AM63 VIPER				
	0340-0045	STRYKE	120/70-14	F	SCOOTER	75
MICHELIN	0340-0323	CITY GRIP	120/70-14	F	SCOOTER	34
MICHELIN	0340-0393	POWER PURE SC	120/70-14	F	SCOOTER	33
PIRELLI	0340-0174	DIABLO SCOOTER	120/70-14	F	SCOOTER	65

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
14" (CONT)						
MICHELIN	0340-0090	PILOT SPORT SC	120/70R14	F	SCOOTER	33
AVON		AM63 VIPER				
	0340-0047	STRYKE	120/80-14	F	SCOOTER	75
BRIDGESTONE	BH-0414	B03	120/80-14	F	SCOOTER/OEM	56
BRIDGESTONE	0340-0119	B03	120/80-14	F	SCOOTER/OEM	56
DUNLOP	0340-0135	SX01	120/80-14	F	SCOOTER	26
PIRELLI	0340-0084	DIABLO SCOOTER	120/80-14	F	SCOOTER	65
METZELER	0340-0143	FEELFREE	120/80-14	F	SCOOTER	44
MICHELIN	0340-0394	POWER PURE SC	120/80-14	F	SCOOTER	33
IRC	0341-0021	SS-530	120/80-14	F	SCOOTER	89
MICHELIN	0340-0327	CITY GRIP	140/60-14	R	SCOOTER	34
PIRELLI	0340-0375	DIABLO SCOOTER	140/60-14	R	SCOOTER	65
PIRELLI	0340-0374	DIABLO SCOOTER	140/70-14	R	SCOOTER	65
MICHELIN	0340-0328	CITY GRIP	140/70-14	R	SCOOTER	34
METZELER	0340-0152	FEELFREE	150/70-14	R	SCOOTER	44
MICHELIN	0340-0325	CITY GRIP	150/70-14	R	SCOOTER	34
MICHELIN	0340-0401	POWER PURE SC	150/70-14	R	SCOOTER	33
PIRELLI	0340-0122	DIABLO SCOOTER	150/70-14	R	SCOOTER	65
BRIDGESTONE	BR-146421	TH01	160/60R14	R	SCOOTER/OEM	56
METZELER		FEELFREE				
	0340-0146	RADIAL	160/60R14	R	SCOOTER	44
MICHELIN	0340-0092	PILOT SPORT SC	160/60R14	R	SCOOTER	33
PIRELLI	0340-0035	DIABLO SCOOTER	160/60R14	R	SCOOTER	65
BRIDGESTONE	0317-0021	TW34	180/80-14	R	DUALSPORT/OEM	58
15"						
MICHELIN	0340-0319	CITY GRIP	120/70-15	F	SCOOTER	34
MICHELIN	0340-0443	POWER PURE SC	120/70-15	F	SCOOTER	33
METZELER		FEELFREE				
	0340-0145	RADIAL	120/70R15	F	SCOOTER	44
MICHELIN	0340-0454	POWER PURE SC	120/70R15	F	SCOOTER	33
PIRELLI	0340-0036	DIABLO SCOOTER	120/70R15	F	SCOOTER	65
PIRELLI	0340-0123	DIABLO SCOOTER	120/70R15	F	SCOOTER	65
BRIDGESTONE	BR-146387	TH01	120/70R15	F	SCOOTER/OEM	56
BRIDGESTONE	0303-0091	BT-0110R	120/70ZR15	F	SCOOTER/OEM	57
DUNLOP	0306-0037	ELITE 3	MV85B-15	R	CRS/TOUR/OEM	23
MICHELIN	0340-0446	POWER PURE SC	130/80-15	R	SCOOTER	33
BRIDGESTONE	0308-0033	G508	130/90-15	R	OEM	54
DUNLOP	0306-0001	D404	130/90-15	R	CRS/TOUR	22
KENDA	K6570	CHALLENGER	130/90-15	R	GEN	83
PIRELLI	MT66-28	ROUTE 66	130/90-15	R	CRS/TOUR	64
KENDA	K67126	CRUISER	130/90-15	R	GEN	83
MICHELIN	0340-0466	CITY GRIP	140/70-15	R	SCOOTER	34
DUNLOP	3259-85	K555	140/80B15	R	CRS/TOUR/OEM	24
METZELER	110-10422	ME880	140/80B15	R	CRS/TOUR	41
IRC	IRC-45	G5-18	140/80-15	R	GEN/OEM	88
BRIDGESTONE	0306-0199	S11 SPITFIRE	140/90-15	R	SPRTNG	52
BRIDGESTONE	0306-0235	EXEDRA MAX	140/90-15	R	CRS/TOUR	50
BRIDGESTONE	BR0730	G702	140/90-15	R	GEN/OEM	55
CONTINENTAL	0306-0285	MILESTONE PLUS	140/90-15	R	CRS/TOUR	78
DUNLOP	0306-0002	D404	140/90-15	R	GEN	22
IRC	IRC-725	WF-920	140/90-15	R	CRS/TOUR	87
KENDA	K6573	CHALLENGER	140/90-15	R	GEN	83
KENDA	0306-0045	KRUZ K673	140/90-15	R	CRS/TOUR	83
PIRELLI	MT66-21	ROUTE 66	140/90-15	R	CRS/TOUR	64
METZELER	0306-0413	ME888	140/90B15	R	CRS/TOUR	40
MICHELIN	0306-0294	COMMANDER II	140/90B15	R	CRS/TOUR	31
DURO	HF29651	BOULEVARD	140/90-15	R	GEN	92
IRC	IRC311	RS-310	140/90-15	R	GEN	87
PIRELLI	0340-0124	DIABLO SCOOTER	150/60R15	R	SCOOTER	65
DUNLOP	3259-80	K555	150/80-15	R	GEN/OEM	24
IRC	IRC-723	WF-920	150/80-15	R	CRS/TOUR	87
METZELER	110-11250	ME880	150/80B15	R	CRS/TOUR	41
BRIDGESTONE	BR-0156	G526	150/90-15	R	GEN/OEM	56
BRIDGESTONE	BR-0723	G702	150/90-15	R	CRS/TOUR/OEM	56
BRIDGESTONE	0306-0200	S11 SPITFIRE	150/90-15	R	SPRTNG	52
CONTINENTAL	0306-0286	MILESTONE PLUS	150/90-15	R	CRS/TOUR	78
DUNLOP	32NI-50	D404	150/90-15	R	CRS/TOUR	22
DUNLOP	32NM-50	D404	150/90-15	R	CRS/TOUR/WWW	22
IRC	IRC-722	WF-920	150/90-15	R	CRS/TOUR	87
KENDA	0306-0046	KRUZ K673	150/90-15	R	CRS/TOUR	83
PIRELLI	MT66-22	ROUTE 66	150/90-15	R	CRS/TOUR	64
AVON	0306-0463	AV72 COBRA	150/90B15	R	CRS/TOUR	72
BRIDGESTONE	0306-0236	EXEDRA MAX	150/90B15	R	CRS/TOUR	50
BRIDGESTONE	0308-0013	G702	150/90B15	R	GEN/OEM	56
METZELER	110-10418	ME880	150/90B15	R	CRS/TOUR	41
MICHELIN	0306-0295	COMMANDER II	150/90B15	R	CRS/TOUR	31
DURO	HF29652	BOULEVARD	150/90H-15	R	GEN	92
IRC	IRC312	RS-310	150/90-15	R	GEN	87
DUNLOP	4213-50	K525	150/90-15	R	GEN/OEM/RWL	25

STREET TIRE SIZE APPLICATION GUIDE continued on next page.

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
15" (CONT)						
MICHELIN	0340-0455	POWER PURE SC	160/60R15	R	SCOOTER	33
AVON		ROADRIDER				
	0308-0036	AM26	160/80-15	R	GEN	74
BRIDGESTONE	0306-0237	EXEDRA MAX	160/80-15	R	CRS/TOUR	50
BRIDGESTONE	BR-105732	G702	160/80-15	R	GEN/OEM	54
METZELER	0308-0026	METZELER	160/80-15	R	CRS/TOUR	41
METZELER		FEELFREE				
	0340-0147	RADIAL	160/60R15	R	SCOOTER	44
BRIDGESTONE	0304-0089	BT-012-R	160/60ZR15	R	SCOOTER/OEM	57
BRIDGESTONE	BR-001012	G546	170/80-15	R	GEN/OEM	55
BRIDGESTONE	BR-0160	G546	170/80-15	R	GEN/OEM	54
BRIDGESTONE	BR-0714	G702	170/80-15	R	GEN/OEM	54, 56
BRIDGESTONE	BR001692	G702	170/80-15	R	CRS/TOUR/OEM	56
BRIDGESTONE	0308-0034	G702-F	170/80-15	R	GEN/OEM	55
BRIDGESTONE	B2163	S11 SPITFIRE	170/80-15	R	CRS/TOUR	52
CONTINENTAL	0306-0287	MILESTONE PLUS	170/80-15	R	CRS/TOUR	78
DUNLOP	0306-0003	D404	170/80-15	R	CRS/TOUR	22
DUNLOP	4015-98	K555J	170/80-15	R	CRS/TOUR/OEM	24
DUNLOP	4183-98	K555	170/80-15	R	CRS/TOUR/OEM	24
DUNLOP	4019-98	K555	170/80-15	R	CRS/TOUR/OEM	24
IRC	IRC-950	GS-23	170/80-15	R	CRS/TOUR/OEM	88
IRC					CRS/TOUR/OEM/	
	0306-0041	GS-23	170/80-15	R	WWW	88
IRC	IRC-724	WF-920	170/80-15	R	CRS/TOUR	87
KENDA	0306-0402	K673 KRUIZ	170/80-15	R	CRS/TOUR	83
PIRELLI	MT66-23	ROUTE 66	170/80-15	R	CRS/TOUR	64
BRIDGESTONE	0306-0238	EXEDRA MAX	170/80B15	R	CRS/TOUR	50
METZELER	0306-0311	ME888	170/80B15	R	CRS/TOUR	40
METZELER	0306-0412	ME888	170/80B15	R	CRS/TOUR/WWW	40
MICHELIN	0306-0296	COMMANDER II	170/80B15	R	CRS/TOUR	31
PIRELLI	0306-0109	NIGHT DRAGON	170/80B15	R	CRS/TOUR	63
DURO	HF29653	296C	170/80-15	R	GEN	92
KENDA	K67128	CRUISER	170/80-15	R	GEN	83
BRIDGESTONE	BR-0718	G702	180/70-15	R	CRS/TOUR/OEM	55
BRIDGESTONE	0308-0017	G702	180/70-15	R	CRS/TOUR/OEM	55
BRIDGESTONE	0308-0037	G722-R	180/70-15	R	CRS/OEM/WWW	55
BRIDGESTONE	0306-0239	EXEDRA MAX	180/70-15	R	CRS/TOUR	50
PIRELLI	0306-0118	NIGHT DRAGON	200/70-15	R	CRS/TOUR	63
PIRELLI	MT66-27	ROUTE 66	180/70-15	R	CRS/TOUR	64
METZELER	110-10421	ME880	180/70B15	R	CRS/TOUR	41
MICHELIN	0305-0407	COMMANDER II	180/70B15	R	CRS/TOUR	31
PIRELLI	0306-0117	NIGHT DRAGON	180/70-15	R	CRS/TOUR	63
METZELER	110-14018	ME880	200/70B15	R	CUSTOM	41, 42
DUNLOP		SIGNATURE				
	0304-0219	SERIES	P205-65R15	R	TRIKE	21
AVON	AV046	AM21	230/60B15	R	GEN	73
16"						
BRIDGESTONE	BS-00054	TW9	2.50-16	F	DUALSPORT/OEM	58
PIRELLI	ML75-01	ML75	2.50-16	F	MOPED	67
PIRELLI	ML75-02	ML75	2.75-16	R	MOPED	67
IRC	IRC-118	NR-21	3.00-16	R	MOPED	91
IRC	IRC-120	NR-21	3.50-16	R	GEN	91
IRC	IRC-110	GS-11	4.60-16	R	GEN	88
AVON	AV004	SM MARK II	5.00-16	R	GEN	74
DURO	HF302-01	CLASSIC/VINTAGE	5.10-16	R	GEN	93
MICHELIN	0340-0461	CITY GRIP	90/80-16	F	SCOOTER	34
PIRELLI	0341-0066	MANDRAKE MT15	90/80-16	R	SCOOTER/OEM	67
DUNLOP	320F-62	K330	100/80-16	F	SPORT/OEM	25
DUNLOP	32PU-62	K630	100/80-16	F	SPORT/OEM	25
IRC	0340-0172	SS-530	100/80-16	F	SCOOTER/OEM	89
METZELER	0340-0149	FEELFREE	100/80-16	F	SCOOTER	44
MICHELIN	0340-0519	CITY GRIP	100/80-16	F	SCOOTER	34
PIRELLI	0340-0083	DIABLO SCOOTER	100/80-16	F	SCOOTER	65
PIRELLI	MT75-03	MT75	100/80-16	F	GEN/OEM	65
BRIDGESTONE	BAX4500	BT-45	100/90-16	F	SPRTNG	52
DURO	HF91801	HF918	100/90-16	F	GEN	92
KENDA	K67101	CRUISER	100/90-16	F	GEN	83
METZELER	0305-0028	LASERTEC	100/90-16	F	GEN	43
PIRELLI	1403100	SPORT DEMON	100/90-16	F	SPRTNG	64
IRC	IRC-296	RS-310	100/90-16	F	GEN	87
AVON		AM63 VIPER				
	0340-0050	STRYKE	110/70-16	F	SCOOTER	75
METZELER	0340-0151	FEELFREE	110/70-16	F	SCOOTER	44
METZELER	0340-0153	FEELFREE	110/70-16	F	SCOOTER	44
MICHELIN	0340-0321	CITY GRIP	110/70-16	F	SCOOTER	34
PIRELLI	0340-0082	DIABLO SCOOTER	110/70-16	F	SCOOTER	65
PIRELLI	0340-0121	DIABLO SCOOTER	110/70-16	F	SCOOTER	65
KENDA	K67106	CRUISER	110/70-16	F	GEN	83
MICHELIN	0340-0462	CITY GRIP	110/80-16	F	SCOOTER	34
BRIDGESTONE	80-3715	BT-45	110/90-16	F	SPRTNG	52
CONTINENTAL	97946	TKV11	110/90-16	F	GEN	80
METZELER	0305-0029	LASERTEC	110/90-16	F	GEN	43

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
16" (CONT)						
PIRELLI	1342100	SPORT DEMON	110/90-16	F	SPRTNG	64
MICHELIN	0340-0462	CITY GRIP	120/70-16	F	SCOOTER	34
AVON		AM63 VIPER				
	0340-0057	STRYKE	120/80-16	R	SCOOTER	75
AVON		ROADRIDER				
	0306-0071	AM26	120/80-16	F/R	GEN	74
BRIDGESTONE	BQ-3720	BT-45	120/80-16	F	SPRTNG	52
CONTINENTAL	0305-0089	CONTI GO!	120/80-16	F	GEN	79
DUNLOP	320F-68	K330	120/80-16	R	SPORT/OEM	25
DURO	HF91802	HF918	120/80-16	F	GEN	92
MICHELIN	0305-0099	PILOT ACTIV	120/80-16	F	SPRTNG	32
IRC	0340-0173	SS-530	120/80-16	R	SCOOTER/OEM	89
METZELER	0305-0030	LASERTEC	120/80-16	F	GEN	43
MICHELIN	0340-0467	CITY GRIP	120/80-16	R	SCOOTER	34
PIRELLI	MT75-04	MT75	120/80-16	R	GEN/OEM	65
PIRELLI	1342200	SPORT DEMON	120/80-16	F	SPRTNG	64
KENDA	0305-0301	K676	120/80B16	F	GEN	84
IRC	IRC297	RS-310	120/80-16	F	GEN	87
BRIDGESTONE	BS-0277	TW40	120/90-16	F	DUALSPORT/OEM	58
KENDA	K6577	CHALLENGER	120/90-16	R	GEN	83
DURO	HF26101	HF261A	120/90H-16	F/R	GEN	92
MICHELIN	0340-0331	CITY GRIP	130/70-16	R	SCOOTER	34
AVON	0301-0566	COBRA AV71	130/70R16	F	TRIKE	72
AVON	0301-0348	3D ULTRA SPORT	130/70R16	F	SPORT	70
BRIDGESTONE	0301-0417	BATTLAX S20	130/70R16	F	SPRSPT	47
METZELER	0301-0067	SPORTEC M1	130/70ZR16	F	SPRSPT	38
DUNLOP	32PU-80	K630	130/80-16	R	SPORT/OEM	25
METZELER	0340-0148	FEELFREE	130/80-16	R	SCOOTER	44
PIRELLI	0340-0079	DIABLO SCOOTER	130/80-16	F/R	SCOOTER	65
BRIDGESTONE	BR-028790	G703	130/90-16	F	GEN/OEM	56
DUNLOP	32KY-40	D404	130/90-16	F	CRS/TOUR	22
METZELER	0305-0386	ME888	130/90-16	F	CRS/TOUR/WWW	40
AVON	AV-086	AM20	130/90-16	F	GEN	73
BRIDGESTONE	BQ-4713	BT-45	130/90-16	R	SPRTNG	52
BRIDGESTONE	BR-0745	G703	130/90-16	F	GEN/OEM	56
BRIDGESTONE	BR-0751	G703	130/90-16	F	GEN/OEM/WWW	56
BRIDGESTONE	0307-0002	G703	130/90-16	F	GEN/OEM	56
BRIDGESTONE	0307-0051	G721-J	130/90-16	F	GEN/OEM/WWW	55
BRIDGESTONE	0307-0048	G721-E	130/90-16	F	GEN/OEM	55
BRIDGESTONE	B1100	S11 SPITFIRE	130/90-16	F	CRS/TOUR	52
BRIDGESTONE	0306-0201	S11 SPITFIRE	130/90-16	R	CRS/TOUR	52
BRIDGESTONE	B2120	S11 SPITFIRE	130/90-16	R	CRS/TOUR	52
CONTINENTAL	0306-0098	CONTI GO!	130/90-16	R	GEN	79
CONTINENTAL	98007	MILESTONE	130/90-16	F	CRS/TOUR	78
CONTINENTAL	98013	MILESTONE	130/90-16	F	CRS/TOUR/WWW	78
DUNLOP	4177-40	CRUISEMAX	130/90-16	F	CRS/TOUR/WW	26
DUNLOP	0306-0004	D404	130/90-16	R	CRS/TOUR	22
DURO	HF904-51	HF904	130/90-16	R	DUALSPORT	93
IRC		WF-920 WILD				
	IRC-704	FLATE	130/90-16	F	CRS/TOUR	87
IRC	IRC-720	WF-920	130/90-16	R	CRS/TOUR	87
IRC	0305-0053	WF-920HD	130/90-16	F	CRS/TOUR	87
IRC	0306-0050	WF-920HD	130/90-16	R	CRS/TOUR	87
IRC	IRC-900	GS-23	130/90-16	F	CRS/TOUR/OEM	88
IRC	0305-0051	GS-23	130/90-16	F	GEN/OEM/WWW	88
IRC	IRC304	RS-310	130/90-16	R	GEN	87
KENDA	K6581	CHALLENGER	130/90-16	R	GEN	83
KENDA	K67127	CRUISER	130/90-16	R	GEN	83
KENDA	K673-01	KRUZ	130/90-16	F	CRS/TOUR	83
KENDA	K673-02	KRUZ	130/90-16	R	CRS/TOUR	83
METZELER	0306-0030	LASERTEC	130/90-16	R	GEN	43
METZELER	0305-0296	ME888	130/90-16	F	CRS/TOUR	40
PIRELLI	0305-0285	NIGHT DRAGON	130/90-16	F	CRS/TOUR	63
PIRELLI	MT66-01	ROUTE 66	130/90-16	F	CRS/TOUR	64
PIRELLI	MT66-24	ROUTE 66	130/90-16	R	CRS/TOUR	64
PIRELLI	1403600	SPORT DEMON	130/90-16	R	SPRTNG	64
BRIDGESTONE	0305-0229	EXEDRA MAX	130/90B16	F	CRS/TOUR	50
DUNLOP	3016-40	D401	130/90B16	R	CRS/TOUR	21
DUNLOP	0305-0392	ELITE 3	130/90B16	F	CRS/TOUR	23
DUNLOP					CRS/TOUR/OEM/	
	0305-0440	491 ELITE II	130/90B16	F	RWL	25
DUNLOP	3023-40	K591	130/90B16	R	SPORT	20
KENDA	0306-0317	K676	130/90B16	F	GEN	84
METZELER	0306-0313	ME888	130/90B16	R	CRS/TOUR	40
METZELER	0306-0417	ME888	130/90B16	R	CRS/TOUR/WWW	40
MICHELIN	0305-0278	COMMANDER II	130/90B16	F	CRS/TOUR	31
MICHELIN	0306-0297	COMMANDER II	130/90B16	R	CRS/TOUR	31
PIRELLI	0306-0090	NIGHT DRAGON	130/90B16	R	CRS/TOUR	63
DURO	HF26102	HF261A	130/90-16	F/R	GEN	92
DURO	HF296-01	HF296	130/90-16	F	GEN	92
DURO	HF29654	HF296C	130/90-16	R	GEN	92
BRIDGESTONE	BR-001675	G703	130/90-16	F	GEN/OEM	56



STREET TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
16" (CONT)						
CONTINENTAL	97960	TKV12	130/90-16	R	GEN	80
DUNLOP	0306-0425	AMERICAN ELITE	MU85B-16	R	CRS/TOUR	20
DUNLOP	0306-0426	AMERICAN ELITE	MU85B-16	R	CRS/TOUR/NWS	20
DUNLOP	0306-0427	AMERICAN ELITE	MU85B-16	R	CRS/TOUR/WWW	20
DUNLOP	0308-0001	D402	MU85B-16	R	CRS/TOUR	21
DUNLOP	0308-0003	D402	MU85B-16	R	CRS/TOUR/SWS	21
DUNLOP	3019-23	D402	MU85B-16	R	CRS/TOUR/WWW	21
CONTINENTAL	0306-0406	MILESTONE PLUS	MU85B-16	R	CRS/TOUR	78
CONTINENTAL	0306-0407	MILESTONE PLUS	MU85B-16	R	CRS/TOUR/WWW	78
METZELER	0306-0415	ME888	MU85B-16	R	CRS/TOUR/WWW	40
PIRELLI	0306-0092	NIGHT DRAGON	MU85B-16	R	CRS/TOUR	63
AVON	AV040	AM21	MT90-16	R	GEN	73
AVON	AV012	GANGSTER	MT90-16	F/R	GEN/WWW	73
AVON		ROADRIDER				
	0306-0052	AM26	MT90-16	R	GEN	74
CONTINENTAL	97110	K112	MT90-16	R	GEN	79
AVON	0305-0267	AV71 COBRA	MT90B16	F	CRS/TOUR	72
AVON	0305-0268	AV71 COBRA	MT90B16	F	CRS/TOUR/WWW	72
AVON	0306-0271	AV72 COBRA	MT90B16	R	CRS/TOUR	72
AVON	0306-0272	AV72 COBRA	MT90B16	R	CRS/TOUR/WWW	72
CONTINENTAL	0305-0379	MILESTONE	MT90B16	F	CRS/TOUR	78
CONTINENTAL	0305-0378	MILESTONE	MT90B16	F	CRS/TOUR/WWW	78
CONTINENTAL	0306-0404	MILESTONE PLUS	MT90B16	R	CRS/TOUR	78
CONTINENTAL	0306-0405	MILESTONE PLUS	MT90B16	R	CRS/TOUR/WWW	78
DUNLOP	0305-0393	AMERICAN ELITE	MT90B16	F	CRS/TOUR	20
DUNLOP	0305-0394	AMERICAN ELITE	MT90B16	F	CRS/TOUR/NWS	20
DUNLOP	0305-0395	AMERICAN ELITE	MT90B16	F	CRS/TOUR/WWW	20
DUNLOP	0306-0422	AMERICAN ELITE	MT90B16	R	CRS/TOUR	20
DUNLOP	0306-0423	AMERICAN ELITE	MT90B16	R	CRS/TOUR/NWS	20
DUNLOP	0306-0424	AMERICAN ELITE	MT90B16	R	CRS/TOUR/WWW	20
DUNLOP	3020-91	D402	MT90B16	F	CRS/TOUR	21
DUNLOP	3021-91	D402	MT90B16	F	CRS/TOUR/SWS	21
DUNLOP	3022-91	D402	MT90B16	F	CRS/TOUR/WWW	21
DUNLOP	3017-91	D402	MT90B16	R	CRS/TOUR	21
DUNLOP	3018-91	D402	MT90B16	R	CRS/TOUR/SWS	21
DUNLOP	3019-91	D402	MT90B16	R	CRS/TOUR/WWW	21
DUNLOP	0306-0038	ELITE 3	MT90B16	R	CRS/TOUR/CUSTOM	23
METZELER	0305-0295	ME888	MT90B16	F	CRS/TOUR	40
METZELER	0305-0385	ME888	MT90B16	F	CRS/TOUR/WWW	40
METZELER	0306-0416	ME888	MT90B16	R	CRS/TOUR/WWW	40
METZELER	0306-0315	ME888	MT90B16	R	CRS/TOUR/WWW	40
PIRELLI	0305-0080	NIGHT DRAGON	MT90B16	F	CRS/TOUR	63
PIRELLI	0306-0091	NIGHT DRAGON	MT90B16	R	CRS/TOUR	63
DUNLOP	0306-0039	ELITE 3	MU90B16	R	CRS/TOUR/CUSTOM	23
METZELER	0306-0312	ME888	MU90B16	R	CRS/TOUR	40
AVON		AM63 VIPER				
	0340-0058	STRYKE	140/70-16	R	SCOOTER	75
MICHELIN	0340-0326	CITY GRIP	140/70-16	R	SCOOTER	34
METZELER	0340-0150	FEELFREE	140/70-16	R	SCOOTER	44
PIRELLI	0340-0080	DIABLO SCOOTER	140/70-16	F/R	SCOOTER	65
KENDA	K67129	CRUISER	140/70-16	R	GEN	83
BRIDGESTONE	0306-0202	S11 SPITFIRE	140/90-16	R	SPRTNG	52
DUNLOP	0306-0005	D404	140/90-16	R	CRS/TOUR	22
DUNLOP	0306-0467	AMERICAN ELITE	140/90-16	F	CRS/TOUR	20
IRC	IRC-721	WF-920	140/90-16	R	CRS/TOUR	87
KENDA	K6579	CHALLENGER	140/90-16	R	GEN	83
KENDA	0306-0047	KRUZ	140/90-16	R	CRS/TOUR	83
PIRELLI	MT66-25	ROUTE 66	140/90-16	R	CRS/TOUR	64
AVON	0306-0273	AV72 COBRA	140/90B16	R	CRS/TOUR	72
AVON	0306-0274	AV72 COBRA	140/90B16	R	CRS/TOUR/WWW	72
DUNLOP					CRS/TOUR/OEM/ RWL	
	0306-0468	491 Elite II	130/90B16	R		25
METZELER	0306-0419	ME888	140/90B16	R	CRS/TOUR	40
METZELER	0306-0420	ME888	140/90B16	R	CRS/TOUR/WWW	40
MICHELIN	0306-0298	COMMANDER II	140/90B16	R	CRS/TOUR	31
DURO	HF26103	HF261A	140/90H16	F/R	GEN	92
AVON		ROADRIDER				
	0306-0061	AM26	150/80-16	R	GEN	74
BRIDGESTONE	BQ-4710	BT-45	150/80-16	R	SPRTNG	52
BRIDGESTONE	0305-0230	EXEDRA MAX	150/80-16	F	CRS/TOUR	50
BRIDGESTONE	BR-0747	G702	150/80-16	R	GEN/OEM	56
BRIDGESTONE	BR-0753	G702	150/80-16	R	GEN/OEM/WWW	56
BRIDGESTONE	0308-0004	G702	150/80-16	R	GEN/OEM	56
BRIDGESTONE	BR-0716	G703	150/80-16	F	GEN/OEM	55
BRIDGESTONE	0307-0009	G703	150/80-16	F	GEN/OEM	55
BRIDGESTONE	BR-0721	G705	150/80-16	F	CRS/TOUR/OEM/WW	56
BRIDGESTONE	0307-0005	G705	150/80-16	F	GEN/OEM	56
BRIDGESTONE	0307-0007	G721	150/80-16	F	GEN/OEM	55
BRIDGESTONE	B1163	SE11	150/80H-16	F	CRS/TOUR	52
DUNLOP	4180-91	CRUISEMAX	150/80-16	R	GEN/WWW	26

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
16" (CONT)						
DUNLOP	3016-91	D401	150/80-16	R	CRS/TOUR	21
DUNLOP	32KY-91	D404	150/80-16	F	CRS/TOUR	22
DUNLOP	32NM-91	D404	150/80-16	F	CRS/TOUR/WW	22
DUNLOP	0306-0006	D404	150/80-16	R	CRS/TOUR	22
KENDA	0305-0199	KRUZ	150/80-16	F	CRS/TOUR	83
KENDA	0306-0048	KRUZ	150/80-16	R	CRS/TOUR	83
METZELER	0306-0031	LASERTEC	150/80-16	R	GEN	43
PIRELLI	0305-0192	NIGHT DRAGON	150/80-16	F	CRS/TOUR	63
PIRELLI	MT66-02	ROUTE 66	150/80-16	F	CRS/TOUR	64
PIRELLI	MT66-26	ROUTE 66	150/80-16	R	CRS/TOUR	64
PIRELLI	1342300	SPORT DEMON	150/80-16	R	SPRTNG	64
AVON	0306-0275	AV72 COBRA	150/80B16	R	CRS/TOUR	72
AVON	0306-0276	AV72 COBRA	150/80B16	R	CRS/TOUR/WWW	72
BRIDGESTONE	0306-0241	EXEDRA MAX	150/80B16	R	CRS/TOUR	50
BRIDGESTONE	BR-028807	G702	150/80B16	R	GEN/OEM	56
BRIDGESTONE	0308-0047	G721	150/80B16	R	GEN	56
CONTINENTAL	0306-0408	MILESTONE PLUS	150/80B16	R	CRS	78
CONTINENTAL	0306-0409	MILESTONE PLUS	150/80B16	R	CRS/TOUR/WWW	78
DUNLOP	0306-0428	AMERICAN ELITE	150/80B16	R	CRS/TOUR	20
DUNLOP	0306-0429	D401	150/80B16	E	CRS/TOUR/OEM	21
DUNLOP	0306-0430	D401	150/80B16	R	CRS/TOUR/WWW	21
DUNLOP	0305-0079	ELITE 3	150/80-16	F	CRS/TOUR/OEM	23
DUNLOP	3023-91	K591	150/80B16	R	SPORT	20
KENDA	0306-0321	K676	150/80B16	R	GEN	84
METZELER	110-10420	ME880	150/80B16	R	CRS/TOUR	41
METZELER	0306-0314	ME888	150/80B16	R	CRS/TOUR	40
METZELER	0306-0414	ME888	150/80B16	R	CRS/TOUR/WWW	40
MICHELIN	0306-0299	COMMANDER II	150/80B16	R	CRS/TOUR	31
PIRELLI	0306-0093	NIGHT DRAGON	150/80B16	R	CRS/TOUR	63
IRC	0306-0074	WF-920HD	150/80-16	R	CRS/TOURS	87
METZELER	110-10412	ME880	150/80-16	F	CRS/TOUR	41
AVON	0301-0095	COBRA AV71	150/80R16	F	CRS/TOUR	72
AVON	0301-0203	COBRA AV71	150/80R16	F	CRS/TOUR/WWW	72
AVON	0305-0429	COBRA AV71	150/80-16	F	CRS/TOUR/WWW	72
BRIDGESTONE	0303-0004	BT-020	150/80R16	F	SPORT	55
BRIDGESTONE	0303-0087	G853	150/80R16	F	CRS	55
BRIDGESTONE	0303-0172	EXEDRA MAX	150/80R16	F	CRS/TOUR	50
DUNLOP	0303-0020	D251	150/80R16	F	CRS/TOUR/OEM	25
METZELER	0303-0152	ME880	150/80R16	F	CRS/TOUR/OEM	41
METZELER	0303-0057	ME880	150/80R16	F	CRS/TOUR	41
AVON	0302-0930	STORM 3D X-M	150/80ZR16	R	SPRSPT	71
BRIDGESTONE	BT-0040	G702	160/80-16	R	CRS/TOUR/OEM	53
KENDA	0306-0049	KRUZ	160/80-16	R	CRS/TOUR	83
DUNLOP	3026-96	D417	160/80B16	R	CRS/TOUR/OEM	25
DUNLOP	0308-0044	ELITE 3	160/80B16	R	CRS/TOUR/OEM	23
METZELER	110-13142	ME880	160/80B16	R	CRS/TOUR/OEM	41
DURO	HF29655	HF296C	160/80-16	R	GEN	92
BRIDGESTONE	0306-0242	EXEDRA MAX	170/70B16	R	CRS/TOUR	50
BRIDGESTONE	0308-0025	G722R	170/70B16	R	GEN/OEM	56
BRIDGESTONE	0308-0035	G722-E	170/70B16	R	GEN/OEM	55
BRIDGESTONE	0308-0015	G722-G	170/70B16	R	GEN/OEM	55-56
DUNLOP	0308-0031	K555	170/70B16	R	CRS/TOUR/OEM	25
METZELER	0306-0452	ME888	170/70B16	R	CRS/TOUR	40
AVON	0302-0715	COBRA AV72	170/70R16	R	CRS/TOUR	72
DUNLOP	32KU-68	D206	170/70R16	R	CRS/TOUR/OEM	24
AVON	0304-0204	COBRA AV72	180/60R16	R	SPRSPT	72
BRIDGESTONE	BR-7060	G704	180/60R16	R	CRS/TOUR/OEM	53
DUNLOP	0304-0054	D250	180/60R16	R	CRS/TOUR/OEM	24
DUNLOP	0304-0208	ELITE 3	180/60R16	R	CRS/TOUR/OEM	23
METZELER	0302-0842	ME888	180/60R16	R	CRS/TOUR	40
AVON	0306-0197	COBRA AV72	180/65B16	R	CRS/TOUR	72
CONTINENTAL	0306-0410	MILESTONE PLUS	180/65B16	R	CRS/TOUR	78
CONTINENTAL	0306-0411	MILESTONE PLUS	180/65B16	R	CRS/TOUR/WWW	78
DUNLOP	0306-0324	AMERICAN ELITE	180/65B16	R	CRS/TOUR	20
DUNLOP	0306-0325	AMERICAN ELITE	180/65B16	R	CRS/TOUR/NW	20
DUNLOP	0306-0326	AMERICAN ELITE	180/65B16	R	CRS/TOUR/WWW	20
METZELER	0306-0310	ME888	180/65B16	R	CRS/TOUR	40
METZELER	0306-0418	ME888	180/65B16	R	CRS/TOUR/WWW	40
MICHELIN	0306-0300	COMMANDER II	180/65B16	R	CRS/TOUR	31
PIRELLI	0306-0302	NIGHT DRAGON	180/65B16	R	CRS/TOUR	63
AVON	0302-0165	COBRA AV72	180/70R16	R	CRS/TOUR	72
AVON	0304-0218	COBRA AV72	180/70R16	R	CRS/TOUR/WWW	72
BRIDGESTONE	BAX7020	G702	180/70R16	R	CRS/TOUR/OEM	53, 55
DUNLOP	3025-82	D251	180/70R16	R	CRS/TOUR/OEM	24
DUNLOP	0304-0020	ELITE 3	180/70R16	R	CRS/TOUR/OEM	23
METZELER	110-13352	ME880	180/70R16	R	CRS/TOUR/OEM	41, 42
PIRELLI	0304-0198	NIGHT DRAGON	180/70R16	R	CRS/TOUR	63
BRIDGESTONE	0304-0175	EXEDRA MAX	180/70ZR16	R	CRS/TOUR	50
AVON	0302-0166	COBRA AV72	200/60R16	R	CRS/TOUR	72

STREET TIRE SIZE APPLICATION GUIDE continued on next page.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.

2015 TIRE CATALOG

STREET TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
16" (CONT)						
BRIDGESTONE	0304-0003	BT020	200/60R16	R	SPORT/OEM	55
BRIDGESTONE	0304-0217	G852-G	200/60R16	R	CRS/TOUR/OEM	55
BRIDGESTONE	0304-0176	EXEDRA MAX	200/60R16	R	CRS/TOUR	50
DUNLOP	0304-0022	D251	200/60R16	R	CRS/TOUR/OEM	25
METZELER	110-13075	ME880	200/60R16	R	CUSTOM	41, 42
AVON	0302-0167	COBRA AV72	240/50R16	R	CRS/TOUR	72
METZELER	110-10431	ME880	240/50R16	R	CRS/CUSTOM/OEM	41, 42
BRIDGESTONE	0304-0084	G852	240/55R-16	R	CRS/OEM	55
BRIDGESTONE	0304-0177	EXEDRA MAX	250/55ZR16	R	CRS/TOUR	50
17"						
IRC	0341-0007	NR58	2.00-17	F/R	GEN	91
IRC	IRC-172	NR-21	2.25-17	F/R	MOPED	91
IRC	0341-0008	NR53	2.25-17	F/R	GEN	91
MICHELIN	SM-04	GAZELLE M62	2.25-17	F/R	MOPED	35
IRC	0341-0010	NR53	2.50-17	F/R	GEN	91
IRC	0341-0012	NR53	2.70-17	F/R	GEN	91
MICHELIN	SM-05	GAZELLE M62	2.50-17	F/R	MOPED	35
MICHELIN	0341-0082	GAZELLE M62	2.75-17	F/R	MOPED	35
IRC	IRC-119	NR-21	3.00-17	R	MOPED	91
MICHELIN	SM-06	GAZELLE	3.00-17	F/R	MOPED	35
IRC	0341-0086	NR77	80/90-17	R	GEN	88
IRC	0341-0085	NR53	90/80-17	F/R	GEN	91
PIRELLI	0341-0056	MT75	90/80-17	F	GEN/OEM	65
IRC	0341-0090	NR45	90/90-17	F/R	GEN	91
IRC	0305-0400	RX-02	100/80-17	F	SPORT	86
KENDA	0305-0300	K676	100/80B17	F	GEN	84
AVON	0305-0056	ROADRIDER AM26	110/70-17	F	GEN	74
BRIDGESTONE	0305-0203	BT-45-F	110/70-17	F	SPRTNG	52, 55
CONTINENTAL	0305-0090	CONTI GO!	110/70-17	F	GEN	79
DURO	HF91803	HF918	110/70-17	F	GEN	92
KENDA	K67103	CRUISER	110/70-17	F	GEN	83
IRC	IRC-370	RX-01	110/70-17	F	SPORT	86
IRC	0307-0055	RX-01	110/70-17	F	GEN/OEM	86
IRC	0307-0054	RX-01	110/70-17	F	GEN/OEM	88
IRC	0305-0401	RX-02	110/70-17	F	GEN	86
METZELER	0305-0031	LASERTEC	110/70-17	F	GEN	43
PIRELLI	1342900	SPORT DEMON	110/70-17	F	SPRTNG	64
AVON	0301-0560	STORM 3D X-M	110/70ZR17	F	SPRTNG	71
BRIDGESTONE	0301-0418	BATTLAX S20	110/70R17	F	SPRSPT	47
CONTINENTAL	0301-0356	CONTI ATTACK SM	110/70R17	F	MOTARD	78
METZELER	0303-0100	ME 24	110/70R17	F	SPRTNG/OEM	43
METZELER	0301-0512	M7 RR	110/70ZR17	F	SPORT	37
MICHELIN	0301-0281	PILOT ROAD 3	110/70R17	F	SPRTNG	30
MICHELIN	0301-0489	PILOT STREET	110/70R17	F	GEN	32
BRIDGESTONE	0301-0570	BATTLAX S20 EVO	110/70R17	F	SPRSPT	51
BRIDGESTONE	0301-0490	BATTLAX T30	110/70ZR17	F	SPRSPT	49
BRIDGESTONE	0301-0212	BT-003	110/70ZR17	F	SPRSPT	48
BRIDGESTONE	0303-0084	BT-090	110/70ZR17	F	GEN/OEM	55
CONTINENTAL	0301-0145	CONTI MOTION	110/70ZR17	F	CRS/TOUR	79
CONTINENTAL	0301-0275	ROAD ATTACK 2	110/70ZR17	F	SPORT	77
CONTINENTAL	0301-0353	SPORT ATTACK 2	110/70ZR17	F	SPORT	76
METZELER	0301-0554	ROADTEC Z8	110/70ZR17	F	SPRTNG	39
MICHELIN	0301-0026	PILOT POWER	110/70ZR17	F	SPRSPT	28
PIRELLI	0301-0367	DIABLO ROSSO II	110/70ZR17	F	SPORT	59
PIRELLI	0301-0368	DIABLO ROSSO II	110/70ZR17	F	SPORT	59
AVON	0305-0057	ROADRIDER AM26	110/80-17	F	GEN	74
BRIDGESTONE	80-3722	BT-45	110/80-17	F	SPRTNG	52
CONTINENTAL	0305-0091	CONTI GO!	110/80-17	F	GEN	79
IRC	0341-0092	NR64	110/80-17	F/R	GEN	91
IRC	IRC-371	RX-01	110/80-17	F	SPORT	86
IRC	0305-0402	RX-02	110/80-17	F	GEN	86
METZELER	0305-0032	LASERTEC	110/80-17	F	SPRTNG	43
PIRELLI	MT75-02	MT75	110/80-17	R	GEN/OEM	65
KENDA	K67102	CRUISER	110/80-17	F	GEN	83
MICHELIN	0316-0195	PILOT ROAD 4 TRAIL	110/80R17	F	SPRTNG	30
IRC	IRC313	RS-310	110/90-17	F	GEN	87
AVON	0301-0349	3D ULTRA SPORT	120/60R17	F	SPORT	70
AVON	0301-0346	3D ULTRA SUPERSPORT	120/60R17	F	SPRSPT	70
AVON	0301-0561	STORM 3D X-M	120/60ZR17	F	SPRTNG	71
BRIDGESTONE	0301-0419	BATTLAX S20	120/60ZR17	F	SPRSPT	47
BRIDGESTONE	0301-0491	BATTLAX T30	120/60ZR17	F	SPRSPT	49
BRIDGESTONE	0301-0213	BT-003	120/60ZR17	F	SPRSPT	48
CONTINENTAL	0301-0133	CONTI MOTION	120/60ZR17	F	CRS/TOUR	79
CONTINENTAL	0301-0276	ROAD ATTACK 2	120/60ZR17	F	SPORT	77
CONTINENTAL	0301-0052	SPORT ATTACK	120/60ZR17	F	SPORT	76
CONTINENTAL	0301-0354	SPORT ATTACK 2	120/60ZR17	F	SPORT	76

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
17" (CONT)						
DUNLOP	0301-0485	Q3 RADIALS	120/60ZR17	F	SPRSPT	18
DUNLOP	0301-0371	ROADSMART II	120/60ZR17	F	SPORT	19
METZELER	0301-0555	ROADTEC Z8 INTERACT	120/60ZR17	F	SPRTNG	39
MICHELIN	0301-0429	PILOT POWER 3	120/60ZR17	F	SPRSPT	27
MICHELIN	0301-0284	PILOT ROAD 3	120/60R17	F	SPRTNG	30
MICHELIN	0301-0501	PILOT ROAD 4	120/60ZR17	F	SPORT	29
MICHELIN	0301-0100	PILOT POWER 2CT	120/60ZR17	F	SPRSPT	27
PIRELLI	0301-0425	ANGEL GT	120/60ZR17	F	SPRTNG	62
PIRELLI	0301-0298	DIABLO ROSSO CORSA	120/60ZR17	F	SPORT	60
PIRELLI	0301-0338	DIABLO ROSSO II	120/60ZR17	F	SPORT	59
METZELER	0301-0010	ROADTEC Z6	120/60ZR17	F	SPRTNG	40
METZELER	0301-0513	M7 RR	120/60ZR17	F	SPORT	37
MICHELIN	0301-0575	PILOT POWER 2CT	120/65ZR17	F	SPRSPT	27
PIRELLI	0301-0383	DIABLO ROSSO CORSA	120/65ZR17	F	SPORT	60
AVON	0305-0058	ROADRIDER AM26	120/70-17	F	GEN	74
AVON	0301-0350	3D ULTRA SPORT	120/70R17	F	SPORT	70
BRIDGESTONE	BAX4504	BT-45	120/70-17	F	SPRTNG	52
IRC	0305-0403	RX-02	120/70-17	F	SPORT	86
METZELER	0305-0033	LASERTEC	120/70-17	F	GEN	43
MICHELIN	0305-0024	PILOT ACTIV	120/70-17	F	SPRTNG	32
PIRELLI	1342500	SPORT DEMON	120/70-17	F	SPRTNG	64
BRIDGESTONE	0307-0004	BT-020 M	120/70B17	F	SPORT/OEM	54
CONTINENTAL	0316-0137	TWINDURO TKC80	120/70B19	F	DUALSPORT	82
METZELER	110-10447	ME880	120/70B17	F	CRS/TOUR/OEM	41
AVON	0301-0347	3D ULTRA SUPERSPORT	120/70R17	F	SPORT	70
AVON	0301-0343	3D ULTRA XTREME	120/70R17	F	RACE	71
AVON	AV-703	DISTANZIA	120/70R17	F	DUALSPORT	75
AVON	0301-0486	STORM 3D X-M	120/70R17	F	SPRTNG	71
BRIDGESTONE	0303-0177	BT-016	120/70R17	F	SPRSPT/OEM	55
BRIDGESTONE	0303-0184	BT-021	120/70R17	F	SPRSPT/OEM	56
BRIDGESTONE	0303-0186	BT-022	120/70R17	F	SPRTNG/OEM	54
CONTINENTAL	0301-0357	CONTI ATTACK SM	120/70R17	F	MOTARD	78
PIRELLI	MT60R-8	MT 60-R	120/70R17	F	DUALSPORT	69
PIRELLI	0303-0048	PHANTOM	120/70R17	F	SPRSPT/GEN/OEM	62
PIRELLI	0301-0236	SCORPION TRAIL	120/70R17	F	DUALSPORT/OEM	68
METZELER	110-20447	ME880	120/70VR17	F	CRS/TOUR	41
BRIDGESTONE	0301-0420	BATTLAX S20	120/70ZR17	F	SPRSPT	47
BRIDGESTONE	0301-0577	BATTLAX RS10 RACING STREET	120/70ZR17	F	RACE	51
BRIDGESTONE	0303-0194	S20-J	120/70ZR17	F	SPRSPT/OEM	55
BRIDGESTONE	0301-0571	BATTLAX S20 EVO	120/70ZR17	F	SPRSPT	51
BRIDGESTONE	0301-0492	BATTLAX T30	120/70ZR17	F	SPRSPT	49
BRIDGESTONE	0301-0493	BATTLAX T30	120/70ZR17	F	SPRSPT	49
BRIDGESTONE	0301-0214	BT-003	120/70ZR17	F	SPRSPT	48
BRIDGESTONE	0303-0051	BT-014	120/70ZR17	F	SPORT/OEM	55
BRIDGESTONE	0303-0064	BT-015	120/70ZR17	F	SPRSPT	54
BRIDGESTONE	0303-0076	BT-015	120/70ZR17	F	SPRSPT	55
BRIDGESTONE	0303-0180	BT-015	120/70ZR17	F	SPRSPT	54
BRIDGESTONE	0303-0164	BT-021-J	120/70ZR17	F	SPRSPT/OEM	54
BRIDGESTONE	0303-0027	EXEDRA	120/70ZR17	F	CRS/TOUR	50
BRIDGESTONE	0303-0181	BT-016	120/70ZR17	F	SPRSPT/OEM	55
BRIDGESTONE	0303-0182	BT-016	120/70ZR17	F	SPRSPT/OEM	55
BRIDGESTONE	0303-0183	BT-016	120/70ZR17	F	RACE/OEM	55
BRIDGESTONE	0303-0096	BT-016	120/70ZR17	F	RACE	55
BRIDGESTONE	0301-0336	BT-016 PRO	120/70ZR17	F	RACE	48
BRIDGESTONE	0303-0089	BT-021	120/70ZR17	F	SPRTNG/OEM	56
BRIDGESTONE	0303-0163	BT-021	120/70ZR17	F	SPORT/OEM	55
BRIDGESTONE	0303-0165	BT-021	120/70ZR17	F	SPORT/OEM	55
BRIDGESTONE	0303-0195	BT-021	120/70ZR17	F	SPORT/OEM	55
BRIDGESTONE	0303-0199	BT-023	120/70ZR17	F	SPRTNG	56
BRIDGESTONE	0303-0198	S-20	120/70ZR17	F	SPRTNG	56
BRIDGESTONE	0303-0204	S20-E	120/70ZR17	F	SPRSPT/OEM	55
BRIDGESTONE	0303-0197	S20-N	120/70ZR17	F	SPRTNG	55
CONTINENTAL	0301-0134	CONTI MOTION	120/70ZR17	F	CRS/TOUR	79
CONTINENTAL	0301-0277	ROAD ATTACK 2	120/70ZR17	F	SPORT	77
CONTINENTAL	0301-0358	ROAD ATTACK 2	120/70ZR17	F	SPORT	77
CONTINENTAL	0303-0171	ROADATTACK 2	120/70ZR17	F	SPORT/OEM	77
CONTINENTAL	0301-0441	ROADATTACK 2	120/70ZR17	R	SPORT/OEM	77
CONTINENTAL	0301-0509	ROADATTACK 2 EVO	120/70ZR17	F	SPORT	77
CONTINENTAL	0301-0568	SPORT ATTACK	120/70ZR17	F	SPORT	76
CONTINENTAL	0301-0355	SPORT ATTACK 2	120/70ZR17	F	SPORT	76

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
17" (CONT)						
CONTINENTAL	0316-0157	TRAIL ATTACK 2	120/70ZR17	F	DUALSPORT	81
DUNLOP	0301-0484	Q3 RADIALS	120/70ZR17	F	SPRSPT	18
DUNLOP	0301-0342	QUALIFIER	120/70ZR17	F	SPRSPT	19
DUNLOP	0301-0372	ROADSMART II	120/70ZR17	F	SPORT	19
METZELER		SPORTEC M5				
	0301-0395	INTERACT	120/70ZR17	F	SPRSPT/OEM	36
METZELER	0301-0011	ROADTEC Z6	120/70ZR17	F	SPRTNG	40
METZELER		RACETEC				
	0301-0226	INTERACT	120/70ZR17 K1	F	SUPERSOFT	38
METZELER		RACETEC				
	0301-0227	INTERACT	120/70ZR17 K2	F	SOFT	38
METZELER		RACETEC				
	0301-0228	INTERACT	120/70ZR17 K3	F	MEDIUM	38
METZELER	0303-0055	SPORTEC M3	120/70ZR17	F	SPRSPT	38
METZELER	0303-0074	SPORTEC M3	120/70ZR17 E	F	SPRSPT/OEM	38
METZELER	0301-0514	M7 RR	120/70ZR17	F	SPORT	37
METZELER	0316-0142	TOURANCE NEXT	120/70R17	F	DUALSPORT	45
METZELER		ROADTEC Z8				
	0301-0422	INTERACT	120/70ZR17	F	SPRTNG	39
METZELER		ROADTEC Z8				
	0303-0192	INTERACT	120/70ZR17	F	SPRTNG/OEM	39
METZELER		ROADTEC Z8				
	0301-0956	INTERACT	120/80ZR17	F	SPRTNG	39
MICHELIN	0301-0023	PILOT POWER	120/70ZR17	F	SPRSPT	28
MICHELIN		PILOT POWER				
	0301-0081	2CT	120/70ZR17	F	SPRSPT	27
MICHELIN	0301-0430	PILOT POWER 3	120/70ZR17	F	SPRSPT	27
MICHELIN	0301-0101	PILOT ROAD 2	120/70ZR17	F	SPRTNG	31
MICHELIN	0301-0285	PILOT ROAD 3	120/70R17	F	SPRTNG	30
MICHELIN	0301-0502	PILOT ROAD 4	120/70ZR17	F	SPORT	29
MICHELIN	0301-0503	PILOT ROAD 4 GT	120/70ZR17	F	SPORT	29
MICHELIN		POWER SUPERSPORT				
	0301-0574	EVO	120/70ZR17	F	SPORT	28
PIRELLI	0301-0424	ANGEL GT	120/70ZR17	F	SPRTNG	62
PIRELLI	1430700	DIABLO	120/70ZR17	F	SPORT/OEM	61
PIRELLI		DIABLO CORSA				
	0301-0234	ROSSO	120/70ZR17	F	SPORT/OEM	60
PIRELLI	0301-0448	DIABLO ROSSO II	120/70ZR17	F	SPORT/OEM	59
PIRELLI	0303-0178	DIABLO ROSSO II	120/70ZR17	F	SPORT	59
PIRELLI		DIABLO SUPERCORSA				
	0303-0191	SP V2	120/70ZR17	F	SPRSPT/OEM	61
AVON		ROADRIDER				
	0306-0053	AM26	120/80-17	F/R	GEN	74
BRIDGESTONE	BAX4522	BT-45	120/80-17	R	SPRTNG	52
DUNLOP	32DY-75	K555	120/80-17	F	CRS/TOUR/OEM	24
METZELER	110-10427	ME880	120/80-17	F	CRS/TOUR	41
IRC	0306-0432	RX-02	120/80-17	R	GEN	86
IRC	IRC-703	WF-920	120/80-17	F	CRS/TOUR	87
AVON		ROADRIDER				
	0306-0063	AM26	120/90-17	F/R	GEN	74
BRIDGESTONE	BQ-4715	BT-45	120/90-17	R	SPRTNG	52
BRIDGESTONE	BR-0712	G701	120/90-17	F	CRS/TOUR/OEM	54
BRIDGESTONE	0305-0231	EXEDRA MAX	120/90-17	F	CRS/TOUR	50
BRIDGESTONE	BS-00401	TW42	120/90-17	R	DUALSPORT/OEM	58
CONTINENTAL	0317-0239	TKC 70	120/90-17	R	DUALSPORT	82
CONTINENTAL		TWINDURO				
	0317-0180	TKC80	120/90-17	R	DUALSPORT	82
DUNLOP	0305-0012	D404	120/90-17	F	CRS/TOUR	22
IRC	IRC314	RS-310	120/90-17	R	GEN	87
IRC	0305-0066	WF-920	120/90-17	F	CRS/TOUR	87
KENDA	0317-0139	K761	120/90-17	R	DUALSPORT	85
METZELER	0307-0027	ME880	120/90-17	F	CRS/TOUR	41
MICHELIN	0317-0164	ANAKEE III	120/90-17	R	DUALSPORT	35
PIRELLI	MT90-16	MT90 A/T	120/90-17	F	DUALSPORT	69
PIRELLI	MT66-08	ROUTE 66	120/90-17	F	CRS/TOUR	64
PIRELLI	0313-0182	SCORPION TRAIL	120/90-17	R	DUALSPORT	68
MICHELIN	0305-0279	COMMANDER II	120/90B17	F	CRS/TOUR	31
DURO	HF261-04	HF261A	120/90H-17	F/R	GEN	92
AVON		ROADRIDER				
	0306-0068	AM26	130/70-17	R	GEN	74
BRIDGESTONE	0306-0206	BT-45	130/70-17	R	SPRTNG	52, 55
CONTINENTAL	0306-0099	CONTI GO!	130/70-17	R	GEN	79
IRC	IRC-372	RX-01	130/70-17	R	SPORT	86
IRC	0306-0433	RX-02	130/70-17	R	GEN	86
METZELER	0306-0032	LASERTEC	130/70-17	R	GEN	43
PIRELLI	1343100	SPORT DEMON	130/70-17	R	SPRTNG	64
KENDA	K67121	CRUISER	130/70-17	R	GEN	83
BRIDGESTONE	0303-0173	EXEDRA MAX	130/70R17	F	CRS/TOUR	50

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
17" (CONT)						
BRIDGESTONE	0303-0201	G853-F	130/70R17	F	CRS/TOUR/OEM	55
DUNLOP	3336-27	D220	130/70R17	F	SPRTNG/OEM	25
METZELER	0303-0045	ME880	130/70R17	F	CRS/TOUR	41
MICHELIN	0302-0830	PILOT STREET	130/70R17	R	GEN	32
BRIDGESTONE	0303-0026	EXEDRA	130/70ZR17	F	CRS/TOUR	50
IRC	0308-0039	RX-01	130/70-17	R	GEN/OEM	88
IRC	0308-0040	RX-01	130/70-17	R	GEN/OEM	86
IRC	0308-0041	RX-01	130/70-17	R	GEN/OEM	88
AVON	AV-753	DISTANZIA	130/80-17	R	DUALSPORT	75
AVON	AV145	AM 24 GRIPSTER	130/80-17	R	DUALSPORT	75
AVON		ROADRIDER				
	0306-0056	AM26	130/80-17	R	GEN	74
BRIDGESTONE	BAX4523	BT-45	130/80-17	R	SPRTNG	52
BRIDGESTONE	BR-001046	BT-45	130/80-17	R	SPRTNG/OEM	55
BRIDGESTONE	BS-0589	TW22	130/80-17	R	DUALSPORT/OEM	58
BRIDGESTONE	0317-0017	TW42	130/80-17	R	DUALSPORT/OEM	58
CONTINENTAL	0306-0100	CONTI GO!	130/80-17	R	GEN	79
CONTINENTAL	248591	ESCAPE	130/80-17	R	DUALSPORT	81
CONTINENTAL	0317-0240	TKC 70	130/80-17	R	DUALSPORT	82
CONTINENTAL		TWINDURO				
	97394	TKC80	130/80-17	R	DUALSPORT	82
DURO	HF904-52	HF904	130/80-17	R	DUALSPORT	93
IRC	0306-0434	RX-02	130/80-17	R	GEN	86
KENDA	0317-0140	K761	130/80-17	R	DUALSPORT	85
METZELER		ENDURO 3				
	0317-0006	SAHARA	130/80-17	R	DUALSPORT/OEM	46
METZELER		ENDURO 3				
	0317-0011	SAHARA	130/80-17	R	DUALSPORT	46
METZELER	0306-0033	LASERTEC	130/80-17	R	GEN	43
METZELER	0305-0294	ME888	130/80-17	F	CRS/TOUR	40
METZELER	0304-0008	ME 22	130/80-17	R	GEN/OEM	43
MICHELIN	0305-0280	COMMANDER II	130/80-17	F	CRS/TOUR	31
MICHELIN	0306-0026	PILOT ACTIV	130/80-17	R	SPRTNG	32
PIRELLI	0313-0184	SCORPION TRAIL	130/80-17	R	DUALSPORT	68
PIRELLI	1343200	SPORT DEMON	130/80-17	R	SPRTNG	64
AVON	0305-0194	COBRA AV71	130/80B17	F	CRS/TOUR	72
CONTINENTAL	0305-0380	MILESTONE	130/80B17	F	CRS/TOUR	78
CONTINENTAL	0305-0381	MILESTONE	130/80B17	F	CRS/TOUR/WWW	78
DUNLOP	0305-0305	AMERICAN ELITE	130/80B17	F	CRS/TOUR/BLK	20
DUNLOP	0305-0306	AMERICAN ELITE	130/80B17	F	CRS/TOUR/NWS	20
KENDA	0317-0101	K784	130/80B17	R	DUALSPORT	85
PIRELLI	0305-0283	NIGHT DRAGON	130/80B17	F	CRS/TOUR	63
METZELER	0305-0387	ME888	130/80B17	F	CRS/TOUR/WWW	40
AVON	AV-750	DISTANZIA	130/80R17	R	DUALSPORT	75
BRIDGESTONE	BS-5006	TW152	130/80R17	R	DUALSPORT/OEM	57
BRIDGESTONE	0303-0202	G853-G	130/80R17	F	CRS/TOUR/OEM	55
CONTINENTAL	0317-0165	TRAIL ATTACK 2	130/80R17	R	DUALSPORT	81
DUNLOP	0317-0106	TRAILMAX TR91	130/80R17	R	DUALSPORT	26
METZELER	110-10120	TOURANCE	130/80R17	R	DUALSPORT/OEM	46
METZELER	0317-0250	TOURANCE NEXT	130/80R17	R	DUALSPORT	45
MICHELIN	0317-0159	ANAKEE III	130/80R17	R	DUALSPORT	35
AVON		ROADRIDER				
	0306-0055	AM26	130/90-17	R	GEN	74
BRIDGESTONE	BQ-4720	BT-45	130/90-17	R	GEN	52
BRIDGESTONE	B2130	S11 SPITFIRE	130/90-17	R	CRS/TOUR	52
CONTINENTAL	0306-0101	CONTI GO!	130/90-17	R	GEN	79
DUNLOP	0306-0007	D404	130/90-17	R	CRS/TOUR	22
DURO	HF91852	HF918	130/90-17	R	GEN	92
IRC	IRC306	RS-310	130/90-17	R	GEN	87
KENDA	K6574	CHALLENGER	130/90-17	R	GEN	83
METZELER	0306-0034	LASERTEC	130/90-17	R	GEN	43
MICHELIN	0306-0110	PILOT ACTIV	130/90-17	R	SPRTNG	32
PIRELLI	1403800	SPORT DEMON	130/90-17	R	SPRTNG	64
DUNLOP	0305-0307	AMERICAN ELITE	130/90B17	F	CRS/TOUR/WWW	20
DURO	HF26105	HF261A	130/90H-17	F/R	GEN	92
AVON		ROADRIDER				
	0306-0062	AM26	140/70-17	R	GEN	74
BRIDGESTONE	BAX4525	BT-45	140/70-17	R	SPRTNG	52
DUNLOP	3326-87	K505	140/70-17	R	OEM	24
DURO	HF91851	HF918	140/70-17	R	GEN	92
IRC	IRC-376	RX-01	140/70-17	R	SPORT	86
IRC	0306-0436	RX-02	140/70-17	R	GEN	86
KENDA	K67122	CRUISER	140/70-17	R	GEN	83
PIRELLI	1403900	SPORT DEMON	140/70-17	R	SPRTNG	64
BRIDGESTONE	0304-0081	BT-090	140/70R17	R	GEN/OEM	55
CONTINENTAL		CONTI ATTACK				
	0302-0720	SM	140/70R17	F	MOTARD	78
MICHELIN	0302-0831	PILOT STREET	140/70R17	R	GEN	32
BRIDGESTONE	0302-0943	BATTLAX S20 EVO	140/70R17	R	SPRSPT	51

STREET TIRE SIZE APPLICATION GUIDE continued on next page.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG

STREET TIRE SIZE APPLICATION GUIDE (CONT)

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
17" (CONT)						
BRIDGESTONE	0302-0345	BT-003	140/70ZR17	R	SPRSPT	48
PIRELLI	0302-0609	DIABLO ROSSO II	140/70ZR17	R	SPORT	59
METZELER	0301-0225	ME880	140/75R17	F	CRS/TOUR	41
MICHELIN	0303-0188	COMMANDER II	140/75R17	F	CRS/TOUR	31
PIRELLI	0301-0143	NIGHT DRAGON	140/75R17	F	CRS/TOUR	63
DUNLOP	0303-0190	AMERICAN ELITE	140/75R17	F	CRS/OEM/BLK	20
AVON		ROADRIDER				
	0306-0064	AM26	140/80-17	F/R	GEN	74
BRIDGESTONE	80-4730	BT-45	140/80-17	R	GEN	52
BRIDGESTONE	0307-0047	L309-F	140/80-17	F	CRS/TOUR/OEM	55
CONTINENTAL	0306-0102	CONTI GO!	140/80-17	R	GEN	79
CONTINENTAL		TWINDURO				
	0317-0183	TKC80	140/80-17	R	DUALSPORT	82
DUNLOP	0307-0053	D404	140/80-17	F	GEN/OEM	24
DUNLOP	4016-87	D404	140/80-17	F	GEN/OEM	24
PIRELLI	0305-0286	NIGHT DRAGON	140/80-17	F	CRS/TOUR	63
METZELER	0306-0035	LASERTEC	140/80-17	R	GEN	43
METZELER	0308-0005	LASERTEC	140/80-17	R	GEN	43
METZELER	0303-0046	ME880	140/80-17	F	CRS/TOUR	41
MICHELIN	0306-0111	PILOT ACTIV	140/80-17	R	SPRTNG	32
PIRELLI	1342600	SPORT DEMON	140/80-17	R	SPRTNG	64
KENDA	0306-0318	K676	140/80B17	R	GEN	84
METZELER	110-10429	ME880	140/80B17	R	CRS/TOUR	41
MICHELIN	0305-0404	COMMANDER II	140/80B17	F	CRS/TOUR	31
AVON	AV-751	DISTANZIA	140/80R17	R	DUALSPORT	75
BRIDGESTONE	0317-0038	BW502	140/80R17	R	DUALSPORT/OEM	49
CONTINENTAL	0317-0241	TKC 70	140/80R17	R	DUALSPORT	82
CONTINENTAL	0317-0166	TRAIL ATTACK 2	140/80R17	R	DUALSPORT	81
DUNLOP	0317-0107	TRAILMAX TR91	140/80R17	R	DUALSPORT	26
METZELER	110-10121	TOURANCE	140/80R17	R	DUALSPORT	46
METZELER	0317-0152	TOURANCE NEXT	140/80R17	R	DUALSPORT	45
MICHELIN	0317-0161	ANAKEE III	140/80R17	R	DUALSPORT	35
CONTINENTAL		TWINDURO				
	97398	TKC80	150/70B17	R	DUALSPORT	82
BRIDGESTONE	BR-147390	TW152-F	150/70R17	R	DUALSPORT/OEM	57-58
BRIDGESTONE	0304-0234	TW152-F	150/70R17	R	DUALSPORT/OEM	57
BRIDGESTONE	0304-0029	TW152-L	150/70R17	R	DUALSPORT/OEM	57-58
CONTINENTAL		ROADATTACK2				
	0302-0861	EVO	150/70R17	R	SPORT	77
CONTINENTAL	0317-0242	TKC 70	150/70R17	R	DUALSPORT	82
CONTINENTAL	0317-0167	TRAIL ATTACK 2	150/70R17	R	DUALSPORT	81
DUNLOP	0317-0108	TRAILMAX TR91	150/70R17	R	DUALSPORT	26
METZELER	0317-0097	TOURANCE EXP	150/70R17	R	DUALSPORT/OEM	45
METZELER	0317-0153	TOURANCE NEXT	150/70R17	R	DUALSPORT	45
PIRELLI	0302-0938	ANGEL GT	150/70R17	R	SPRTNG	62
PIRELLI	0313-0185	SCORPION TRAIL	150/70R17	R	DUALSPORT/OEM	68
AVON	0302-0579	3D ULTRA SPORT	150/60R17	R	SPORT	70
AVON	AV-757	DISTANZIA	150/60R17	R	DUALSPORT	75
CONTINENTAL		CONTI ATTACK				
	0302-0594	SM	150/60R17	R	MOTARD	78
BRIDGESTONE	0302-0682	BATTLAX S20	150/60ZR17	R	SPRSPT	47
BRIDGESTONE	0302-0944	BATTLAX S20 EVO	150/70R17	R	SPRSPT	51
BRIDGESTONE	0302-0346	BT-003	150/60ZR17	R	SPRSPT	48
CONTINENTAL	0302-0589	SPORT ATTACK 2	150/60ZR17	R	SPORT	76
METZELER	0302-0666	M7 RR	150/60ZR17	R	SPORT	37
MICHELIN		PILOT POWER				
	0301-0576	2CT	150/60ZR17	R	SPRSPT	27
PIRELLI	0302-0618	DIABLO ROSSO II	150/60ZR17	R	SPORT	59
AVON	0306-0054	ROADRIDER	150/70-17	R	GEN	74
BRIDGESTONE	80-4733	BT-45	150/70-17	R	GEN	52
IRC	0306-0437	RX-02	150/70-17	R	GEN	86
KENDA	K67123	CRUISER	150/70-17	R	GEN	83
METZELER	0306-0036	LASERTEC	150/70-17	R	GEN	43
MICHELIN	0306-0028	PILOT ACTIV	150/70-17	R	SPRTNG	32
MICHELIN	0306-0089	PILOT ACTIV	150/70-17	R	SPRTNG	32
KENDA	0306-0316	K676	150/70B17	R	GEN	84
KENDA	0317-0099	K784	150/70B17	R	DUALSPORT	85
AVON	AV-752	DISTANZIA	150/70R17	R	DUALSPORT	75
AVON	AV-758	DISTANZIA	150/70R17	R	DUALSPORT	75
BRIDGESTONE	0317-0039	BW502	150/70R17	R	DUALSPORT/OEM	49
BRIDGESTONE	0317-0125	BW502	150/70R17	R	DUALSPORT/OEM	49
BRIDGESTONE	0317-0022	BW502	150/70R17	R	DUAL SPORT/OEM	49
BRIDGESTONE	0317-0235	BW502	150/70R17	R	DUAL SPORT/OEM	49
CONTINENTAL	0302-0468	ROAD ATTACK 2	150/70R17	R	SPORT	77
METZELER	110-11279	TOURANCE	150/70R17	R	DUALSPORT/OEM	46
MICHELIN	0317-0163	ANAKEE III	150/70R17	R	DUALSPORT	35
MICHELIN		PILOT ROAD 4				
	0317-0225	TRAIL	150/70R17	R	SPRTNG	30
PIRELLI	0306-0466	PHANTOM	150/70R17	R	SPRSPT	61
PIRELLI	0317-0059	SCORPION TRAIL	150/70R17	R	DUALSPORT/OEM	68
AVON	0302-0931	STORM 3D X-M	150/70ZR17	R	SPRSPT	71
BRIDGESTONE	0302-0832	BATTLAX T30	150/70ZR17	R	SPRSPT	49

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
17" (CONT)						
CONTINENTAL	0302-0461	ROAD ATTACK 2	150/70ZR17	R	SPORT	77
DUNLOP	0302-0610	ROADSMART II	150/70ZR17	R	SPORT	19
METZELER		ROADTEC Z8				
	0302-0924	INTERACT	150/70ZR17	R	SPRTNG	39
MICHELIN	0302-0469	PILOT ROAD 3	150/70ZR17	R	SPRTNG	30
MICHELIN	0302-0844	PILOT ROAD 4	150/70ZR17	R	SPORT	29
PIRELLI	0302-0703	ANGEL GT	150/70ZR17	R	SPRTNG	62
BRIDGESTONE	BAX7010	G701	150/80-17	F	GEN/OEM	53, 55
DUNLOP	4015-92	D404	150/80-17	F	CRS/TOUR/OEM	24
METZELER	0307-0013	ME880	150/80-17	F	CRS/TOUR/OEM	41
AVON	0301-0096	COBRA AV71	150/80R17	F	CRS/TOUR	72
DUNLOP	3025-92	D251	150/80R17	F	CRS/TOUR/OEM	24
DUNLOP	0303-0018	ELITE 3	150/80R17	F	CRS/TOUR/OEM	23
METZELER	0303-0010	ME880	150/80R17	F	CRS/TOUR/OEM	41
AVON	0302-0580	3D ULTRA SPORT	160/60R17	R	SPORT	70
AVON		3D ULTRA				
	0302-0575	SUPERSPORT	160/60R17	R	SPRSPT	70
AVON	AV-756	DISTANZIA	160/60R17	R	DUALSPORT	75
CONTINENTAL		CONTI ATTACK				
	0302-0595	SM	160/60R17	R	MOTARD	78
METZELER	0317-0238	TOURANCE NEXT	160/60R17	R	DUALSPORT	45
PIRELLI	MT60R-3	MT 60-R	160/60R17	R	DUALSPORT	69
AVON	0302-0932	STORM 3D X-M	160/60ZR17	R	SPRSPT	71
BRIDGESTONE	0302-0683	BATTLAX S20	160/60ZR17	R	SPRSPT	47
BRIDGESTONE	0302-0833	BATTLAX T30	160/60ZR17	R	SPRSPT	49
BRIDGESTONE	0302-0347	BT-003	160/60ZR17	R	SPRSPT	48
BRIDGESTONE	0304-0166	BT-021-J	160/60ZR17	R	SPORT/OEM	55
CONTINENTAL	0302-0462	ROAD ATTACK 2	160/60ZR17	R	SPORT	77
CONTINENTAL		ROAD ATTACK				
	0302-0862	2 EVO	160/60ZR17	R	SPORT	77
CONTINENTAL	0302-0590	SPORT ATTACK 2	160/60ZR17	R	SPORT	76
CONTINENTAL	0302-0234	CONTI MOTION	160/60ZR17	R	CRS/TOUR	79
CONTINENTAL	0317-0223	TRAIL ATTACK 2	160/60ZR17	R	DUALSPORT	81
DUNLOP	0302-0821	Q3 RADIALS	160/60ZR17	R	SPRSPT	18
DUNLOP	0302-0611	ROADSMART II	160/60ZR17	R	SPORT	19
METZELER	0302-0010	ROADTEC Z6	160/60ZR17	R	SPRTNG	40
METZELER		ROADTEC Z8				
	0302-0926	INTERACT	160/60ZR17	R	SPRTNG	39
METZELER	0302-0095	SPORTEC M3	160/60ZR17	R	SPRSPT	38
METZELER	0302-0667	M7 RR	160/60ZR17	R	SPORT	37
MICHELIN		PILOT POWER				
	0302-0163	2CT	160/60ZR17	R	SPRSPT	27
MICHELIN	0302-0725	PILOT POWER 3	160/60ZR17	R	SPRSPT	27
MICHELIN	0302-0470	PILOT ROAD 3	160/60ZR17	R	SPRTNG	30
MICHELIN	0302-0845	PILOT ROAD 4	160/60ZR17	R	SPORT	29
PIRELLI	0302-0699	ANGEL GT	160/60ZR17	R	SPRTNG	62
PIRELLI	1430400	DIABLO	160/60ZR17	R	SPORT/OEM	61
PIRELLI		DIABLO CORSA				
	0302-0389	ROSSO	160/60ZR17	R	SPORT	60
PIRELLI	0302-0558	DIABLO ROSSO II	160/60ZR17	R	SPORT	59
BRIDGESTONE	BR-0565	G548	160/70-17	R	GEN/OEM	55
METZELER	0308-0006	LASERTEC	160/70-17	R	GEN/OEM	43
PIRELLI	0306-0304	NIGHT DRAGON	160/70B17	R	CRS/TOUR	63
PIRELLI	0306-0303	NIGHT DRAGON	160/70-17	R	CRS/TOUR	63
BRIDGESTONE	0308-0012	BT020 M	160/70B17	R	SPRTNG/OEM	54
DUNLOP	3023-96	K591	160/70B17	R	SPORT	20
DUNLOP	0306-0431	D401	160/70B17	R	CRS/TOUR/OEM	21
CONTINENTAL		TWINDURO				
	0317-0184	TKC80	170/60B17	R	DUALSPORT	82
METZELER	0306-0421	ME888	160/70B17	R	CRS/TOUR	40
MICHELIN	0306-0301	COMMANDER II	160/70B17	R	CRS/TOUR	31
AVON	0302-0933	STORM 3D X-M	160/70ZR17	R	SPRSPT	71
METZELER	0302-0098	ROADTEC Z6	160/70ZR17	R	SPRTNG	40
BRIDGESTONE	0302-0834	BATTLAX T30	160/70ZR17	R	SPRSPT	49
DUNLOP	0302-0612	ROADSMART II	160/70ZR17	R	SPORT	19
CONTINENTAL	0317-0243	TKC 70	170/60R17	R	DUALSPORT	82
CONTINENTAL	0317-0168	TRAIL ATTACK 2	170/60R17	R	DUALSPORT	81
DUNLOP	3336-84	D220	170/60R17	R	SPRTNG/OEM	25
PIRELLI	0304-0199	NIGHT DRAGON	170/60R17	R	CRS/TOUR	63
METZELER	0302-0238	ME880	170/60R17	R	CRS/TOUR	41
METZELER	0317-0154	TOURANCE NEXT	170/60R17	R	DUALSPORT/OEM	45
MICHELIN	0317-0222	ANAKEE III	170/60R17	R	DUALSPORT	35
MICHELIN		PILOT ROAD 4				
	0317-0226	TRAIL	170/60R17	R	SPRTNG	30
BRIDGESTONE	0302-0684	BATTLAX S20	170/60ZR17	R	SPRSPT	47
BRIDGESTONE	0302-0835	BATTLAX T30	170/60ZR17	R	SPRSPT	49
BRIDGESTONE	BR-146472	BT-020-F	170/60ZR17	R	SPRTNG/OEM	55
BRIDGESTONE	0304-0027	EXEDRA	170/60ZR17	R	CRS/TOUR	50
BRIDGESTONE	0304-0178	EXEDRA MAX	170/60ZR17	R	CRS/TOUR	50
CONTINENTAL	0302-0250	CONTI MOTION	170/60ZR17	R	SPRTNG	79
CONTINENTAL	0302-0251	CONTI MOTION	170/60ZR17	R	CRS/TOUR	79
CONTINENTAL	0302-0463	ROAD ATTACK 2	170/60ZR17	R	SPORT	77

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



STREET TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
17" (CONT)						
CONTINENTAL	0317-0178	TRAIL ATTACK 2	170/60ZR17	R	DUALSPORT	81
AVON	0302-0934	STORM 3D X-M	170/60ZR17	R	SPRSPT	71
DUNLOP	0302-0613	ROADSMART II	170/60ZR17	R	SPORT	19
METZELER	0302-0011	ROADTEC Z6	170/60ZR17	R	SPRTNG	40
MICHELIN	0302-0849	PILOT ROAD 4 GT	170/60ZR17	R	SPORT	29
MICHELIN	0302-0040	PILOT POWER	170/60ZR17	R	SPRSPT	28
PIRELLI	0302-0701	ANGEL GT	170/60ZR17	R	SPRTNG	62
PIRELLI	0302-0619	DIABLO ROSSO II	170/60ZR17	R	SPORT	59
CONTINENTAL	0317-0146	TWINDURO	180/55B17	R	DUALSPORT	82
AVON	0302-0581	3D ULTRA SPORT	180/55R17	R	SPORT	70
AVON	0302-0576	3D ULTRA SUPERSPORT	180/55R17	R	SPRSPT	70
AVON		3D ULTRA XTREME	180/55R17	R	RACE	71
AVON	0302-0824	STORM 3D X-M	180/55R17	R	SPRSPT	71
DUNLOP	0304-0071	D251	180/55R17	R	CRS/TOUR/OEM	24
PIRELLI	0317-0252	MT 60-R	180/55R17	R	DUALSPORT/OEM	69
PIRELLI	0304-0045	PHANTOM	180/55R17	R	SPRSPT/OEM	62
PIRELLI	0302-0493	SCORPION TRAIL	180/55R17	R	DUALSPORT	68
PIRELLI	0317-0136	SCORPION TRAIL	180/55R17	R	DUALSPORT	68
BRIDGESTONE	0302-0685	BATTLAX S20	180/55ZR17	R	SPRSPT	47
BRIDGESTONE	0302-0945	BATTLAX S20 EVO	180/55ZR17	R	SPRSPT	51
BRIDGESTONE	0304-0206	S20-R	180/55ZR17	R	SPRSPT/OEM	55
BRIDGESTONE	0302-0836	BATTLAX T30	180/55ZR17	R	SPRSPT	49
BRIDGESTONE	0302-0837	BATTLAX T30	180/55ZR17	R	SPRSPT	49
BRIDGESTONE	0302-0348	BT-003	180/55ZR17	R	SPRSPT	48
BRIDGESTONE	0303-0065	BT-015	180/55ZR17	R	SPRSPT	54
BRIDGESTONE	0304-0186	BT-015	180/55ZR17	R	SPRSPT	54
BRIDGESTONE	0304-0189	BT-016	180/55ZR17	R	SPRSPT/OEM	55
BRIDGESTONE	0302-0555	BT-016	180/55ZR17	R	RACE	48
BRIDGESTONE	0304-0098	BT-016	180/55ZR17	R	RACE	55
BRIDGESTONE	0304-0188	BT-016	180/55ZR17	R	RACE/OEM	55
BRIDGESTONE	0304-0087	BT-021	180/55ZR17	R	SPRTNG	56
BRIDGESTONE	0304-0190	BT-021	180/55ZR17	R	SPRSPT	56
BRIDGESTONE	0304-0207	BT-021	180/55ZR17	R	SPRTNG/OEM	55
BRIDGESTONE	0304-0214	BT-023	180/55ZR17	R	SPRTNG	56
BRIDGESTONE	0304-0220	BT-023F	180/55ZR17	R	SPRTNG/OEM	56
BRIDGESTONE	0304-0213	S-20	180/55ZR17	R	SPRTNG	56
CONTINENTAL	0302-0235	CONTI MOTION	180/55ZR17	R	CRS/TOUR	79
CONTINENTAL	0302-0464	ROAD ATTACK 2	180/55ZR17	R	SPORT	77
CONTINENTAL	0304-0174	ROAD ATTACK 2	180/55ZR17	R	SPORT/OEM	77
CONTINENTAL	0302-0863	ROAD ATTACK 2 EVO	180/55ZR17	R	SPORT	77
CONTINENTAL		SPORT ATTACK	180/55ZR17	R	SPORT	76
CONTINENTAL	0302-0591	SPORT ATTACK 2	180/55ZR17	R	SPORT	76
CONTINENTAL	0304-0193	SPORT ATTACK 2	180/55ZR17	R	SPORT	76
CONTINENTAL	0302-0596	SPORT ATTACK 2	180/55ZR17	R	SPRTNG	77
CONTINENTAL	0317-0169	TRAIL ATTACK 2	180/55ZR17	R	DUALSPORT	81
DUNLOP	0302-0818	Q3 RADIALS	180/55ZR17	R	SPRSPT	18
DUNLOP	0302-0570	QUALIFIER	180/55ZR17	R	SPRSPT	19
DUNLOP	0302-0614	ROADSMART II	180/55ZR17	R	SPORT	19
METZELER	0302-0379	RACETEC INTERACT	180/55ZR17 K3	R	MEDIUM	38
METZELER		0302-0012	ROADTEC Z6	180/55ZR17	R	SPRTNG
METZELER	0302-0096	SPORTEC M3	180/55ZR17	R	SPRST	38
METZELER	0302-0668	M7 RR	180/55ZR17	R	SPORT	37
METZELER	0317-0155	TOURANCE NEXT	180/55ZR17	R	DUALSPORT	45
METZELER	0302-0690	ROADTEC Z8 INTERACT	180/55ZR17 "O SPEC"	R	SPRTNG	39
METZELER		0302-0812	ROADTEC Z8 INTERACT	180/55ZR17 "M SPEC"	R	SPRTNG
MICHELIN	0302-0032	PILOT POWER	180/55ZR17	R	SPRSPT	28
MICHELIN	0302-0726	PILOT POWER 3	180/55ZR17	R	SPRSPT	27
MICHELIN	0302-0176	PILOT ROAD 2	180/55ZR17	R	SPRTNG	31
MICHELIN	0302-0475	PILOT ROAD 3	180/55ZR17	R	SPRTNG	30
MICHELIN	0302-0846	PILOT ROAD 4	180/55ZR17	R	SPORT	29
MICHELIN	0302-0850	PILOT ROAD 4 GT	180/55ZR17	R	SPORT	29
MICHELIN	0302-0137	POWER RACE 2CT	180/55ZR17	R	RACE	27
MICHELIN		POWER SUPERSPORT EVO	180/55ZR17	R	SPORT	28
MICHELIN	0302-0949	EVO	180/55ZR17	R	SPORT	28
PIRELLI	0302-0698	ANGEL GT	180/55ZR17	R	SPRTNG	62
PIRELLI	0302-0700	ANGEL GT SPEC	180/55ZR17 "A SPEC"	R	SPRTNG	62
PIRELLI		0302-0495	DIABLO	180/55ZR17	R	SPORT
PIRELLI	0302-0390	DIABLO CORSA ROSSO	180/55ZR17	R	SPORT	60
PIRELLI		0304-0183	DIABLO ROSSO II	180/55ZR17	R	SPORT/OEM

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
17" (CONT)						
PIRELLI		DIABLO SUPERCORSA SP V2	180/55ZR17	R	SPRSPT	61
MICHELIN	0302-0709	POWER SUPERSPORT EVO	180/60ZR17	R	SPORT	28
PIRELLI	0302-0710	DIABLO SUPERCORSA SP V2	180/60ZR17	R	SPRSPT	61
PIRELLI	0306-0305	NIGHT DRAGON	180/60B17	R	CRS/TOUR	63
PIRELLI	0306-0094	NIGHT DRAGON	180/60B17	R	CRS/TOUR	63
PIRELLI	0304-0201	DIABLO ROSSO CORSA	180/60ZR17	R	SPRSPT/OEM	60
PIRELLI	0302-0707	DIABLO ROSSO II	180/60ZR17	R	SPORT	59
AVON	0302-0582	3D ULTRA SPORT	190/50R17	R	SPORT	70
AVON	0302-0577	3D ULTRA SUPERSPORT	190/50R17	R	SPRSPT	70
AVON	0302-0825	STORM 3D X-M	190/50R17	R	SPRSPT	71
BRIDGESTONE	0302-0686	BATTLAX S20	190/50ZR17	R	SPRSPT	47
BRIDGESTONE	0302-0946	BATTLAX S20 EVO	190/50ZR17	R	SPRSPT	51
BRIDGESTONE	0302-0838	BATTLAX T30	190/50ZR17	R	SPRSPT	49
BRIDGESTONE	0302-0349	BT-003	190/50ZR17	R	SPRSPT	48
BRIDGESTONE	0304-0049	BT-014-L	190/50ZR17	R	SPORT/OEM	55
BRIDGESTONE	0304-0074	BT-015	190/50ZR17	R	SPRSPT	55
BRIDGESTONE	0304-0187	BT-016-C	190/50ZR17	R	SPRSPT	55
BRIDGESTONE	0302-0556	BT-016 PRO	190/50ZR17	R	RACE	48
BRIDGESTONE	0304-0167	BT-021-U	190/50ZR17	R	SPORT/OEM	55
BRIDGESTONE	0304-0221	S20-E	190/50ZR17	R	SPRTNG	55
BRIDGESTONE	0304-0212	S20-N	190/50ZR17	R	SPRTNG	55
CONTINENTAL	0302-0236	CONTI MOTION	190/50ZR17	R	CRS/TOUR	79
CONTINENTAL	0302-0465	ROAD ATTACK 2	190/50ZR17	R	SPORT	77
CONTINENTAL	0302-0864	ROAD ATTACK 2 EVO	190/50ZR17	R	SPORT	77
CONTINENTAL	0302-0940	SPORT ATTACK	190/50ZR17	R	SPORT	76
CONTINENTAL	0304-0194	SPORT ATTACK2	190/50ZR17	R	SPORT	76
CONTINENTAL	0302-0592	SPORT ATTACK 2	190/50ZR17	R	SPORT	76
DUNLOP	0302-0819	Q3 RADIAL	190/50ZR17	R	SPRSPT	18
DUNLOP	0302-0571	QUALIFIER	190/50ZR17	R	SPRSPT	19
DUNLOP	0302-0615	ROADSMART II	190/50ZR17	R	SPORT	19
METZELER	0302-0650	SPORTEC M5 INTERACT	190/50ZR17	R	SPRSPT/OEM	36
METZELER	0302-0097	SPORTEC M3	190/50ZR17	R	SPRSPT	38
METZELER	0302-0669	M7 RR	190/50ZR17	R	SPORT	37
METZELER	0302-0692	ROADTEC Z8 INTERACT SPEC"	190/50ZR17 "O" R	R	SPRTNG	39
METZELER	0302-0957	ROADTEC Z8 INTERACT SPEC"	190/50ZR17 "M" R	R	SPRTNG	39
MICHELIN	0302-0033	PILOT POWER	190/50ZR17	R	SPRSPT	28
MICHELIN	0302-0727	PILOT POWER 3	190/50ZR17	R	SPRSPT	27
MICHELIN	0302-0177	PILOT ROAD 2	190/50ZR17	R	SPRTNG	31
MICHELIN	0302-0476	PILOT ROAD 3	190/50ZR17	R	SPRTNG	30
MICHELIN	0302-0847	PILOT ROAD 4	190/50ZR17	R	SPORT	29
MICHELIN	0302-0851	PILOT ROAD 4 GT	190/50ZR17	R	SPORT	29
MICHELIN	0302-0138	POWER RACE 2CT	190/50ZR17	R	RACE	27
MICHELIN	0302-0951	POWER SUPERSPORT EVO	190/50ZR17	R	SPORT	28
PIRELLI	0302-0704	ANGEL GT SPEC"	190/50ZR17 "A" R	R	SPRTNG	62
PIRELLI	0302-0496	DIABLO	190/50ZR17	R	SPORT	61
PIRELLI	0302-0391	DIABLO CORSA ROSSO	190/50ZR17	R	SPORT	60
PIRELLI	0302-0559	DIABLO ROSSO II	190/50ZR17	R	SPORT	57
AVON	0302-0935	STORM 3D X-M	190/55ZR17	R	SPRSPT	71
AVON	0302-0583	3D ULTRA SPORT	190/55R17	R	SPORT	70
AVON	0302-0578	3D ULTRA SUPERSPORT	190/55R17	R	SPRSPT	70
AVON	0302-0573	3D ULTRA XTREME	190/55R17	R	RACE	71
PIRELLI	0302-0393	SCORPION TRAIL	190/55R17	R	DUALSPORT/OEM	68
BRIDGESTONE	0302-0954	BATTLAX S20	190/55ZR17	R	SPRSPT	47, 58
BRIDGESTONE	0302-0687	BATTLAX S20	190/55ZR17	R	SPRSPT	47
BRIDGESTONE	0302-0947	BATTLAX S20 EVO	190/55ZR17	R	SPRSPT	51
BRIDGESTONE	0302-0839	BATTLAX T30	190/55ZR17	R	SPRSPT	49
BRIDGESTONE	0302-0840	BATTLAX T30	190/55ZR17	R	SPRSPT	49
BRIDGESTONE	0302-0350	BT-003	190/55ZR17	R	SPRSPT	48
BRIDGESTONE	0304-0181	BT-016R	190/55ZR17	F	SPRSPT/OEM	55
BRIDGESTONE	0302-0557	BT-016 PRO	190/55ZR17	R	RACE	48
BRIDGESTONE	0304-0165	BT-021-N	190/55ZR17	R	SPORT/OEM	54
BRIDGESTONE	0304-0192	BT-021-F	190/55ZR17	R	SPRTNG/OEM	54

STREET TIRE SIZE APPLICATION GUIDE continued on next page.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG

STREET TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
17" (CONT)						
CONTINENTAL	0302-0466	ROAD ATTACK2	190/55ZR17	R	SPORT	77
CONTINENTAL	0302-0735	ROAD ATTACK2 GT	190/55ZR17	R	SPORT	77
CONTINENTAL	0302-0865	ROADATTACK2 EVO	190/55ZR17	R	SPORT	77
CONTINENTAL	0302-0941	SPORT ATTACK	190/55ZR17	R	SPORT	76
CONTINENTAL	0302-0593	SPORT ATTACK 2	190/55ZR17	R	SPORT	76
CONTINENTAL	0317-0170	TRAIL ATTACK 2	190/55ZR17	R	DUALSPORT	81
DUNLOP	0302-0572	QUALIFIER	190/55ZR17	R	SPRSPT	19
DUNLOP	0302-0820	Q3 RADIAL	190/55ZR17	R	SPRSPT	18
DUNLOP	0302-0697	ROAD SMART 2	190/55ZR17	R	SPRTNG	19
METZELER	0302-0380	RACETEC INTERACT	190/55ZR17 K1	R	SUPERSOFT	38
METZELER	0302-0381	RACETEC INTERACT	190/55ZR17 K2	R	SOFT	38
METZELER	0302-0382	RACETEC INTERACT	190/55ZR17 K3	R	MEDIUM	38
METZELER	0304-0072	SPORTEC M3	190/55ZR17 E	R	SPRSPT/OEM	38
METZELER	0302-0670	M7 RR	190/55ZR17	R	SPORT	37
METZELER	0317-0156	TOURANCE NEXT	190/55ZR17	R	DUALSPORT	45
METZELER	0302-0693	ROADTEC Z8 INTERACT SPEC"	190/55ZR17 "M SPEC"	R	SPRTNG	39
METZELER	0302-0694	ROADTEC Z8 INTERACT SPEC"	190/55ZR17 "O SPEC"	R	SPRTNG	39
MICHELIN	0302-0290	PILOT POWER	190/55ZR17	R	SPORT	28
MICHELIN	0302-0139	PILOT POWER 2CT	190/55ZR17	R	RACE	27
MICHELIN	0302-0728	PILOT POWER 3	190/55ZR17	R	SPRSPT	27
MICHELIN	0302-0848	PILOT ROAD 4	190/55ZR17	R	SPORT	29
MICHELIN	0302-0852	PILOT ROAD 4 GT	190/55ZR17	R	SPORT	29
MICHELIN	0302-0952	POWER SUPERSPORT EVO	190/55ZR17	R	SPORT	28
PIRELLI	0302-0705	ANGEL GT	190/55ZR17	R	SPRTNG	62
PIRELLI	0304-0210	ANGEL GT SPEC"	190/55ZR17 "A SPEC"	R	SPRTNG	62
PIRELLI	0302-0392	DIABLO CORSA ROSSO	190/55ZR17	R	SPORT	60
PIRELLI	0302-0711	DIABLO V2 SUPERCORSA SP	190/55ZR17	R	SPRSPT	61
PIRELLI	0302-0560	DIABLO ROSSO II	190/55ZR17	R	SPORT	59
BRIDGESTONE	0304-0039	EXCEDRA	190/60R17	R	CRS/TOUR/OEM	50, 56
AVON	0304-0205	COBRA AV72	190/60R17	R	CRS/TOUR	72
AVON	0302-0584	3D ULTRA SPORT	200/50R17	R	SPORT	70
BRIDGESTONE	0304-0216	G852-F	200/50R17	R	CRS/TOUR/OEM	55
BRIDGESTONE	0302-0688	BATTLAX S20	200/50ZR17	R	SPRSPT	47
BRIDGESTONE	BR-119334	BT-020	200/50ZR17	R	SPRTNG/OEM	56
BRIDGESTONE	0304-0028	EXEDRA	200/50ZR17	R	CRS/TOUR	50
BRIDGESTONE	0304-0101	EXEDRA G852	200/50ZR17	R	CRS/TOUR	55
BRIDGESTONE	0304-0180	EXEDRA MAX	200/50ZR17	R	CRS/TOUR	50
DUNLOP	3336-82	D220	200/50ZR17	R	CRS/TOUR/OEM	25
DUNLOP	0302-0822	Q3 RADIAL	200/50ZR17	R	SPRSPT	18
METZELER	0304-0056	ME880	200/50ZR17	R	CRS/TOUR/OEM	41, 42
PIRELLI	0302-0708	DIABLO ROSSO II	200/50ZR17	R	SPORT	59
AVON	0302-0168	COBRA AV72	200/55R17	R	CRS/TOUR	72
AVON	0302-0936	STORM 3D X-M	200/55ZR17	R	SPRSPT	71
BRIDGESTONE	0302-0955	BATTLAX S20	200/55R17	R	SPRSPT	47
BRIDGESTONE	0302-0948	BATTLAX S20 EVO	200/55ZR17	R	SPRSPT	51
DUNLOP	0304-0200	AMERICAN ELITE	200/55R17	R	CRS/OEM	20
DUNLOP	0302-0407	D401	200/55R17	R	CRS/TOUR	21
MICHELIN	0304-0197	COMMANDER II	200/55R17	R	CRS/TOUR	31
MICHELIN	0302-0953	POWER SUPERSPORT EVO	200/55ZR17	R	SPORT	28
CONTINENTAL	0302-0731	SPORT ATTACK2	190/55ZR17	R	SPORT	76
METZELER	0302-0376	ME880	200/55ZR17	R	CRS/TOUR/OEM	41, 42
METZELER	0302-0671	M7 RR	200/55ZR17	R	SPORT	37
PIRELLI	0302-0706	DIABLO ROSSO CORSA	200/55ZR17	R	SPORT	60
PIRELLI	0304-0202	DIABLO V2 SUPERCORSA SP	200/55ZR17	R	SPRSPT/OEM	61
PIRELLI	0302-0247	NIGHT DRAGON	200/55R17	R	CRS/TOUR	63
PIRELLI	0304-0182	DIABLO ROSSO II	240/45ZR17	R	SPORT/OEM	59
AVON	0302-0035	VENOM-R	330/30R17	R	CUSTOM	73
18"						
IRC	0341-0011	NR53	2.50-18	F	GEN	91
IRC	0341-0088	NR53	2.75-18	F/R	GEN	91
MICHELIN	0341-0083	GAZELLE	2.75-18	F/R	MOPED	35
BRIDGESTONE	0307-0045	L303-A	3.00-18	F	OEM	54
IRC	IRC-114	NR-21	3.00-18	F/R	MOPED	91
IRC	0341-0013	NR53	3.00-18	F	GEN	91

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
18" (CONT)						
MICHELIN	0341-0084	GAZELLE M62	3.00-18	F/R	MOPED	35
DURO	HF317-01	CLASSIC/VINTAGE	3.00-18	F	GEN	93
DURO	0305-0435	HF319	3.00-18	F/R	GEN	93
IRC	IRC-14	GS-11	3.00-18	F/R	MOPED	88
PIRELLI	MT66-09	ROUTE 66	3.00-18	F	CRS/TOUR	64
IRC	IRC-08	GS-11	3.50-18	R	GEN	88
BRIDGESTONE	BR-00995	L303	3.50-18	F	GEN/OEM	55
IRC	IRC-116	NR-21	3.50-18	R	GEN	91
DURO	HF314-01	CLASSIC/VINTAGE	3.50-18	R	GEN	93
AVON	0306-0060	ROADRIDER AM26	4.00-18	R	GEN	74
AVON	AV005	SM MARK II	4.00-18	R	GEN	74
CONTINENTAL	0306-0096	CONTI GO!	4.00-18	R	GEN	79
CONTINENTAL	97308	K112	4.00-18	R	GEN	79
CONTINENTAL	0317-0244	TKC 70	4.00-18	R	DUALSPORT	82
CONTINENTAL	0317-0187	TWINDURO TKC 80	4.00-18	R	DUALSPORT	82
METZELER	110-6252	ENDURO 3 SAHARA	4.00-18	R	DUALSPORT	46
METZELER	110-5124	ME77	4.00-18	R	GEN	42
METZELER	0308-0007	LASERTEC	4.00-18	R	GEN/OEM	43
MICHELIN	0306-0115	PILOT ACTIV	4.00-18	R	SPRTNG	32
DURO	HF318-01	CLASSIC/VINTAGE	4.00-18	R	GEN	93
DURO	0306-0465	HF316 CLASSIC/VINTAGE	4.00-18	F/R	GEN	93
IRC	IRC-10	GS-11	4.00-18	R	GEN	88
METZELER	110-2925	BLOCK-K	4.00x18	SIDECAR	GEN	42
DUNLOP	4202-45	TT100	4.00-18	R	GEN	23
DURO	HF904-54	HF904	4.10-18	R	DUALSPORT	93
BRIDGESTONE	BS-00052	TW52	4.60-18	R	DUALSPORT/OEM	58
BRIDGESTONE	BS-00302	TW302	4.60-18	R	DUALSPORT/OEM	58
DUNLOP	4292-80	K81	4.25/85H-18	F/R	GEN	23
AVON	0305-0064	ROADRIDER AM26	90/90-18	F/R	GEN	74
BRIDGESTONE	BAX4505	BT-45	90/90-18	F	SPRTNG	52
CONTINENTAL	0305-0092	CONTI GO!	90/90-18	F	GEN	79
CONTINENTAL	97953	TKV11	90/90-18	F	GEN	80
CONTINENTAL	0301-0569	CLASSIC ATTACK	90/90R18	F	GEN	80
DURO	HF91804	HF918	90/90-18	F	GEN	92
KENDA	K67104	CRUISER	90/90-18	F	GEN	83
METZELER	0305-0034	LASERTEC	90/90-18	F	GEN	43
MICHELIN	0305-0101	PILOT ACTIV	90/90-18	F	SPRTNG	32
IRC	IRC-298	RS-310	90/90-18	F	GEN	87
BRIDGESTONE	BAX4507	BT-45	100/80-18	F	SPRTNG	52
AVON	0306-0069	ROADRIDER AM26	100/90-18	F/R	GEN	74
BRIDGESTONE	B1120	S11 SPITFIRE	100/90-18	F	CRS/TOUR	52
BRIDGESTONE	BR0729	G701	100/90H-19	F	CRS/TOUR/OEM	55
CONTINENTAL	0305-0085	CONTI GO!	100/90-18	F	GEN	79
CONTINENTAL	97954	TKV11	100/90-18	F	GEN	80
DUNLOP	0305-0001	D404	100/90-18	F	CRS/TOUR	22
DURO	HF91805	HF918	100/90-18	F	GEN	92
KENDA	K6578	CHALLENGER	100/90-18	F	GEN	83
METZELER	0305-0013	ME33	100/90-18	F	GEN/OEM	43
METZELER	0305-0035	LASERTEC	100/90-18	F	GEN	43
MICHELIN	0305-0102	PILOT ACTIV	100/90-18	F	SPRTNG	32
PIRELLI	MT66-10	ROUTE 66	100/90-18	F	CRS TOUR	64
PIRELLI	0305-0257	SPORT DEMON	100/90-18	F	SPRTNG	64
PIRELLI	0305-0439	PHANTOM	100/90-18	F	SPRSPT	62
KENDA	K676	0305-0298	100/90B18	F	GEN	84
DURO	HF26106	HF261A	100/90H-18	F/R	GEN	92
IRC	IRC-291	RS-310	100/90-18	F	GEN	87
METZELER	110-11937	ME880	100/90H-18	F	CRS/TOUR	41
AVON	0301-0561	STORM 3D X-M	120/60ZR17	F	SPRTNG	71
AVON	0306-0073	ROADRIDER AM26	110/80-18	F/R	GEN	74
AVON	0301-0562	STORM 3D X-M	110/80ZR18	F	SPRTNG	71
BRIDGESTONE	BAX4528	BT-45	110/80-18	R	SPRTNG	52
BRIDGESTONE	BQ-3732	BT-45	110/80-18	F	SPRTNG	52
BRIDGESTONE	BR-0839	G547	110/80-18	F	GEN/OEM	55
CONTINENTAL	0305-0093	CONTI GO!	110/80-18	F	GEN	79
DUNLOP	3323-70	K505	110/80-18	F	SPORT/OEM	24
KENDA	0317-0141	K761	110/80-18	F	DUALSPORT	85
METZELER	0305-0036	LASERTEC	110/80-18	F	GEN	43
MICHELIN	0305-0103	PILOT ACTIV	110/80-18	F	SPRTNG	32
PIRELLI	MT90-13	MT90 A/T	110/80-18	R	DUALSPORT	69
MICHELIN	0305-0405	COMMANDER II	110/80B18	F	CRS/TOUR	31
IRC	IRC315	RS-310	110/80-18	R	GEN	87
BRIDGESTONE	0303-0196	BT54	110/80R18	F	GEN	54
PIRELLI	0316-0215	MT 60-R	110/80R18	F	DUALSPORT/OEM	69
PIRELLI	1404200	SPORT DEMON	110/80-18	F	SPRTNG	64

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



STREET TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
18" (CONT)						
BRIDGESTONE	0301-0494	BATTLAX T30	110/80ZR18	F	SPRSPT	49
CONTINENTAL	0301-0278	ROAD ATTACK 2	110/80ZR18	F	SPORT	77
DUNLOP	0301-0373	ROADSMART II	110/80ZR18	F	SPORT	19
METZELER	0301-0012	ROADTEC Z6	110/80ZR18	F	SPRTNG	40
METZELER		ROADTEC 28				
	0301-0556	INTERACT	110/80ZR18	F	SPRTNG	39
MICHELIN	0301-0282	PILOT ROAD 3	110/80ZR18	F	SPRTNG	30
PIRELLI	0301-0427	ANGEL GT	110/80ZR18	F	SPORT	62
AVON		ROADRIDER				
	0306-0070	AM26	110/90-18	F/R	GEN	74
BRIDGESTONE	BAX4527	BT-45	110/90-18	R	SPRTNG	52
BRIDGESTONE	BQ-3735	BT-45	110/90-18	F	SPRTNG	52
BRIDGESTONE	0305-0232	EXEDRA MAX	110/90-18	F	CRS/TOUR	50
BRIDGESTONE	BR-0838	G535	110/90-18	F	GEN/OEM	56
BRIDGESTONE	BR-0715	L309	110/90-18	F	GEN/OEM	56
BRIDGESTONE	B1125	S11 SPITFIRE	110/90-18	F	CRS/TOUR	52
BRIDGESTONE	B2140	S11 SPITFIRE	110/90-18	R	CRS/TOUR	52
CONTINENTAL	0302-0721	CLASSIC ATTACK	110/90R18	F	GEN	80
CONTINENTAL	0306-0103	CONTI GO!	110/90-18	R	GEN	79
CONTINENTAL	0305-0094	CONTI GO!	110/90-18	F	GEN	79
CONTINENTAL	97961	TKV12	110/90-18	F	CRS/TOUR	80
DUNLOP	0305-0002	D404	110/90-18	F	CRS/TOUR	22
DUNLOP	0306-0008	D404	110/90-18	R	GEN	22
DUNLOP	4257-30	F20	110/90-18	F	GEN/OEM/RWL	25
DURO	HF91853	HF918	110/90-18	R	GEN	92
KENDA	K6580	CHALLENGER	110/90-18	R	GEN	83
KENDA	0306-0043	K673 KRUZ	110/90-18	F	CRS/TOUR	83
METZELER	110-10428	ME880	110/90-18	F	CRS/TOUR	41
METZELER	0305-0037	LASERTEC	110/90-18	F	GEN	43
METZELER	0307-0018	LASERTEC	110/90-18	F	GEN/OEM	43
MICHELIN	0305-0104	PILOT ACTIV	110/90-18	F	SPRTNG	32
PIRELLI	1404400	SPORT DEMON	110/90-18	F	SPRTNG	64
PIRELLI	1404500	SPORT DEMON	110/90-18	R	SPRTNG	64
DURO	HF261-07	HF261A	110/90-18	F/R	GEN	92
IRC	IRC292	RS-310	110/90-18	F	GEN	87
IRC	IRC310	RS-310	110/90-18	R	GEN	87
AVON	0301-0563	STORM 3D X-M	120/70ZR18	F	SPRTNG	71
BRIDGESTONE	0303-0090	BT-028	120/70R18	F	GEN	56
BRIDGESTONE	0301-0495	BATTLAX T30	120/70ZR18	F	SPRSPT	49
BRIDGESTONE	BR-119326	BT-020	120/70ZR18	F	SPRTNG/OEM	56
BRIDGESTONE	BR-146438	BT-020	120/70ZR18	F	SPRTNG/OEM	55
BRIDGESTONE	0303-0099	EXEDRA G853	120/70ZR18	F	CRS/TOUR	55
BRIDGESTONE	0303-0174	EXEDRA MAX	120/70ZR18	F	CRS/TOUR	50
CONTINENTAL	0301-0279	ROAD ATTACK 2	120/70ZR18	F	SPORT	77
DUNLOP	3336-77	D220	120/70ZR18	F	SPRTNG/OEM	25
DUNLOP	0301-0374	ROADSMART II	120/70ZR18	F	SPORT	19
METZELER	0303-0054	ME880	120/70ZR18	F	CRS/TOUR	41
METZELER	0301-0013	ROADTEC Z6	120/70ZR18	F	SPRTNG	40
METZELER		ROADTEC 28				
	0301-0957	INTERACT	120/80ZR18	F	SPRTNG	39
MICHELIN	0301-0504	PILOT ROAD 4 GT	120/70ZR18	F	SPORT	29
MICHELIN		PILOT ROAD 4				
	0316-0196	TRAIL	120/70ZR18	F	SPRTNG	30
PIRELLI	0301-0426	ANGEL GT	120/70ZR18	F	SPRTNG	62
AVON	0305-0428	COBRA AV71	120/80-18	F	CRS/TOUR	72
AVON	AV-755	AM 43 DISTANZIA	120/80-18	R	DUALSPORT	75
AVON		ROADRIDER				
	0306-0065	AM26	120/80-18	R	GEN	74
BRIDGESTONE	BAX4529	BT-45	120/80-18	R	SPRTNG	52
BRIDGESTONE	0317-0031	TW302	120/80-18	R	DUALSPORT/OEM	58
DURO	HF904-53	HF904	120/80-18	R	DUALSPORT	93
IRC	IRC318	RS-310	120/80-18	R	GEN	87
KENDA	0317-0142	K761	120/80-18	R	DUALSPORT	85
METZELER		ENDURO 3				
	110-6254	SAHARA	120/80-18	R	DUALSPORT	46
PIRELLI	MT90-14	MT90 A/T	120/80-18	R	DUALSPORT	69
PIRELLI	1404600	SPORT DEMON	120/80-18	R	SPRTNG	64
AVON		ROADRIDER				
	0306-0057	AM26	120/90-18	R	GEN	74
BRIDGESTONE	BQ-4740	BT-45	120/90-18	R	GEN	52
BRIDGESTONE	0305-0197	S11 SPITFIRE	120/90-18	F	SPRTNG	52
BRIDGESTONE	B2145	S11 SPITFIRE	120/90-18	R	CRS/TOUR	52
BRIDGESTONE	BS-00306	TW42	120/90-18	R	DUALSPORT/OEM	58
CONTINENTAL	0306-0097	CONTI GO!	120/90-18	R	GEN	79
CONTINENTAL		TWINDURO				
	97395	TKC80	120/90-18	R	DUALSPORT	82
DUNLOP	0305-0003	D404	120/90-18	F	CRS/TOUR	22
DUNLOP	0306-0009	D404	120/90-18	R	CRS/TOUR	22
DUNLOP	0305-0078	ELITE 3	120/90-18	F	CRS/TOUR/CUSTOM	23

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
18" (CONT)						
DUNLOP	4009-36	K177	120/90-18	F	CRS/TOUR/OEM	24
DUNLOP	4061-36	K177	120/90-18	F	CRS/TOUR/OEM	24
DURO	HF91854	HF918	120/90-18	R	GEN	92
IRC	IRC-702	WF-920	120/90-18	F	CRS/TOUR	87
IRC	IRC309	RS-310	120/90-18	R	GEN	87
KENDA	K6575	CHALLENGER	120/90-18	R	GEN	83
KENDA	0306-0044	K673 KRUZ	120/90-18	F	CRS/TOUR	83
METZELER	0308-0008	LASERTEC	120/90-18	R	GENS	43
MICHELIN	0306-0112	PILOT ACTIV	120/90-18	R	SPRTNG	32
PIRELLI	MT66-30	ROUTE 66	120/90-18	R	CRS/TOUR	64
KENDA	0306-0320	K676	120/90R18	R	GEN	84
METZELER	110-10409	ME880	120/90R18	F	CRS/TOUR	41
DURO	HF261-08	HF261A	120/90H-18	F/R	GEN	92
CONTINENTAL	0302-0722	CLASSIC ATTACK	120/90R18	R	GEN	80
PIRELLI	1404700	SPORT DEMON	120/90-18	R	SPRTNG	64
AVON		ROADRIDER				
	0306-0059	AM26	130/70-18	R	GEN	74
BRIDGESTONE	BAX4530	BT-45	130/70-18	R	SPRTNG	52
BRIDGESTONE	BT-0030	G701	130/70-18	F	CRS/TOUR/OEM	53
BRIDGESTONE	0307-0017	G721	130/70-18	F	CRS/TOUR	56
CONTINENTAL	0306-0104	CONTI GO!	130/70-18	R	GEN	79
DUNLOP	0307-0003	ELITE 3	130/70-18	F	CRS/TOUR/OEM	23
DUNLOP	4007-78	K177	130/70-18	F	CRS/TOUR/OEM	24
KENDA	0306-0116	K673 KRUZ	130/70-18	F	CRS/TOUR	83
METZELER	0308-0009	LASERTEC	130/70-18	R	GEN	43
MICHELIN	0306-0024	PILOT ACTIV	130/70-18	R	SPRTNG	32
PIRELLI	1343400	SPORT DEMON	130/70-18	R	SPRTNG	64
CONTINENTAL	0305-0382	MILESTONE	130/70B18	F	CRS/TOUR	78
CONTINENTAL	0305-0383	MILESTONE	130/70B18	F	CRS/TOUR/WWW	78
DUNLOP	0305-0308	AMERICAN ELITE	130/70B18	F	CRS/TOUR/BLK	20
DUNLOP	0305-0397	D402	130/70B18	F	CRS/TOUR	21
METZELER	110-13141	ME880	130/70B18	F	CRS/TOUR/OEM	41
MICHELIN	0305-0302	COMMANDER II	130/70B18	F	CRS/TOUR	31
PIRELLI	0305-0288	NIGHT DRAGON	130/70B18	F	CRS/TOUR	63
DURO	HF29602	BOULEVARD	130/70H-18	F	GEN	92
KENDA	K67124	CRUISER	130/70-18	R	GEN	83
AVON	0305-0438	COBRA AV71	130/70B18	F	CRS/TOUR	72
AVON	0301-0097	COBRA AV71	130/70R18	F	CRS/TOUR	72
AVON	0305-0269	COBRA AV71	130/70R18	F	CRS/TOUR	72
BRIDGESTONE	BR-7055	G709	130/70R18	F	CRS/TOUR/OEM	53
DUNLOP	3024-78	D250	130/70R18	F	CRS/TOUR/OEM	24
DUNLOP	3025-78	D251F	130/70R18	F	CRS/TOUR/OEM	24
DUNLOP	0303-0019	ELITE 3	130/70R18	F	CRS/TOUR/OEM	23, 25
METZELER	110-13361	ME880	130/70R18	F	CRS/TOUR/OEM	41
METZELER	0305-0431	ME888	130/70B18	F	CRS/TOUR	40
METZELER	0301-0500	ME888	130/70R18	F	CRS/TOUR	40
PIRELLI	0303-0189	NIGHT DRAGON	130/70R18	F	CRS/TOUR	63
BRIDGESTONE	0303-0175	EXEDRA MAX	130/70ZR18	F	CRS/TOUR	50
BRIDGESTONE	0303-0041	G851	130/70ZR18	F	CRS/TOUR/OEM	56
AVON		ROADRIDER				
	0306-0067	AM26	130/80-18	R	GEN	74
BRIDGESTONE	BQ-4750	BT-45	130/80-18	R	GEN	52
BRIDGESTONE	0316-0027	TW31	130/80-18	F	DUALSPORT/OEM	58
BRIDGESTONE	0306-0203	S11 SPITFIRE	130/80-18	R	SPRTNG	52
CONTINENTAL	0306-0105	CONTI GO!	130/80-18	R	GEN	79
DURO	HF91855	HF918	130/80-18	R	GEN	92
METZELER	0308-0010	LASERTEC	130/80-18	R	GEN	43
MICHELIN	0306-0114	PILOT ACTIV	130/80-18	R	SPRTNG	32
KENDA	0306-0319	K676	130/80B18	R	GEN	84
IRC	IRC319	RS-310	130/80-18	R	GEN	87
DUNLOP	32KU-83	D206	130/80R18	F	CRS/TOUR/OEM	24
BRIDGESTONE	B2150	S11 SPITFIRE	130/90-18	R	CRS/TOUR	52
IRC	IRC-308	RS-310	130/90-18	R	GEN	87
KENDA	K6576	CHALLENGER	130/90-18	R	GEN	83
AVON		ROADRIDER				
	0306-0066	AM26	140/70-18	R	GEN	74
BRIDGESTONE	BQ-4760	BT-45	140/70-18	R	GEN	52
DURO	HF91856	HF918	140/70-18	R	GEN	92
IRC	0306-0435	RX-02	140/70-18	R	GEN	86
KENDA	K67125	CRUISER	140/70-18	R	GEN	83
METZELER	0305-0097	ME880	140/70-18	F	GEN	42
PIRELLI	1405000	SPORT DEMON	140/70-18	R	SPRTNG	64
PIRELLI	0305-0083	NIGHT DRAGON	140/70B18	F	CRS/TOUR	63
BRIDGESTONE	0304-0211	BT54	140/70R18	R	GEN	54
BRIDGESTONE	BQ-4755	BT-45	140/70-18	R	GEN	52
CONTINENTAL	0317-0177	TRAIL ATTACK 2	140/80-18	R	DUALSPORT	81
CONTINENTAL		TWINDURO				
	97396	TKC80	140/80-18	R	DUALSPORT	82

STREET TIRE SIZE APPLICATION GUIDE continued on next page.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG

15

STREET TIRE SIZE APPLICATION GUIDE (CONT)

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
18" (CONT)						
METZELER		ENDURO 3				
	0317-0016	SAHARA	140/80-18	R	DUALSPORT	46
PIRELLI	MT90-15	MT90 A/T	140/80-18	R	DUALSPORT	69
KENDA	0317-0102	K784	140/80B18	R	DUALSPORT	85
DUNLOP	0302-0201	D251	150/60R18	F	CRS/TOUR/OEM	24
AVON		ROADRIDER				
	0306-0058	AM26	150/70-18	R	GEN	74
BRIDGESTONE	0305-0084	BT-45	150/70-18	R	SPRTNG	52
IRC	0306-0438	RX-02	150/70-18	R	GEN	86
CONTINENTAL	0306-0106	CONTI GO!	150/70-18	R	GEN	79
CONTINENTAL		TWINDURO				
	0317-0023	TKC80	150/70B18	R	DUALSPORT	82
CONTINENTAL		TWINDURO				
	0317-0227	TKC80	150/70B18	R	DUALSPORT	82
KENDA	0317-0100	K784	150/70B18	R	DUALSPORT	85
MICHELIN	0306-0322	COMMANDER II	150/70B18	R	CRS/TOUR	31
METZELER	0306-0108	ME880	150/70B18	R	GEN	42
PIRELLI	0306-0095	NIGHT DRAGON	150/70B18	R	CRS/TOUR	63
PIRELLI	0317-0004	MT 90 A/T	150/70R18	R	DUALSPORT/OEM	69
PIRELLI	0317-0129	SCORPION TRAIL	150/70R18	R	DUALSPORT	68
CONTINENTAL	0317-0245	TKC 70	150/70R18	R	DUALSPORT	82
CONTINENTAL	0317-0171	TRAIL ATTACK 2	150/70R18	R	DUALSPORT	81
METZELER	0302-0028	ME880 XXL	160/60R18	R	CRS/TOUR	42
BRIDGESTONE	0302-0841	BATTLAX T30	160/60ZR18	R	SPRSPT	49
CONTINENTAL	0302-0467	ROAD ATTACK 2	160/60ZR18	R	SPORT	77
DUNLOP	0302-0616	ROADSMART II	160/60ZR18	R	SPORT	19
METZELER	0302-0014	ROADTEC Z6	160/60ZR18	R	SPRTNG	40
METZELER		ROADTEC Z8				
	0302-0927	INTERACT	160/60ZR18	R	SPRTNG	39
MICHELIN	0302-0471	PILOT ROAD 3	160/60ZR18	R	SPRTNG	30
PIRELLI	0302-0702	ANGEL GT	160/60ZR18	R	SPRTNG	62
AVON	0302-0957	STORM 3D X-M	160/80ZR17	R	SPRSPT	71
AVON	0302-0445	AM42 VENOM-R	180/55R18	R	CRS/TOUR	73
PIRELLI	0302-0246	NIGHT DRAGON	180/55R18	R	CRS/TOUR	63
AVON	0302-0169	COBRA AV72	180/55ZR18	R	CRS/TOUR	72
BRIDGESTONE	0304-0023	EXEDRA G850	180/55ZR18	R	CRS/TOUR	50
DUNLOP	3001-31	D207	180/55ZR18	R	SPORT/OEM	22
METZELER	110-14351	ME880	180/55ZR18	R	CRS/TOUR/OEM	41, 42
METZELER	0304-0055	ME880	200/40R18	R	CRS/TOUR	41
BRIDGESTONE	0304-0088	BT-028	200/50R18	R	GEN	56
DUNLOP	0302-0406	ELITE 3	200/50R18	R	CRS/TOUR/CUSTOM	23
METZELER	110-13074	ME880	200/50R18	R	CRS/TOUR	41, 42
AVON	0302-0170	COBRA AV72	200/55R18	R	CRS/TOUR	72
AVON	0302-0171	COBRA AV72	240/40R18	R	CRS/TOUR	72
BRIDGESTONE	0304-0173	G852R	210/40R18	R	CRS/OEM	56
DUNLOP	0302-0110	ELITE 3	240/40R18	R	CRS/TOUR/CUSTOM	22, 23
METZELER	110-10430	ME880	240/40R18	R	CUSTOM	42
MICHELIN	0302-0729	COMMANDER II	240/40R18	R	CRS/TOUR	31
PIRELLI	0302-0253	NIGHT DRAGON	240/40R18	R	CRS/TOUR	63
DUNLOP	0302-0823	Q3 RADIALS	240/40ZR18	R	SPRSPT	18
PIRELLI	0302-0118	DIABLO CUSTOM	240/40ZR18	R	SPORT/CUSTOM	61
AVON	0302-0172	COBRA AV72	250/40R18	R	CRS/TOUR	72
DUNLOP	0302-0041	ELITE 3	250/40R18	R	CRS/TOUR/OEM	23, 25
METZELER	0302-0055	ME880	260/40R18	R	CRS/TOUR	42
METZELER	110-14885	ME880	280/35R18	R	CUSTOM	42
AVON	0302-0173	COBRA AV72	300/35R18	R	CRS/TOUR	72
METZELER	0302-0070	ME880	300/35R18	R	CRS/TOUR	42
19"						
AVON		ROADRIDER				
	0305-0059	AM26	3.25-19	F/R	GEN	74
AVON	AV001	SPEEDMASTER	3.25-19	F	GEN	74
CONTINENTAL	0305-0086	CONTI GO!	3.25-19	F	GEN	79
DUNLOP	4202-23	K70-F	3.25-19	F	GEN	23
DURO		HF314 CLASSIC/ VINTAGE	3.25-19	F/R	GEN	93
METZELER	0305-0039	LASERTEC	3.25-19	F	GEN	43
METZELER	0305-0043	LASERTEC	3.25-19	F	GEN	43
MICHELIN	0305-0107	PILOT ACTIV	3.25-19	F	SPRTNG	32
CONTINENTAL	97190	RB2	3.25-19	F	GEN	79
IRC	IRC-12	GS-11	3.25-19	F	GEN	88
DURO	HF317-02	CLASSIC/VINTAGE	3.25-19	F	GEN	93
AVON	AV006	SIDECAR	3.50-19	F	SIDECAR	74
AVON	AV-400	SM MARK II	3.50-19	F/R	GEN	74
AVON	AV002	SPEEDMASTER	3.50-19	F	GEN	74
DUNLOP	0305-0077	K70	3.50-19	F	GEN	23
DURO	0306-0384	HF308	3.50-19	F/R	GEN	93
METZELER	0305-0044	LASERTEC	3.50-19	F	GEN	43
METZELER	0305-0040	LASERTEC	3.50-19	F	GEN	43
IRC	IRC-13	GS-11	3.50-19	F	GEN	88
AVON	0306-0308	SM MARK II	4.00-19	R	GEN	74
DURO	0306-0307	HF308	4.00-19	F/R	GEN	93
AVON	AV007	AM9 UNIVERSAL	4.10-19	F/R	GEN	73

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
19" (CONT)						
DUNLOP	4206-54	K81	4.10H-19	F/R	GEN	23
AVON	AV026	AM20	90/90-19	F	GEN	73
AVON		ROADRIDER				
	0305-0063	AM26	90/90-19	F	GEN	74
BRIDGESTONE	B1140	S11 SPITFIRE	90/90-19	F	CRS/TOUR	52
DUNLOP	3016-19	D401	90/90-19	F	CRS/TOUR	21
IRC	0305-0067	WF-920	90/90-19	F	CRS/TOUR	87
PIRELLI	MT66-04	ROUTE 66	90/90-19	F	CRS/TOUR	64
DUNLOP	0305-0048	ELITE 3	MM90-19	F	CRS/TOUR/CUSTOM	23
BRIDGESTONE	BS-0840	TW39	90/100-19	F	DUALSPORT/OEM	58
AVON	AV-701	AM43 DISTANZIA	100/90-19	F	DUALSPORT	75
AVON	0305-0270	AV71 COBRA	100/90-19	F	CRS/TOUR	72
AVON	0305-0271	AV71 COBRA	100/90-19	F	CRS/TOUR/WWW	72
AVON	0305-0427	AV71 COBRA	100/90-19	F	CRS/TOUR	72
AVON		ROADRIDER				
	0306-0072	AM26	100/90-19	F/R	GEN	74
BRIDGESTONE	BQ-3745	BT-45	100/90-19	F	SPRTNG	52
BRIDGESTONE	BR001029	BT-45	100/90-19	F	SPRTNG/OEM	55
BRIDGESTONE	0307-0060	G721	100/90-19	F	GEN	56
BRIDGESTONE	0305-0198	S11 SPITFIRE	100/90-19	F	CRS/TOUR/RWL	52
BRIDGESTONE	B1150	S11 SPITFIRE	100/90-19	F	CRS/TOUR	52
BRIDGESTONE	BS-0954	TW101	100/90-19	F	DUALSPORT/OEM	57
BRIDGESTONE	0305-0233	EXEDRA MAX	100/90-19	F	CRS/TOUR	50
CONTINENTAL	0305-0095	CONTI GO!	100/90-19	F	GEN	79
CONTINENTAL	98008	MILESTONE	100/90-19	F	CRS/TOUR	78
CONTINENTAL	0316-0210	TKC 70	100/90-19	F	DUALSPORT	82
CONTINENTAL		TWINDURO				
	0316-0038	TKC80	100/90-19	F	DUALSPORT	82
DUNLOP	0305-0396	AMERICAN ELITE	100/90-19	F	CRS/TOUR	20
DUNLOP	3016-25	D401	100/90-19	F	CRS/TOUR	21
DUNLOP	0305-0399	D401	100/90-19	F	CRS/TOUR/WWW	21
DUNLOP	0305-0004	D404	100/90-19	F	CRS/TOUR	22
DUNLOP	4200-25	F24	100/90-19	F	GEN/OEM	24
DUNLOP	3023-25	K591	100/90-19	F	SPORT	20
DURO	HF91806	HF918	100/90-19	F	GEN	92
IRC	IRC-701	WF-920	100/90-19	F	CRS/TOUR	87
KENDA	K6572	CHALLENGER	100/90-19	F	GEN	83
KENDA	0317-0143	K761	100/90-19	F	DUALSPORT	85
KENDA	K671-05	CRUISER	100/90-19	F	GEN	83
KENDA	K673-03	KRUZ	100/90-19	F	GEN	83
PIRELLI	0316-0126	SCORPION TRAIL	100/90-19	F	DUALSPORT/OEM	68
METZELER	0305-0054	LASERTEC	100/90-19	F	GEN/OEM	43
METZELER	110-10124	TOURANCE	100/90-19	F	DUALSPORT/OEM	46
METZELER	0305-0297	ME888	100/90-19	F	CRS/TOUR	40
METZELER	0305-0388	ME888	100/90-19	F	CRS/TOUR/WWW	40
METZELER	0305-0042	LASERTEC	100/90-19	F	GEN	43
MICHELIN	0316-0149	ANAKEE III	100/90-19	F	DUALSPORT	35
MICHELIN	0305-0106	PILOT ACTIV	100/90-19	F	SPRTNG	32
PIRELLI	0305-0081	NIGHT DRAGON	100/90-19	F	CRS/TOUR	63
PIRELLI	MT66-05	ROUTE 66	100/90-19	F	CRS/TOUR	64
PIRELLI	MT66-11	ROUTE 66	100/90-19	F	CRS/TOUR	64
PIRELLI	1405200	SPORT DEMON	100/90-19	F	SPRTNG	64
KENDA	0305-0299	K676	100/90B19	F	DUALSPORT	84
KENDA	0316-0106	K784	100/90B19	F	DUALSPORT	85
MICHELIN	0305-0281	COMMANDER II	100/90B19	F	CRS/TOUR	31
DURO	HF261-09	HF261A	100/90-19	F/R	GEN	92
DURO	HF29603	BOULEVARD	100/90H-19	F	GEN	92
IRC	IRC294	RS-310	100/90-19	F	GEN	87
IRC	IRC-44	GS-18	100/90-19	F	CRS/TOUR/OEM	88
CONTINENTAL	0301-0435	CLASSIC ATTACK	100/90R-19	F	GEN	80
CONTINENTAL	0316-0153	TRAIL ATTACK 2	100/90R-19	F	DUAL SPORT	81
BRIDGESTONE	BR-105716	G515	110/80-19	F	GEN/OEM	54
CONTINENTAL		TWINDURO				
	97388	TKC80	110/80B19	F	DUALSPORT	82
KENDA	0316-0105	K784 BIG BLOCK	110/80B19	F	DUALSPORT	85
MICHELIN	0316-0148	ANAKEE III	110/80R19	F	DUALSPORT	35
AVON	0316-0025	AM43 DISTANZIA	110/80R19	F	GEN	75
AVON	AV-702	DISTANZIA	110/80R19	F	DUALSPORT	75
AVON	0301-0564	STORM 3D X-M	110/80R18	F	SPRTNG	71
BRIDGESTONE	0316-0028	BW501	110/80R19	F	DUALSPORT/OEM	49
BRIDGESTONE	0316-0206	BW501	110/80R19	F	DUALSPORT/OEM	49
BRIDGESTONE	0316-0122	BW501	110/80R19	F	DUALSPORT/OEM	49
BRIDGESTONE	0316-0046	BW501	110/80R19	F	DUALSPORT/OEM	49
BRIDGESTONE	0303-0029	TW101	110/80R19	F	DUALSPORT/OEM	57, 58
BRIDGESTONE	0303-0003	TW101	110/80R19	F	DUALSPORT/OEM	57
BRIDGESTONE	0316-0205	TW101-J	110/80R19	F	DUALSPORT/OEM	57
BRIDGESTONE	BR-147373	TW101-F	110/80R19	F	DUALSPORT/OEM	57, 58
CONTINENTAL	0301-0280	ROAD ATTACK 2	110/80R19	F	SPORT	77
CONTINENTAL		ROAD ATTACK				
	0301-0510	2 EVO	110/80R19	F	SPORT	77
CONTINENTAL	0316-0211	TKC 70	110/80R19	F	DUALSPORT	82
CONTINENTAL	0316-0154	TRAIL ATTACK 2	110/80R19	F	DUALSPORT	81

All part numbers in **BOLD MAGENTA**
are new this year.



STREET TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
19" (CONT)						
CONTINENTAL	0316-0193	TRAIL ATTACK 2	110/80R19	F	DUALSPORT	81
DUNLOP	0316-0111	TRAILMAX TR91	110/80R19	F	DUALSPORT	26
METZELER	110-11278	TOURANCE	110/80R19	F	DUALSPORT/OEM	46
METZELER	0316-0103	TOURANCE EXP	110/80R19	F	DUALSPORT/OEM	45
METZELER	0316-0144	TOURANCE NEXT	110/80R19	F	DUALSPORT	45
PIRELLI	0316-0208	ANGEL GT	110/80R19	F	SPRTNG	62
PIRELLI	0316-0033	SCORPION TRAIL	110/80R19	F	DUALSPORT	68
MICHELIN	0301-0496	BATTAX T30	110/80ZR19	F	SPRSPT	49
CONTINENTAL	0302-0942	CLASSIC ATTACK	110/85R19	R	GEN	80
BRIDGESTONE	B1160	S11 SPITFIRE	110/90-19	F	CRS/TOUR	52
BRIDGESTONE	0305-0234	EXEDRA MAX	110/90-19	F	CRS/TOUR	50
CONTINENTAL	98009	MILESTONE	110/90-19	F	CRS/TOUR	78
DUNLOP	0305-0005	D404	110/90-19	F	CRS/TOUR	22
DUNLOP	0316-0110	TRAILMAX TR91	110/90-19	F	DUALSPORT	26
IRC	IRC-705	WF-920	110/90-19	F	CRS/TOUR	87
KENDA	K65710	CHALLENGER	110/90-19	F	GEN	83
KENDA	0305-0052	K673 KRUIZ	110/90-19	F	CRS/TOUR	83
METZELER	0305-0109	LAZERTEC	110/90-19	F	GEN	43
METZELER	110-10411	ME880	110/90-19	F	CRS/TOUR	41
PIRELLI	0305-0284	NIGHT DRAGON	110/90-19	F	CRS/TOUR	63
PIRELLI	MT66-06	ROUTE 66	110/90-19	F	CRS/TOUR	64
MICHELIN	0305-0406	COMMANDER II	110/90B19	F	CRS/TOUR	31
DURO	HF29604	BOULEVARD	110/90H-19	F	GEN	92
CONTINENTAL	0316-0212	TKC 70	120/70R19	F	DUALSPORT	82
CONTINENTAL	0316-0163	TWINDURO TKC80	120/70B19	F	DUALSPORT	82
CONTINENTAL	0316-0155	TRAIL ATTACK 2	120/70R19	F	DUALSPORT	81
METZELER	0316-0143	TOURANCE NEXT	120/70R19	F	DUALSPORT/OEM	45
MICHELIN	0316-0192	ANAKEE III	120/70R19	F	DUALSPORT	35
AVON	0301-0098	COBRA	120/70ZR19	F	CRS/TOUR	72
BRIDGESTONE	0303-0023	EXEDRA	120/70ZR19	F	CRS/TOUR	50
BRIDGESTONE	0303-0176	EXEDRA MAX	120/70ZR19	F	CRS/TOUR	50
CONTINENTAL	0316-0161	TRAIL ATTACK 2	120/70ZR19	F	DUALSPORT	81
DUNLOP	0303-0063	D208	120/70ZR19	F	OEM	22
METZELER	0303-0151	ME880	120/70ZR19	F	CRS/TOUR/OEM	41
MICHELIN	0301-0436	COMMANDER II	120/70ZR19	F	CRS/TOUR	31
PIRELLI	0301-0144	NIGHT DRAGON	120/70ZR19	F	CRS/TOUR	63
DUNLOP	0305-0425	AMERICAN ELITE	130/60B19	F	CRS/TOUR	20
21"						
AVON	AV003	SPEEDMASTER	3.00-21	F	GEN	74
CONTINENTAL	0305-0108	CONTI GO!	3.00-21	F	GEN	79
BRIDGESTONE	BS-00303	TW301	3.00-21	F	DUALSPORT/OEM	58
AVON	0305-0430	COBRA AV71	80/90-21	F	CRS/TOUR	72
BRIDGESTONE	0305-0235	EXEDRA MAX	80/90-21	F	CRS/TOUR	50
CONTINENTAL	98010	MILESTONE	80/90-21	F	CRS/TOUR	78
DUNLOP	0305-0006	D404	80/90-21	F	CRS/TOUR	22
IRC	IRC700	WF-920	80/90-21	F	CRS/TOUR	87
KENDA	K67304	KRUZ	80/90-21	F	CRS/TOUR	83
PIRELLI	MT90-07	MT 90 A/T	80/90-21	F	DUALSPORT	69
PIRELLI	MT66-07	ROUTE 66	80/90-21	F	CRS/TOUR	64
MICHELIN	0305-0282	COMMANDER II	80/90B-21	F	CRS/TOUR	31
DURO	HF29605	BOULEVARD	80/90H-21	F	GEN	92
BRIDGESTONE	BS-00305	TW41	80/100-21	F	DUALSPORT/OEM	58
BRIDGESTONE	0316-0040	TW301	80/100-21	F	DUALSPORT/OEM	58
AVON	AV029	AM20	90/90-21	F	GEN	73
AVON	0316-0127	AM43 DISTANZIA	90/90-21	F	DUALSPORT	75
AVON	AV146	AM 24 GRIPSTER	90/90-21	F	DUALSPORT	75
AVON	0350-0198	COBRA AV71	90/90-21	F	CRS/TOUR	72

BRAND	PART #	MODEL	SIZE	F/R	APPLICATION	PAGE #
21" (CONT)						
AVON		ROADRIDER				
	0305-0060	AM26	90/90-21	F	GEN	74
BRIDGESTONE	0305-0049	BT-45	90/90-21	F	SPRTNG	52
BRIDGESTONE	0316-0047	BW501	90/90-21	F	DUALSPORT/OEM	49
BRIDGESTONE	0305-0236	EXEDRA MAX	90/90-21	F	CRS/TOUR	50
BRIDGESTONE	0307-0015	G701	90/90-21	F	OEM	54
BRIDGESTONE	0307-0046	G701-F	90/90-21	F	GEN/OEM	55
BRIDGESTONE	BS-01178	TW21	90/90-21	F	DUALSPORT/OEM	58
BRIDGESTONE	BS-01188	TW41	90/90-21	F	DUALSPORT/OEM	58
CONTINENTAL	0305-0096	CONTI GO!	90/90-21	F	GEN	79
CONTINENTAL	248610	ESCAPE	90/90-21	F	DUALSPORT	81
CONTINENTAL	0316-0213	TKC 70	90/90-21	F	DUALSPORT	82
CONTINENTAL		TWINDURO				
	97391	TKC80	90/90-21	F	DUALSPORT	82
DUNLOP	0305-0055	ELITE 3	90/90-21	F	CRS/TOUR/CUSTOM	23
DUNLOP	0316-0109	TRAILMAX TR91	90/90-21	F	DUALSPORT	26
DURO	HF904-01	HF903	90/90-21	F	DUALSPORT	93
KENDA	0316-0134	K761	90/90-21	F	DUALSPORT	85
METZELER		ENDURO 3				
	0316-0006	SAHARA	90/90-21	F	DUALSPORT/OEM	46
METZELER		ENDURO 3				
	0316-0018	SAHARA	90/90-21	F	DUALSPORT	46
METZELER	0305-0041	LASERTEC	90/90-21	F	GEN	43
METZELER	0305-0011	ME880	90/90-21	F	CRS/TOUR	41, 42
METZELER	110-10126	TOURANCE	90/90-21	F	DUALSPORT	46
METZELER	0316-0145	TOURANCE NEXT	90/90-21	F	DUALSPORT	45
MICHELIN	0316-0152	ANAKEE III	90/90-21	F	DUALSPORT	35
MICHELIN	0305-0303	COMMANDER II	90/90-21	F	CRS/TOUR	31
PIRELLI	MT90-06	MT 90 A/T	90/90-21	F	DUALSPORT	69
PIRELLI	0316-0004	MT 90 A/T	90/90-21	F	DUALSPORT/OEM	69
PIRELLI	0305-0193	NIGHT DRAGON	90/90-21	F	CRS/TOUR	63
PIRELLI	0316-0067	SCORPION TRAIL	90/90-21	F	DUALSPORT/OEM	68
KENDA	0316-0107	K784	90/90B-21	F	DUALSPORT	85
CONTINENTAL	0316-0156	TRAIL ATTACK 2	90/90R-21	F	DUALSPORT	81
KENDA	K6582	CHALLENGER	90/100-21	F	GEN	83
AVON	0305-0088	AV71 COBRA	MH90-21	F	CRS/TOUR/CUSTOM	72
AVON	0305-0272	AV71 COBRA	MH90-21	F	CRS/TOUR/WWW	72
DUNLOP	0305-0309	AMERICAN ELITE	MH90-21	F	CRS/TOUR	20
DUNLOP	3017-63	D402	MH90-21	F	CRS/TOUR	21
DUNLOP	0305-0398	D402	MH90-21	F	CRS/TOUR/MWB	21
METZELER	0305-0390	ME888	MH90-21	F	CRS/TOUR	40
METZELER	0305-0389	ME888	MH90-21	F	CRS/TOUR/WWW	40
PIRELLI	0305-0082	NIGHT DRAGON	MH90-21	F	CRS/TOUR	63
AVON	0305-0261	AV71 COBRA	120/70-21	F	CRS/TOUR	72
AVON	0305-0432	AV71 COBRA	120/70-21	F	CRS/TOUR/WWW	72
BRIDGESTONE	0307-0050	G721	120/70-21	F	GEN/OEM	56
METZELER	0307-0014	ME880	120/70-21	F	CRS/TOUR/OEM	41
METZELER	0305-0289	ME880 XXL	120/70-21	F	CRS/TOUR	42
PIRELLI	0305-0287	NIGHT DRAGON	120/70B-21	F	CRS/TOUR	63
MICHELIN	0305-0304	COMMANDER II	120/70B-21	F	CRS/TOUR	31
DUNLOP	0301-0092	ELITE 3	120/70R-21	F	CRS/TOUR/CUSTOM	23
23"						
BRIDGESTONE	BS-1237	TW9	3.00-23	F	DUALSPORT/OEM	58
AVON		COBRA				
	0301-0099	UNIVERSAL	130/60R-23	R	CRS/TOUR	72
METZELER	0305-0391	ME888	130/60-23	F	CRS/TOUR	40
PIRELLI	0305-0384	NIGHT DRAGON	130/70B-23	F	CRS/TOUR	63
26"						
METZELER	0305-0438	ME888	120/55R26	F	CRS/TOUR	40

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



DUNLOP TIRES

Dunlop is the only company manufacturing motorcycle tires in the U.S.A. Developing innovative technology for the American market, Dunlop pursues racing at the highest levels. As the sole official tire supplier to AMA Pro Road Racing since 2009, Dunlop has introduced new tires to the AMA paddock that produce faster lap times every year. Dunlop's success also extends to the harsh conditions of off-road racing as Dunlop riders have won all the 2014 AMA Pro Supercross and Motocross championships for the fifth year in a row. More importantly, the tire technology we develop with input from these professional racers helps drive the creation of new tires – tires that make riding more enjoyable for all riders.

- Decades of providing Original Equipment tires to American manufacturers
- Official tire of the AMA Pro Road Racing
- Developed in the U.S.A.
- Tested in the U.S.A.
- Manufactured in the U.S.A. (where made in the U.S.A. logo is shown)



DUNLOP Q3 RADIALS

- Features Carbon Fiber Technology (CFT)
- Exhibits exceptional cornering stability, especially at high lean angles, responsive and precise steering characteristics, and predictable, smooth transitional-steering performance and impressive performance in dry conditions as a result of CFT
- New tread pattern utilizes Dunlop's cosecant-curve but with fewer grooves that are longer-track-proven to greatly enhance wet-weather performance
- Incorporates MT Multi-Tread technology providing a cool-running, long-wearing compound in the center for long tread life, enhanced straight-line stability and excellent traction, while the sides feature lateral grip compounds to enhance traction at moderate-to-maximum lean angles
- Blackwall
- (W)-rated for speeds of 168+ mph



Q3 Radials Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/60ZR17	(55W)	TL	0301-0485	\$165.95
120/70ZR17	(58W)	TL	0301-0484	170.95
REAR				
160/60ZR17	(69W)	TL	0302-0821	204.95
180/55ZR17	(73W)	TL	0302-0818	219.95
190/50ZR17	(73W)	TL	0302-0819	255.95
190/55ZR17	(75W)	TL	0302-0820	262.95
200/50ZR17	(75W)	TL	0302-0822	289.95
240/40ZR18	(79W)	TL	0302-0823	290.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



QUALIFIER RADIAL SPORT TIRES

- Exceptional performance and great value
- Jointless band (JLB) rear tire construction utilizes a continuously-wound steel belt for reduced carcass distortion
- Tubeless blackwall
- (W)-rated for speeds of 168+ mph
- Made in the U.S.A.



Qualifier Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0342	\$149.95
REAR				
180/55ZR17	(73W)	TL	0302-0570	192.95
190/50ZR17	(73W)	TL	0302-0571	223.95
190/55ZR17	(75W)	TL	0302-0572	229.95



ROADSMART II SPORT TOURING TIRES

- Roadsmart II takes the sport touring tire goals of mileage, sport handling, and wet grip to the next level
- Front and rear tread patterns feature long lateral grooves to provide excellent water drainage on wet surfaces
- Multi-directional sub grooves optimize contact pressure for long mileage, even wear and good water drainage
- Rear tire features Dunlop's MT Multi-Tread construction
- Tubeless blackwall
- (W)-rated for speeds of 168+ mph



Roadsmart II Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/60ZR17	(55W)	TL	0301-0371	\$166.95
120/70ZR17	(58W)	TL	0301-0372	172.95
110/80ZR18	(58W)	TL	0301-0373	172.95
120/70ZR18	(59W)	TL	0301-0374	177.95
REAR				
150/70ZR17	(69W)	TL	0302-0610	203.95
160/60ZR17	(69W)	TL	0302-0611	203.95
160/70ZR17	(73W)	TL	0302-0612	209.95
170/60ZR17	(72W)	TL	0302-0613	209.95
180/55ZR17	(73W)	TL	0302-0614	225.95
190/50ZR17	(73W)	TL	0302-0615	244.95
190/55ZR17	(73W)	TL	0302-0697	246.99
160/60ZR18	(70W)	TL	0302-0616	217.95

DUNLOP BROCHURES

- Supplies basic features and fitment information
- Available at no charge with any Parts Unlimited or Drag Specialties order
- Shipped as a 25-pack



PART #

9901-0335

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.



DUNLOP TIRES

•For over 30 years, Dunlop has provided tires for Harley-Davidson® – and more importantly, for Harley-Davidson owners – that help Harley riders enjoy their bikes to the fullest. Our commitment to Harley-Davidson® riders grows even deeper with the American Elite line of aftermarket tires, which incorporates Dunlop's exclusive Made-in-America experience along with MT Multi-Tread technology to help deliver impressive mileage and handling.



American Elite Front/Rear

American Elite NWS Front/Rear

American Elite WWW Front/Rear

AMERICAN ELITE GENERATION

PREMIUM REPLACEMENT HARLEY-DAVIDSON® TOURING/CRUISER TIRE

- The only replacement motorcycle tires for Harley-Davidson® bikes that are designed in America, made in America and tested in America
- Multi-Tread (MT) rear tires built with a long-wearing compound in center of tread and lateral-grip compound in each shoulder to maximize cornering performance
- Tread design provides even tread wear and quiet operation in all conditions, both wet and dry
- H-rated for speeds up to 130 mph
- Made in the U.S.A.

AMERICAN ELITE



SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
MT90B16 BLK	72H	TL	0305-0393	\$191.95
MT90B16 NWS	72H	TL	0305-0394	225.95
MT90B16 WWW	72H	TL	0305-0395	234.95
130/90B16 WWW	67H	TL	0305-0307	242.95
130/80B17 BLK	65H	TL	0305-0305	231.95
130/80B17 NWS	65H	TL	0305-0306	241.95
140/75R17 BLK	67V	TL	0303-0190	237.95
130/70B18 BLK	63H	TL	0305-0308	219.95
100/90-19 BLK	57H	TL	0305-0396	170.95
130/60B19 BLK	61H	TL	0305-0425	176.95
MH90-21	54H	TL	0305-0309	161.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
140/90B16	77H	TL	0306-0467	\$293.95
MT90B16 BLK	74H	TL	0306-0422	232.95
MT90B16 NWS	74H	TL	0306-0423	280.95
MT90B16 WWW	74H	TL	0306-0424	270.95
MU85B16 BLK	77H	TL	0306-0425	241.95
MU85B16 NWS	77H	TL	0306-0426	282.95
MU85B16 WWW	77H	TL	0306-0427	292.95
150/80B16 BLK	77H	TL	0306-0428	231.95
180/65B16 BLK	81H	TL	0306-0324	322.95
180/65B16 NW	81H	TL	0306-0325	323.95
180/65B16 WWW	81H	TL	0306-0326	326.95
200/55R17 BLK	78V	TL	0304-0200	268.95



K591

HARLEY-DAVIDSON® TIRE SERIES

- K591 is the approved Harley-Davidson® sport tire, and the only Harley-Davidson sport tire that is made in the U.S.A.
- Originally designed for racing but now incorporates refinements to meet the demands of street riders; K591 delivers optimum grip in wet or dry weather for confident cornering
- Blackwall
- V-rated for speeds up to 149 mph
- Made in the U.S.A.



K591 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90-19 BLK	51V	TL	3023-25	\$178.95
REAR				
130/90B16 BLK	64V	TL	3023-40	206.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
150/80B16 BLK	71V	TL	3023-91	\$246.95
160/70B17 BLK	73V	TL	3023-96	263.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

21



D402 BLK Front/Rear

D402 SWS Front/Rear

D402 WWW Front/Rear

D402 MWB Front

D402**TOURING HARLEY-DAVIDSON® TIRE SERIES**

- D402 is the approved Harley-Davidson® touring tire, and the only Harley-Davidson touring tire that is made in the U.S.A.
- Built with a three-ply polyester casing with two fiberglass belts, the D402 offers great load-carrying capacity, stability and long life
- Computer-optimized tread pattern with offset center groove improves ride confidence in all conditions and reduces cupping for long, even wear
- Available in blackwall (BLK), single white bar (SWS), narrow white bar (NWB) or wide white sidewall (WWW)
- H-rated for speeds up to 130 mph
- Made in the U.S.A.



SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
MT90B16, BLK	72H	TL	3020-91	\$191.95
MT90B16, SWS	72H	TL	3021-91	225.95
MT90B16, WWW	72H	TL	3022-91	234.95
130/70B18, BLK	63H	TL	0305-0397 ¹	237.95
MH90-21, BLK	54H	TL	3017-63	161.95
MH90-21, MWB	54H	TL	0305-0398 ²	178.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
MT90B16, BLK	74H	TL	3017-91	\$225.95
MT90B16, SWS	74H	TL	3018-91	257.95
MT90B16, WWW	74H	TL	3019-91	267.95
MU85B16, BLK	77H	TL	0308-0001	234.95
MU85B16, SWS	77H	TL	0308-0002	268.95
MU85B16, WWW	77H	TL	3019-23	278.95

¹ OE on Harley-Davidson® Switchback.² OE on Harley-Davidson® Seventy-Two.

D401 Front/Rear

D401 WWW Front/Rear

D401 MWB Rear

D401**HARLEY-DAVIDSON® TIRE SERIES**

- D401 is the approved Harley-Davidson® cruiser tire, and the only Harley-Davidson cruiser tire that is made in the U.S.A.
- Advanced tread pattern and specifically formulated compound deliver outstanding grip in wet or dry weather and provide long tire life
- Blackwall
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph
- Made in the U.S.A.

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
90/90-19 BLK	52H	TL	3016-19	\$162.95
100/90-19 BLK	57H	TL	3016-25	165.95
100/90-19 WWW	57H	TL	0305-0399	182.95
REAR				
130/90B16 BLK	73H	TL	3016-40	198.95
150/80B16 BLK	71H	TL	3016-91	225.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
150/80B16 MWB	71H	TL	0306-0429 ¹	\$247.95
150/80B16 WWW	71H	TL	0306-0430	247.95
160/70B17 BLK	73H	TL	0306-0431 ²	271.95
200/55R17 BLK	78V	TL	0302-0407	266.95

¹ OE for Harley-Davidson® Seventy-Two.² OE for Harley-Davidson® Switchback.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG

Signature Trike Tire Rear

SIGNATURE™ SERIES TRIKE REAR TIRE

- Engineered grooves in a highly detailed tread pattern quickly evacuate water for all weather performance you can trust
- Blackwall
- T-rated for speeds up to 118 mph
- Made in the U.S.A.

SIZE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
P205/65R15 92T		0304-0219	\$199.95

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



D208ZR Front

D207ZR Rear

Elite3 Rear

208ZR/207ZR/ELITE3 RADIAL

HARLEY-DAVIDSON® V-ROD AND STREET ROD TIRES



- Dunlop offers a special version of the D208ZR and D207ZR designed for Harley-Davidson® V-Rod and Street Rod bikes
- Unique 19" front and 18" rear radials
- 240/40ZR-18 fits special edition V-Rods
- Blackwall
- (W)-rated for speeds 168+ mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
D208ZR FRONT				
120/70ZR19	(60W)	TL	0303-0063	\$254.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
D207ZR REAR				
180/55ZR18	(74W)	TL	3001-31	\$316.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
ELITE3 REAR				
240/40R18	79V	TL	0302-0110	\$302.95

D404

METRIC CRUISER TIRES

- Expanded size range fits many older bikes and modern cruisers
- Tread compound delivers excellent balance of mileage and grip
- Front and rear tread patterns designed to deliver outstanding water evacuation and wet grip
- Bias-ply construction designed to deliver excellent load-carrying capacity as well as a smooth ride for maximum comfort
- Offset center groove delivers excellent straight-line stability
- Value priced
- Not recommended for Harley Davidson® applications
- OE on Honda Shadow Aero, Yamaha V-star 1100 and Royal Star and the Kawasaki Vulcan Nomad
- H-rated for speeds up to 130 mph or S-rated for speeds up to 112 mph



D404 Front/Rear

D404 WW Rear/Front

D404 GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/ TT	PART #	SUG. RETAIL
FRONT				
130/90-16 BLK	67H	TL	32KY-40	\$152.95
150/80-16 BLK	71H	TL	32KY-91	210.95
150/80-16 WW	71H	TL	32NM-91	230.95
120/90-17	64S	TT	0305-0012¹	142.95
100/90-18 BLK	56H	TL	0305-0001	116.95
110/90-18 BLK	61H	TL	0305-0002	123.95
120/90-18 BLK	65H	TL	0305-0003	150.95
100/90-19 BLK	57H	TL	0305-0004	126.95

SIZE	LOAD/SPEED INDEX	TL/ TT	PART #	SUG. RETAIL
FRONT (CONT)				
110/90-19 BLK	62H	TL	0305-0005	\$152.95
80/90-21 BLK	48H	TL	0305-0006	126.95
REAR				
130/90-15 BLK	66H	TL	0306-0001	142.95
140/90-15 BLK	70H	TL	0306-0002	165.95
150/90-15 BLK	74H	TL	32NI-50	195.95
150/90-15 WW	74H	TL	32NM-50	218.95
170/80-15 BLK	77H	TL	0306-0003	212.95

SIZE	LOAD/SPEED INDEX	TL/ TT	PART #	SUG. RETAIL
REAR (CONT)				
130/90-16 BLK	67H	TL	0306-0004	\$145.95
140/90-16 BLK	71H	TL	0306-0005	177.95
150/80-16 BLK	71H	TL	0306-0006	189.95
130/90-17 BLK	68H	TL	0306-0007	157.95
110/90-18 BLK	61H	TL	0306-0008	142.95
120/90-18 BLK	65H	TL	0306-0009	156.95

¹ Tube type.

D404 OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	TYPE	CODE	PART #	SUG. RETAIL
SUZUKI								
VZ800 97-04	F	130/90-16	67H	TL	BLK	D404	32KY-40	\$152.95
	R	150/90-15	74H	TL	BLK	D404	32NI-50	195.95
YAMAHA								
XVZ1300 Royal Star/Boulevard/Tour Classic/Venture/Venture LE/Midnight Venture (all)	F	150/80-16	71H	TL	BLK	D404F	32KY-91	210.95
	R	150/90-15	74H	TL	BLK	D404	32NI-50¹	195.95
(whitewall option)	F	150/80-16	71H	TL	WW	D404	32NM-91	230.95
(whitewall option)	R	150/90-15	74H	TL	WW	D404	32NM-50	218.95

¹ Model specific; not OEM.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



ELITE 3



ELITE 3

TOURING/CUSTOM TIRE

- Next generation long-distance tire with improved performance and longer wear
- E3 tread pattern provides class-leading, wet-pavement performance and is not affected by rain grooves, steel bridge decks or tar stripes
- Better response and a solid feel through turns for confident cornering
- Select sizes available with Multi-Tread technology; see footnotes below
- Blackwall
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph
- Made in the U.S.A.



Elite 3 Bias Front/Rear

Elite 3 Front/Rear

ELITE 3 GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT					REAR				
130/90B16, bias-ply	73H	TL	0305-0392	\$198.95	MT90B16, bias-ply	74H	TL	0306-0038	\$224.95
MR90-18, bias-ply	71H	TL	0305-0078	226.95	MU90B16, bias-ply	78H	TL	0306-0039	228.95
90/90-21, bias-ply	54H	TL	0305-0055	172.95	200/50R18, radial	76H	TL	0302-0406	308.95
120/70R21, radial	62V	TL	0301-0092	223.95	240/40R18, radial	79V	TL	0302-0110	302.95
MM90-19, bias-ply	61H	TL	0305-0048	167.95	250/40R18, radial	81V	TL	0302-0041	293.95

ELITE 3 MODEL-SPECIFIC AND OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/ SPEED INDEX	TL/ TT	TYPE	PART #	SUG. RETAIL	FITS MODEL	POS.	SIZE	LOAD/ SPEED INDEX	TL/ TT	TYPE	PART #	SUG. RETAIL
HONDA								HONDA (CONT)							
GL1500 88-00	F	130/70-18	63H	TL	Blk	0307-0003	\$234.95	VTX1800C 02-07	R	180/70R16	77H	TL	Blk	0304-0020	\$345.95
	R	160/80B16	80H	TL	Blk	0308-0044 ¹	297.95	VICTORY							
Valkyrie 97-03, VTX1800R/N/T 03-08	F	150/80R17	72H	TL	Blk	0303-0018	303.95	Hammer 05-08	F	130/70R18	63H	TL	Blk	0303-0019	255.95
	R	180/70R16	77H	TL	Blk	0304-0020	345.95		R	250/40R18	81V	TL	Blk	0302-0041	293.95
Fury 1300 10-14	F	90/90-21	54H	TL	Blk	0305-0055	172.95	Vegas 07-12	F	90/90-21	54H	TL	Blk	0305-0055	172.95
	R	200/50R18	76H	TL	Blk	0302-0406	308.95	Vision Touring 08-14	F	130/70R18	63H	TL	Blk	0303-0019	255.95
GL1800 01-14, VTX1800C 02-07	F	130/70R18	63H	TL	Blk	0303-0019	255.95	YAMAHA							
	R	180/60R16	80H	TL	Blk	0304-0208 ¹	345.95	XVZ1300 Royal Star 96-07 (all)	F	150/80-16	71H	TL	Blk	0305-0079	216.95
									R	MV85B15	77H	TL	Blk	0306-0037	266.95

¹ Multi-Tread.



TT100-K70/K81 Front/Rear

TT100-K70/K81 RETRO/VINTAGE MOTORCYCLE TIRES

- Modern reproduction of a vintage tire
- For restoration of older British bikes to original specs
- Tube-type; blackwall only
- P-rated for speeds up to 93 mph, S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	MODEL/POS.	TL/TT	PART #	SUG. RETAIL
3.25-19 BLK	54P	K70-F	TT	4202-23	\$115.95
3.50-19 BLK	57P	K70-F	TT	0305-0077	117.95
4.00S-18 BLK	64S	K70-R	TT	4202-45	122.95
4.25/85H-18 BLK	64H	K81-F/R	TT	4292-80	167.95
4.10H19-BLK	4PR	K81-F/R	TT	4206-54	168.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAW
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



D206 Front/Rear

D250 Front/Rear

D251 Front/Rear



D404F

D404 WWW

F24

K177

K177 WWW



K505 Front/Rear

K555

K555 WWW

ORIGINAL EQUIPMENT REPLACEMENT TIRES

- The letter and number code shows the tire type as displayed on the sidewall of the tire
- OE tires are designed to suit the horsepower and handling characteristics of the model for which each tire was designed

HONDA OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	TYPE	CODE	PART #	SUG. RETAIL
HONDA								
VT600C 88-89, 91-07	F	100/90-19	57S	TL	BLK	F24	4200-25	\$138.95
	R	170/80-15	77H	TL	BLK	K555	4183-98	280.95
CB750 91-93, 95-03	F	110/80-18	58H	TL	BLK	K505	3323-70	172.95
	R	140/70-17	66H	TL	BLK	K505	3326-87	192.95
VF750C/CD/C2 Magna/Magna Deluxe 94-03	F	120/80-17	61H	TL	BLK	K555	32DY-75	175.95
	R	150/80-15	70V	TL	BLK	K555	3259-90	229.95
PC800 89-98	F	120/80-17	61H	TL	BLK	K555	32DY-75	175.95
	R	140/80B15	67H	TL	BLK	K555	3259-85	185.95
	R	170/80-15	77H	TL	BLK	K555	4015-98	265.95
VT1100C2 95-07	F	120/90-18	65H	TL	WWW	K177	4009-36	239.95
	R	170/80-15	77H	TL	WWW	K555	4019-98	285.95
VT1100T 98-01	F	130/80R18	66H	TL	BLK	D206	32KU-83	308.95
	R	170/70R16	75H	TL	BLK	D206	32KU-68	381.95
VT1100D 99	F	120/90-18	65H	TL	BLK	K177	4061-36	233.95
	R	170/80-15	77H	TL	BLK	K555	4183-98	280.95
VT1100C3 98-02	F	140/80-17	69H	TL	WWW	D404	0307-0053	238.95
	R	170/80-15	77H	TL	WWW	K555	4019-98	285.95
VTX1300S/R/T 03-09	F	140/80-17	69H	TL	BLK	D404F	4016-87	177.95
	R	170/80-15	77H	TL	BLK	K555J	4015-98	265.95
GL1500 88-00 (all)	F	130/70-18	63H	TL	BLK	K177	4007-78	246.95
GL1800 01-10 (all)	F	130/70R18	63H	TL	BLK	D250	3024-78	273.95
	R	180/60R16	74H	TL	BLK	D250	0304-0054	359.95
NRX1800 Valkyrie Rune 04	F	150/60R18	67V	TL	BLK	D251	0302-0201	351.95
	R	180/55R17	73V	TL	BLK	D251	0304-0071	395.95
VTX1800C 02-07	F	130/70R18	63H	TL	BLK	D251F	3025-78	265.95
	R	180/70R16	77H	TL	BLK	D251R	3025-82	359.95
VTX1800R/N/T 03-08	F	150/80R17	72H	TL	BLK	D251F	3025-92	317.95
	R	180/70R16	77H	TL	BLK	D251R	3025-82	359.95
VTX1800S 03-06	F	150/80-17	72H	TL	BLK	D404F	4015-92	186.95
	R	170/80-15	77H	TL	BLK	K555J	4015-98	265.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



D220 Front/Rear

D417



491 Elite 2 Front/Rear

Elite 3 Front/Rear

F20



K525

K330 Front/Rear

K630

OEM REPLACEMENT TIRES FOR BUELL, KAWASAKI, VICTORY AND YAMAHA

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	TYPE	CODE	PART #	SUG. RETAIL
BUELL								
Blast 00-09	F	100/80-16	50S	TL	BLK	K330	32QF-62	\$132.95
	R	120/80-16	60S	TL	BLK	K330	32QF-68	163.95
KAWASAKI								
EX250E/F 86-07	F	100/80-16	50S	TL	BLK	K630	32PU-62	121.95
	R	130/90-16	64S	TL	BLK	K630	32PU-80	154.95
VN1500P Mean Streak 02-03	F	130/70R17	62H	TL	BLK	D220	3336-27	231.95
	R	170/60R17	72H	TL	BLK	D220	3336-84	321.95
VN2000 04-10	F	150/80R16	71V	TL	BLK	D251	0303-0020	301.95
	R	200/60R16	79V	TL	BLK	D251	0304-0022	368.95
VICTORY								
V92C Victory 98-02	R	160/80B16	75H	TL	BLK	D417	3026-96	322.95
Hammer 05-11	F	130/70R18	63H	TL	BLK	Elite 3	0303-0019	255.95
	R	250/40R18	81V	TL	BLK	Elite 3	0302-0041	293.95
Gunner 14-15, Judge 12-14	F	130/90B16	67H	TL	RWL	491 Elite II	0305-0440	238.95
	R	140/90B16	77H	TL	RWL	491 Elite II	0306-0468	273.95
YAMAHA								
XVS950 V-Star 09-14	R	170/70B16	75H	TL	BLK	K555	0308-0031	309.95
VMX12 Vmax 85-86, 88-07	F	110/90-18	61V	TL	RWL	F20	4257-30	174.95
	R	150/90-15	74V	TL	RWL	K525	4213-50	261.95
XV1700 Road Star Warrior 02-10	F	120/70ZR18	(59W)	TL	BLK	D220	3336-77	258.95
	R	200/50ZR17	(75W)	TL	BLK	D220	3336-82	400.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



Whitewall CruiseMax Front/Rear
WHITEWALL CRUISEMAX
METRIC CRUISER TIRES

- Tread profile designed to give your bike predictable handling and exceptional stability while cornering
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
CRUISEMAX FRONT				
130/90-16 WW	67H	TL	4177-40	\$223.95
CRUISEMAX REAR				
150/80-16 WW	71H	TL	4180-91	250.95



SX01 Front/Rear
SX01

SPORT SCOOTER TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70-13	53P	TL	0340-0073	\$105.95
120/80-14	58S	TL	0340-0135	112.95
REAR				
130/70-13	63P	TL	0340-0136	121.95
150/70-13	64S	TL	0340-0137	129.95



TT93GP Front/Rear

TT93GP MINI BIKE ROAD RACE TIRE

- Offers improved wet & dry grip
- Enhanced ride comfort and durability
- Enhanced cornering performance and stability entering corners, as well as smooth acceleration out of corners

DESCRIPTION	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
100/90-12	49J	TL	0340-0452	\$112.95
120/80-12	55J	TL	0340-0453	122.95

TRAILMAX TR91 DUAL-SPORT/ADVENTURE TOURING TIRES

- Dual-purpose high-performance adventure touring tire
- Silica-fortified tread compound for enhanced traction and grip while helping to reduce rolling resistance
- V-shaped pattern with crossing grooves pull water quickly and effectively away from the tread contact patch
- Enhanced abrasion resistance yields higher mileage in on-highway usage, while the new tread block design provides enhanced wear resistance in off-road conditions
- Jointless Belt Technology utilizes a continuously wound belt that enables smooth performance at highway speeds, a more consistent contact patch and enhanced shock absorption
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
90/90-21	54H	TL	0316-0109	\$183.95
100/90-19	57H	TL	0316-0110	194.95
110/80R19	59V	TL	0316-0111	229.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



TR91 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/80R17	65H	TL	0317-0106	\$248.95
140/80R17	69H	TL	0317-0107	254.95
150/70R17	69V	TL	0317-0108	259.95



MICHELIN TIRES


• Michelin manufactures and sells tires for every type of vehicle including airplanes, automobiles, bicycles, earthmovers, farm equipment, heavy-duty trucks, motorcycles and even the space shuttle

• Racing is the best laboratory for testing technological innovations in extreme situations and is a powerful driver of progress; Michelin tires continuously undergo the toughest of all reality checks: championship competition


• Michelin has an impressive history in motorcycle competition; a few highlights include: MotoGP, more than 350 wins and 26 world titles in MotoGP plus dozens of World Championships in Motocross, Supercross, Enduro, Trials and Dakar Rallies



FRONT TIRE



REAR TIRE



PILOT POWER 3

DUAL-COMPOUND SPORTBIKE STREET TIRE

- Tread pattern designed to inhibit irregular wear
- 20% longer tread life than MICHELIN® Pilot Power 2CT™
- 2CT+ technology on rear tire enhances tread rigidity and cornering stability
- Casing profile optimized for excellent feedback and handling
- All new compound for exceptional wet grip
- Semi-slick tread design maximizes contact patch for dry grip
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/60ZR17 (55W)		TL	0301-0429	\$184.95
120/70ZR17 (58W)		TL	0301-0430	186.95
REAR				
160/60ZR17 (69W)		TL	0302-0725	233.95



Pilot® Power 3 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17 (73W)		TL	0302-0726	\$239.95
190/50ZR17 (73W)		TL	0302-0727	280.95
190/55ZR17 (75W)		TL	0302-0728	292.95




PILOT® POWER 2CT TWO COMPOUND SPORT RADIAL TIRES

- Tubeless dual-compound radial for track or performance street riding
- Tread surface divided into three separate areas featuring two different rubber compounds
- Softer shoulder rubber provides phenomenal cornering grip
- Lean angles up to 51.2°
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/60ZR17 (55W)		TL	0301-0100	\$165.95
120/65ZR17 (56W)		TL	0301-0575	167.95
120/70ZR17 (58W)		TL	0301-0081	167.95
REAR				
150/60ZR17 (66W)		TL	0301-0576	201.95



Pilot® Power 2CT Front/Rear



SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
160/60ZR17 (69W)		TL	0302-0163	\$210.95
180/55ZR17 (73W)		TL	0302-0137	214.95
190/50ZR17 (73W)		TL	0302-0138	250.95
190/55ZR17 (75W)		TL	0302-0139	261.95



For a complete look at the Michelin line, please see a Parts Unlimited sales rep for a 25-pack of this brochure; available at no charge with any Parts Unlimited order.

PART # 9901-0342

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



**PILOT® POWER
SPORT RADIAL TIRES**

- Tubeless high-performance radial for track or performance street riding
- Unprecedented lean angles: 50.6° on dry pavement, 41.9° on wet pavement
- Progressive handling even in extreme situations; offers superb feedback at the limit and maintains stability under hard acceleration
- Grooved area less than 12% of tread pattern for phenomenal cornering adhesion
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph



Pilot® Power Front/Rear

PILOT POWER GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70ZR17	(54W)	TL	0301-0026	\$153.95
120/70ZR17	(58W)	TL	0301-0023	\$159.95
REAR				
170/60ZR17	(72W)	TL	0302-0040	\$194.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17	(73W)	TL	0302-0032	\$203.95
190/50ZR17	(73W)	TL	0302-0033	\$238.95
190/55ZR17	(75W)	TL	0302-0290	\$233.95

POWER SuperSport^{Evo}



POWER SUPERSPORT EVO

- Excellent handling from an optimized front tire profile that improves feel and confidence
- 2CT (Two Compound Technology) front tire construction
- Rear tire features new 2CT+ compound technology for added stability and handling even at full lean
- Incorporates ACT (Adaptive Casing Technology) developed from Michelin race tires
- Outstanding grip in wet or dry conditions
- Adaptable low-pressure tire casing ensures a larger contact patch for added grip and higher performance when used on race tracks
- Blackwall
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph




Power SuperSport Evo Front/Rear

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0574	\$244.95
REAR				
180/55ZR17	(73W)	TL	0302-0949	\$345.95
180/60ZR17	(75W)	TL	0302-0950	\$349.95

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
190/50ZR17	(73W)	TL	0302-0951	\$354.95
190/55ZR17	(75W)	TL	0302-0952	\$363.95
200/55ZR17	(78W)	TL	0302-0953	\$392.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



PILOT® ROAD 4

DUAL COMPOUND SPORT-TOURING RADIAL TIRES

- For all-around sport touring use
- Stop shorter in the wet vs. the leading competitive sport touring tires and the Pilot® Road 3
- Up to 20% longer tread life than Michelin Pilot® Road 3 tires (for a single set)
- 2 Compound Technology with all-new silica-charged rubber compounds for excellent grip from 23°F to 113°F
- New XST+ siping and enhanced tread patterns for optimum grip at all lean angles
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/60ZR17	(55W)	TL	0301-0501	\$228.95
120/70ZR17	(58W)	TL	0301-0502	233.95
REAR				
150/ZR7017	(69W)	TL	0302-0844	276.95



Pilot® Road 4 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
160/60ZR17	(69W)	TL	0302-0845	\$284.95
180/55ZR17	(73W)	TL	0302-0846	299.95
190/50ZR17	(73W)	TL	0302-0847	325.95
190/55ZR17	(75W)	TL	0302-0848	337.95



PILOT® ROAD 4 GT

DUAL-COMPOUND SPORT TOURING RADIALS

- Design features a stiffer casing with a patented new technology for motorcycle tires that delivers the stability you need for heavier GT-class bikes while riding solo, two-up or with luggage, and the comfort you desire
- Stop shorter in the wet vs. the leading competitive sport touring tires and the Michelin Pilot® Road 3
- Up to 20% longer tread life than Michelin Pilot® Road 3 tires (for a single set)
- 2 Compound Technology with all-new silica-charged rubber compounds for excellent grip from 23°F to 113°F
- New XST+ siping and enhanced tread patterns for optimum grip at all lean angles
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0503	\$247.95
120/70ZR18	(59W)	TL	0301-0504	250.95
REAR				
170/60ZR17	(72W)	TL	0302-0849	307.95



Pilot® Road 4 GT Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17	(73W)	TL	0302-0850	\$318.95
190/50ZR17	(73W)	TL	0302-0851	344.95
190/55ZR17	(75W)	TL	0302-0852	357.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.




PILOT® ROAD 4 TRAIL DUAL-COMPOUND SPORT TOURING RADIALS

- For adventure touring bikes ridden exclusively on the road
- Stop shorter in the wet vs. the leading competitive sport touring tires and the Pilot® Road 3
- Up to 20% longer tread life than Pilot® Road 3 tires (for a single set)
- 2 Compound Technology with all-new silica-charged rubber compounds for excellent grip from 23°F to 113°F
- New XST+ siping and enhanced tread patterns for optimum grip at all lean angles
- Blackwall
- Tubeless
- V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
110/80R19	59V	TL	0316-0195	\$256.95
120/70ZR-19	60V	TL	0316-0196	270.95



Pilot Road 4 Trail Front/Rear



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
150/70R17	69V	TL	0317-0225	\$312.95
170/60R17	72V	TL	0317-0226	321.95




PILOT® ROAD 3 TWO COMPOUND SPORT TOURING RADIAL TIRES

- Dual-compound sport touring tubeless radial
- Revolutionary X Sipe technology delivers all-weather performance without compromising tread life or handling
- 2CT two compound technology in both front and rear tires
- Features a soft rubber compound on the tread shoulders and a wear-resistant compound down the middle; front tire features a wider soft-compound than the Pilot® Road 2
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70ZR17	(54W)	TL	0301-0281	\$209.95
120/60ZR17	(55W)	TL	0301-0284	213.95
120/70ZR17	(58W)	TL	0301-0285	218.95
110/80ZR18	(58W)	TL	0301-0282	215.95



Pilot® Road 3 Front/Rear




SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
150/70ZR17	(69W)	TL	0302-0469	\$258.95
160/60ZR17	(69W)	TL	0302-0470	265.95
180/55ZR17	(73W)	TL	0302-0475	280.95
190/50ZR17	(73W)	TL	0302-0476	303.95
160/60ZR18	(70W)	TL	0302-0471	269.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.


All part numbers in **BOLD MAGENTA** are new this year.



FRONT TIRE



REAR TIRE



Rubber hardness
1 SOFT
2
3 MEDIUM

PILOT ROAD 2 **2CT**
TWO COMPOUND TECHNOLOGY

PILOT® ROAD 2**SPORT TOURING RADIAL TIRES**

- Dual-compound sport touring tubeless radial
- Best wet grip and longest mileage of any comparable sport touring tire
- Innovative front and rear tread designs
- Features a soft rubber compound on the tread shoulders and a wear-resistant compound down the middle
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0101	\$193.95




**Pilot® Road 2 Front/Rear**

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
180/55ZR17	(73W)	TL	0302-0176	\$247.95
190/50ZR17	(73W)	TL	0302-0177	268.95

**COMMANDER II®****CRUISER TIRES**

- Michelin states, "Provides nearly twice the mileage of competitive cruiser tires (based on independent testing)"
- Radically different tread pattern for head-turning looks; premium sidewall treatment complements cruiser styling
- Rubber compounds provide remarkable wet grip without compromising durability
- Square bead wires improve casing rigidity, handling and ease of installation
- Amplified Density Technology, a highly dense, more-rigid tire casing, helps deliver excellent feedback and handling
- Commander II tires designed for dramatically extended mileage and feature Aramid tread plies to resist centrifugal growth, reduce weight and provide excellent stability
- Tubeless (TL) or tube type (TT)
- Blackwall
- S-rated for speeds up to 112 mph; H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph; W-rated for speeds up to 168 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT BIAS				
130/90B16 (reinforced)	73H	TL/TT	0305-0278	\$196.95
130/80-17	65H	TL/TT	0305-0280	223.95
120/90B17	64S	TL/TT	0305-0279	189.95
140/80B17	69H	TL/TT	0305-0404	268.95
110/90B18	61H	TL/TT	0305-0405	218.95
130/70B18	63H	TL/TT	0305-0302¹	280.95
100/90B19	57H	TL/TT	0305-0281	170.95
110/90B19	62H	TT/TL	0305-0406	225.95
80/90-21 (reinforced)	54H	TL/TT	0305-0282	166.95
90/90-21	54H	TL/TT	0305-0303	183.95
120/70B21 (reinforced)	68H	TL/TT	0305-0304	261.95
FRONT RADIAL				
140/75R17	67V	TL	0303-0188	234.95
120/70ZR19	60W	TL	0301-0436	228.95

**Commander II® Front/Rear****Bead Wires****Conventional 71-thread ply****Commander II® 90-thread ply is 25% more dense than conventional plies**

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR BIAS				
140/90B15	76H	TL/TT	0306-0294	\$202.95
150/90B15	74H	TL/TT	0306-0295	273.95
170/80B15	77H	TL/TT	0306-0296	254.95
180/70B15	76H	TT/TL	0305-0407	310.95
130/90B16 (reinforced)	73H	TL/TT	0306-0297	233.95
140/90B16 (reinforced)	77H	TL/TT	0306-0298	242.95
150/80B16 (reinforced)	77H	TL/TT	0306-0299	232.95
180/65B16	81H	TL/TT	0306-0300	306.95
160/70B17	73V	TL/TT	0306-0301	273.95
150/70B18 (reinforced)	76H	TL/TT	0306-0322	322.95
REAR RADIAL				
200/55R17	78V	TL	0304-0197	278.95
240/40R18	79V	TL	0302-0729	351.95

¹ Not for use on Honda Gold Wing.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



PILOT® ACTIV

SPORT TOURING BIAS-PLY TIRES

- Sets a standard for bias-ply sport touring tires; 20% greater tread life than earlier Michelin bias-ply tires
- Significantly improved wet and dry grip due to increased rubber contact with road and new rubber mix
- Optimum performance throughout life of tire
- Available in a wide range of sizes; perfect for older bikes
- Tubeless (TL) or tube type (TT)
- Blackwall
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph



Pilot® Activ Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/80-16	60V	TL/TT	0305-0099	\$176.95
120/70-17	58V	TL/TT	0305-0024	172.95
90/90-18	51H	TL/TT	0305-0101	157.95
100/90-18	56V	TL/TT	0305-0102	173.95
110/80-18	58V	TL/TT	0305-0103	174.95
110/90-18	61V	TL/TT	0305-0104	182.95
100/90-19	57V	TL/TT	0305-0106	157.95
3.25-19	54H	TL/TT	0305-0107	139.95
REAR				
130/80-17	65H	TL/TT	0306-0026	201.95
130/90-17	68V	TL/TT	0306-0110	212.95
140/80-17	69V	TL/TT	0306-0111	215.95
150/70-17	69V	TL/TT	0306-0089	201.95
120/90-18	65V	TL/TT	0306-0112	195.95
130/70-18	63H	TL/TT	0306-0024	174.95
130/80-18	66V	TL/TT	0306-0114	208.95
4.00-18	64H	TL/TT	0306-0115	173.95

PILOT STREET RADIAL

TIRES FOR SMALL AND MEDIUM-SIZED BIKES

- Radial architecture that enables improved overall response and handling as well as unrivaled performance over the long term, compared with a same-size cross-ply tire
- 100% silica rubber compound delivers the best wet grip in its category, for a safe, sporty ride
- Derived directly from the radial Sport Touring ranges and a tread borrowed from the Pilot Road 2, give the motorcycle an attractive, sporty appearance
- Tubeless (TL) or tube type (TT)
- Blackwall
- H-rated for speeds up to 130 mph



Pilot® Street Radial Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70R17	54H	TL/TT	0301-0489	\$171.95


SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/70R17	62H	TL/TT	0302-0830	\$197.95
140/70R17	66H	TL/TT	0302-0831	210.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.


All part numbers in **BOLD MAGENTA** are new this year.



FRONT TIRE



REAR TIRE



POWER PURE™ SC PERFORMANCE SCOOTER TIRES

- Tubeless dual-compound scooter tire for mid-size scooters
- Tread design inspired by racing rain tires
- Center tread compound for durability; smooth area in contact patch center resists wear
- Shoulder tread compound made for wet or dry conditions
- Tubeless
- Blackwall
- P-rated for speeds up to 93 mph; S-rated for speeds up to 112 mph

SIZE	LOAD/ SPEED INDEX	TL/ TT	PART #	SUG. RETAIL
FRONT RADIAL				
120/70R-15	56H	TL	0340-0454	\$163.95
FRONT BIAS				
110/90-12 (reinforced)	64P	TL	0340-0390	73.95
120/70-12	51P	TL	0340-0391	73.95
110/90-13	56P	TL	0340-0392	84.95
120/70-13	53P	TL	0340-0442	89.95
120/70-14	55P	TL	0340-0393	120.95

SIZE	LOAD/ SPEED INDEX	TL/ TT	PART #	SUG. RETAIL
FRONT BIAS (CONT)				
120/80-14	58S	TL	0340-0394	\$124.95
120/70-15	56S	TL	0340-0443	128.95
REAR RADIAL				
160/60R-15	67H	TL	0340-0455	209.95
REAR BIAS				
130/70-12 (reinforced)	62P	TL	0340-0395	77.95
140/70-12	60P	TL	0340-0396	79.95

SIZE	LOAD/ SPEED INDEX	TL/ TT	PART #	SUG. RETAIL
REAR BIAS (CONT)				
130/60-13 (reinforced)	60P	TL	0340-0458	\$92.95
130/70-13 (reinforced)	63P	TL	0340-0398	80.95
140/60-13	57P	TL	0340-0399	91.95
150/70-13	64S	TL	0340-0400	84.95
150/70-14	66S	TL	0340-0401	146.95
130/80-15	63P	TL	0340-0446	139.95



Power Pure® SC Front/Rear

PILOT® SPORT SC RADIAL SCOOTER TIRES

- Radial casing helps maintain high-speed stability and promotes uniform tread wear
- Provides a comfortable ride, outstanding durability and precise steering and maneuverability
- Semi-slick tread pattern
- Tubeless
- Blackwall
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70R14	55H	TL	0340-0090	\$150.95



Pilot® Sport SC Radial Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
160/60R14	65H	TL	0340-0092	\$197.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

**CITY GRIP®****URBAN/TOUR SCOOTER TIRES**

- The perfect tire for medium- to large-displacement scooters
- Newer compound and proven construction provides reliable and reassuring handling and comfort
- Precise control in all weather conditions
- Deep shoulder sides maximize wet grip while slick center maintains solid rubber contact
- Progressive tread pattern extends mileage performance
- Tubeless
- Blackwall
- P-rated for speeds up to 93 mph; S-rated for speeds up to 112 mph, L-rated for speeds up to 74 mph

**City Grip® Front/Rear**

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70-11	45L	TL	0340-0459	\$81.95
120/70-11	56L	TL	0340-0562	75.95
110/90-12	64P	TL	0340-0320	80.95
120/70-12	51S	TL	0340-0317	78.95
110/70-13	48P	TL	0340-0460	86.95
110/90-13	56P	TL	0340-0322	83.95
90/90-14	46P	TL	0340-0447	69.95
120/70-14	55S	TL	0340-0323	80.95
120/70-15	56S	TL	0340-0319	95.95
90/80-16 (reinforced)	51S	TL	0340-0461	75.95
100/80-16	50P	TL	0340-0519	102.95
110/70-16	52S	TL	0340-0321	107.95
110/80-16	55S	TL	0340-0318	118.95
120/70-16	57P	TL	0340-0462	104.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
120/70-10	54L	TL	0340-0448	\$72.95
130/70-12 (reinforced)	62P	TL	0340-0324	95.95
130/70-13 (reinforced)	63P	TL	0340-0329	96.95
140/60-13 (reinforced)	63P	TL	0340-0330	96.95
150/70-13	64S	TL	0340-0463	74.95
100/90-14 (reinforced)	57P	TL	0340-0449	80.95
110/80-14 (reinforced)	59S	TL	0340-0464	99.95
140/60-14	64S	TL	0340-0327	103.95
140/70-14	68S	TL	0340-0328	111.95
150/70-14	66S	TL	0340-0325	130.95
140/70-15 (reinforced)	69P	TL	0340-0466	116.95
120/80-16	60P	TL	0340-0467	107.95
130/70-16	61P	TL	0340-0331	114.95
140/70-16	65S	TL	0340-0326	137.95

**Reggae****S1****Bopper****S83****SCOOTER TIRES****DUAL SPORT, PERFORMANCE AND RETRO SCOOTER TIRES**

- High-quality scooter tires
- Reggae™ features massive tread blocks and an all-weather tread compound for on- or off-road use (original equipment on the Yamaha Zuma); J-rated for speeds up to 62 mph
- S1™ has up-to-date styling that looks great on any scooter; high-performance directional tread design for durability and handling; J-rated for speeds up to 62 mph
- Bopper® features a semi-slick tread pattern derived from racing slicks for exceptional adhesion in corners; directional tread for optimal performance on front or rear wheels and a tubeless design that's compatible with tube-type rims; L-rated for speeds up to 75 mph
- S83™ is perfectly suited for classic scooters; heavily siped tread pattern for maximum grip in wet conditions; J-rated for speeds up to 62 mph
- All feature reinforced crown, with additional casing material on top of two carcass plies to resist premature wear
- Blackwall
- Front or rear application; tubeless/tube-type

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REGGAE				
120/90-10	57J	TL	SCTR-09	\$52.95
130/90-10	61J	TL	SCTR-10	57.95
S1				
3.00-10	42J	TL/TT	0340-0568	52.95
90/90-10	50J	TL/TT	SCTR-07	40.95
100/80-10	53L	TL/TT	0340-0570	59.95
100/90-10	56J	TL/TT	0340-0008	57.95
110/80-10	58J	TL/TT	0340-0088	63.95
3.50-10	59J	TL/TT	0340-0569	56.95
130/70-10	62J	TL/TT	0340-0089	64.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BOPPER				
120/90-10	57L	TL/TT	0340-0011	\$56.95
130/90-10	61L	TL/TT	0340-0012	58.95
120/70-12	51L	TL/TT	BPR-04	65.95
130/70-12	56L	TL/TT	BPR-05	69.95
S83				
3.50-8	46J	TL/TT	SCTR-11	39.95
3.00-10	42J	TL/TT	0340-0009	46.95
3.50-10 (reinforced)	59J	TL/TT	SCTR-14	50.95
100/90-10	56J	TL/TT	0340-0010	49.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

GAZELLE M62

MOPED/SMALL BIKE TIRES

- Special rubber compound helps ensure exceptional durability and low operating costs
- Highly resistant to most tread cuts and casing damage
- Designed for precise steering, excellent traction and easy maneuverability
- Reinforced casing designed for high-stress loads
- Deep tread pattern for long wear
- Blackwall
- Tube type
- P-rated for speeds up to 93 mph



Gazelle M62

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
2.25-17 (reinforced)	38P	TT	SM-04	\$42.95
2.50-17 (reinforced)	43P	TT	SM-05	44.95
2.75-17 (reinforced)	47P	TT	0341-0082	44.95
3.00-17 (reinforced)	50P	TT	SM-06 ¹	56.95
2.75-18 (reinforced)	48P	TT	0341-0083	48.95
3.00-18 (reinforced)	52P	TT	0341-0084 ¹	57.95

¹ Rear tire only.

ANAKEE III

ADVENTURE TOURING TIRES

- New silica tread compound yields even more mileage while offering the best balance between grip and durability
- Innovative tread pattern inhibits irregular wear patterns, while evacuating water, dirt and mud
- Tire architecture engineered for easy maneuverability and precise handling
- Excellent stability and rider feedback, thanks to a new high-rigidity casing
- Blackwall
- Tubeless/tube type
- V-rated for speeds up to 149 mph



Anakee III Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT BIAS					REAR BIAS				
100/90-19	57H	TL/TT	0316-0149	\$210.95	120/90-17	64S	TL/TT	0317-0164	\$235.95
90/90-21	54V	TL/TT	0316-0152	182.95	REAR RADIAL				
FRONT RADIAL					130/80R17	65H	TL/TT	0317-0159	249.95
110/80R19	59V	TL/TT	0316-0148	229.95	140/80R17	69H	TL/TT	0317-0161	256.95
120/70R19	60V	TL/TT	0316-0192	226.95	150/70R17	69V	TL/TT	0317-0163	276.95
					170/60R17	72V	TL/TT	0317-0222	284.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.


All part numbers in **BOLD MAGENTA** are new this year.



METZELER MOTORCYCLE TIRES: ON THE ROAD SINCE 1892

In its 122-year history Metzeler has always satisfied market demands with German innovation. Metzeler has always been an industry leader, setting trends that others are still trying to achieve. Here are some milestones in the company's long history:

- 1890:** Metzeler became a leader in the growing aviation industry, developing a multi-level rubber manufacturing method for linen and cotton fabric. This product was used for balloon, airship and aircraft construction.
- 1892:** Metzeler played an important role in tire development for the bicycle, motorcycle and motorcar industry.
- 1937:** Set the high-speed world record for motorcycles at 173.29 mph.
- 1983:** Metzeler introduces the first cross-ply tire with a Kevlar® belt for mass production. This leads to the introduction of "MBS" – Metzeler Belt System.
- 1987:** Metzeler launches the first Silica-tread compound for motorcycle tires, called "Comp K."
- 1992:** Metzeler introduces the worldwide first 0° steel-belted radial rear tire for motorcycles – the MEZ1.
- 1996:** Metzeler develops the first 0° steel-belted radial front tire, The MEZ4.
- 2000:** Metzeler introduces the new ME880 in the size of 240/40R-18 to meet the demands of tuners world wide. With a width of 243mm it was the world's widest motorcycle tire.
- 2008:** Once again Metzeler shows its commitment to the V-Twin market by introducing the mileage proven ME880 in Alphanumeric sizes.
- 2009:** Metzeler again expands its extensive range; from new ME880 sizes to the revolutionary Interact technology.
- 2011:** Metzeler introduces the latest German made radial developed with its patented multi-zone Interact technology, the Roadtec Z8 Interact.
- 2012:** Metzeler combines its patented Interact technology with multi-compound rear tires for the ultimate high performance tire that remains consistent throughout its life cycle.
- 2013:** Introduction of the ME888 Ultra Mileage – No Compromise.



SPORTREC M5 INTERACT
DUAL COMPOUND-ULTRA
PERFORMANCE TIRES

- High steel tension/low compound flexibility in the center area for mileage and stability; low steel tension/high compound flexibility in the shoulder for better handling and grip; high steel tension/low compound flexibility at full lean for maximum support and precision
- The shape and distribution of the tread grooves contribute to the overall performance of the Sportec M5 Interact™ with very effective water drainage as well as a superb flexibility
- Tubeless (TL)
- W-rated for speeds up to 168 mph; (W)-rated for speeds of 168+ mph



Sportec M5 Interact Front/Rear

SPORTREC M5 INTERACT OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	CODE	TT/TL	PART #	SUG. RETAIL
KAWASAKI							
ZX14R 12-14	Front	120/70ZR17	(58W)	E	TL	0301-0395	\$170.95
	Rear	190/50ZR17	(73W)	E	TL	0302-0650	252.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



Ask your Parts Unlimited/ Drag Specialties sales rep for copies of Metzeler's full-line brochure. Available at no charge with any Parts Unlimited order. Shipped as a 10-pack.

PART # 9901-0764


**Sportec™
M7RR**
SPORTREC™ M7 RR

- Derived from the experience gained in road racing activities
- Designed to offer high levels of handling and safety, including wet, bumpy and dirty tarmac
- New profiles, revolutionary materials, new compounds and a brand new tread pattern
- Sporty handling
- Grip on wet
- Increased mileage
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W)-rated for speeds 168+ mph


Sportec™ M7 RR Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70ZR17	54W	TL	0301-0512	\$161.95
120/60ZR17	(55W)	TL	0301-0513	161.95
120/70ZR17	(58W)	TL	0301-0514	168.95
REAR				
150/60ZR17	(69W)	TL	0302-0866	194.95
160/60ZR17	(66W)	TL	0302-0867	199.95
180/55ZR17	(73W)	TL	0302-0868	215.95
190/50ZR17	(73W)	TL	0302-0869	245.95
190/55ZR17	(75W)	TL	0302-0870	255.95
200/55ZR17	(78W)	TL	0302-0872	272.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



SPORTEC M3

HIGH PERFORMANCE, LOW COST TIRES

- Highest performance for dollar supersport tire on the market
- New compound technology now found in proven M3 tread pattern
- New compound offers increases in dry grip performance on both the road and on the racetrack
- Progressive handling behavior delivered by the Metzeler patented 0° steel belt and the Multiradius technology development
- Tread pattern design and differentiated compound between front and rear ensuring high wet safety feeling and extended mileage
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W) rated for speeds of 168+ mph

SPORTEC M3 GENERAL REPLACEMENT TIRES


SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT					REAR				
130/70ZR16 (61W)		TL	0301-0067	\$152.95	160/60ZR17 (69W)		TL	0302-0095	\$180.95
120/70ZR17 (58W)		TL	0301-0055	150.95	180/55ZR17 (73W)		TL	0302-0096	192.95
					190/50ZR17 (73W)		TL	0302-0097	224.95

SPORTEC M3 OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	CODE	TT/TL	PART #	SUG. RETAIL
BMW							
K1300R/S 09-14	Front	120/70ZR17	(58W)	E	TL	0303-0074	\$154.95
	Rear	190/55ZR17	(75W)	E	TL	0304-0072	224.95



Sportec M3 Front/Rear



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



RACETEC INTERACT

RACE/TRACKDAY/STREET TIRES

- OE fitment on Aprilia RSV4R, BMW S1000RR and Triumph Speed Triple
- The ultimate trackday tire that provides confidence-inspiring grip and renowned Metzeler stability
- The K3 tire is the most affordable Racetrack/Trackday tire available
- Lower tension in the crown area creates more flexibility for better contact to the road surface, enlarging its footprint
- High steel belt winding tension in the shoulder area ensures maximum and uniform pressure on the contact patch: the trajectory is therefore always precise, without deviation
- Latest application of the patented 0° steel belt platform
- Race tire technology for better balance in corners and under braking
- Three compounds available are precisely tuned for faster warmup and better grip
- K1 Super soft, K2 Soft and K3 Medium
- Tubeless (TL)
- W-rated for speeds up to 168 mph and (W)-rated for speeds of 168+



Racetec Interact Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT					REAR				
120/70ZR17 K1	58W	TL	0301-0226	\$296.95	180/55ZR17 K3 (73W)		TL	0302-0379	\$316.95
120/70ZR17 K2	58W	TL	0301-0227	296.95	190/55ZR17 K1	75W	TL	0302-0380	444.95
120/70ZR17 K3	(58W)	TL	0301-0228	247.95	190/55ZR17 K2	75W	TL	0302-0381	444.95
					190/55ZR17 K3	(75W)	TL	0302-0382	390.95

RACETEC INTERACT OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
TRIUMPH						
Speed Triple 1050 11-14	Front	120/70ZR17 K3	(58W)	TL	0301-0228	\$247.95
	Rear	190/55ZR17 K3	(75W)	TL	0302-0382	390.95


RACETEC INTERACT MODEL-SPECIFIC TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
APRILIA						
RSV4R 09-14	Front	120/70ZR17 K3	(58W)	TL	0301-0228	\$247.95
	Rear	190/55ZR17 K3	(75W)	TL	0302-0382	390.95
BMW						
S1000RR 10-14	Front	120/70ZR17 K3	(58W)	TL	0301-0228	247.95
	Rear	190/55ZR17 K3	(75W)	TL	0302-0382	390.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



Roadtec Z8 Front/Rear



ROADTEC Z8 INTERACT™ DUAL COMPOUND-SPORT TOURING TIRES

- Rear tires feature Metzeler multi-zone compound
- The Roadtec Z8 Interact also incorporates three tensions zones to provide best in-segment mileage and optimal wet performance throughout the tire's life thanks to an innovative tread pattern, a widened and more elliptical footprint, and a host of wear-resistant technologies not normally seen in motorcycle tires
- New O-spec replacement for BMW K 1600 GT and K 1600 GTL
- Everything about the new Roadtec Z8 Interact™ has been designed to put the rider in control; it responds like an extension of the rider's instincts, creating an invigorating blend of precise riding feel and effortless handling
- High-silica compound with nano-particles increases performance and safety in all weather conditions
- All-new profile matched with new patented tread design provides easy handling and reduced push steering for maximum confidence in all maneuvers
- A final footprint area 8% wider as compared to its predecessor
- O-Spec rears feature a 2-ply carcass for heavy sport-touring bikes
- M-Spec rears feature dual-compound construction
- Metzeler's patented tread pattern reduces front tire land-sea ratio to 11% and the rear tire land-sea ratio to 13%. Strategically placed longitudinal central grooves provide ideal drainage for more than 3/4 of all lean angles in the wet. The remaining tread grooves work to add tread flexibility, extending the footprint for stability in the dry
- The updated design of the Roadtec Z8 improves wear regularity, which gives riders the benefit of a consistent riding performance across the tire's entire life
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W)-rated for speeds of 168+ mph



Roadtec Z8 "3 tension zones"

ROADTEC Z8 INTERACT MODEL-SPECIFIC AND OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	CODE	TT/TL	PART #	SUG. RETAIL
BMW							
K1600GT/GTL 11-14	Front	120/70ZR17	(58W)	O	TL	0302-0956	\$217.95
	Rear	190/55ZR17	(75W)	O	TL	0302-0694	316.95
HONDA							
NC700X 12-14	Front	120/70ZR17	(58W)	E	TL	0303-0192	220.95

Z8 INTERACT GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT					REAR (CONT)				
110/70ZR17 "M Spec"	54W	TL	0301-0554	\$194.95	160/60ZR17 "M Spec"	(69W)	TL	0302-0926	\$254.95
120/60ZR17 "M Spec"	(55W)	TL	0301-0555	194.95	180/55ZR17 "O Spec"	(73W)	TL	0302-0690	285.95
120/70ZR17 "M Spec"	(58W)	TL	0301-0422	209.95	180/55ZR17 "M Spec"	(75W)	TL	0302-0812	282.95
120/70ZR17 "O Spec"	(73W)	TL	0302-0956	217.95	190/50ZR17 "O Spec"	(73W)	TL	0302-0692	299.95
120/70ZR18 "M Spec"	(59W)	TL	0301-0557	217.95	190/50ZR17 "M Spec"	(75W)	TL	0302-0957	287.95
110/80ZR18 "M Spec"	(58W)	TL	0301-0556	194.95	190/55ZR17 "O Spec"	(75W)	TL	0302-0694	316.95
REAR					190/55ZR17 "M Spec"	(75W)	TL	0302-0693	313.95
150/70ZR17 "M Spec"	(69W)	TL	0302-0924	248.95	160/60ZR18 "M Spec"	(70W)	TL	0302-0927	254.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.

METZELER
 SHARING INDEPENDENCE

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

ROADTEC Z6**ROADTEC Z6****VALUE PRICED SPORT TOURING TIRES**

- CMT (Contour Modeling Technology) combines different profiles to optimize handling at all lean angles
- Patented 0° steel belt technology provides stiffer carcass for perfect balance of performance for one- and two-up riding; minimized stand-up behavior under mid-corner braking situations
- Unmatched tread life thanks to the combination of carcass, compound and tread design to provide you with a totally balanced performance during the entire life of the tire
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/60ZR17 (55W)		TL	0301-0010	\$170.95
120/70ZR17 (58W)		TL	0301-0011	174.95
110/80ZR18 (58W)		TL	0301-0012	175.95
120/70ZR18 59W		TL	0301-0013	181.95

**Roadtec Z6 Front/Rear**

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
160/60ZR17 (69W)		TL	0302-0010	\$213.95
160/70ZR17 73W		TL	0302-0098	217.95
170/60ZR17 (72W)		TL	0302-0011	217.95
180/55R17 (73W)		TL	0302-0012	225.95
160/60ZR18 (70W)		TL	0302-0014	213.95


ME 888
MARATHON ULTRA
ULTRA MILEAGE –
NO COMPROMISE

- Ultra high mileage coupled with Metzeler performance and handling
- New Wide Whitewall sizes available
- Specifically designed for custom touring bikes
- Technology offering consistent performance throughout the tire's life
- Outstanding high and low speed stability and smooth handling
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

**ME 888 Marathon Ultra Front/Rear****ME 888 WWW Marathon Ultra Front/Rear**

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
MT90B16 72H		TL	0305-0295	\$186.95
MT90B16 WWW 72H		TL	0305-0385	243.95
130/90-16 67H		TL	0305-0296	186.95
130/90-16 WWW 67H		TL	0305-0386	243.95
130/80-17 65H		TL	0305-0294	217.95
130/80B17 WWW 65H		TL	0305-0387	243.95
130/70R18 63H		TL	0301-0500	267.95
130/70B18 63H		TL	0305-0431	265.95
100/90-19 57H		TL	0305-0297	180.95
100/90-19 WWW 57H		TL	0305-0388	231.95
MH90-21 54H		TL	0305-0390	159.95
MH90-21 WWW 54H		TL	0305-0389	230.95
130/60-23 65H		TL	0305-0391	250.95
120/55R26 67H		TL	0305-0433	281.95
REAR				
140/90B15 70H		TL	0306-0413	247.95
170/80B15 77H		TL	0306-0311	244.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
170/80B15 WWW 77H		TL	0306-0412	\$285.95
MU85B16 77H		TL	0306-0312	230.95
MU85B16 WWW 77H		TL	0306-0415	288.95
MT90B16 74H		TL	0306-0315	217.95
MT90B16 WWW 74H		TL	0306-0416	281.95
130/90B16 73H		TL	0306-0313	209.95
130/90B16 WWW 73H		TL	0306-0417	281.95
140/90B16 77H		TL	0306-0419	222.95
140/90B16 WWW 77H		TL	0306-0420	288.95
150/80B16 77H		TL	0306-0314	231.95
150/80B16 WWW 77H		TL	0306-0414	296.95
170/70B16 75H		TL	0306-0462	285.95
180/60R16 74H		TL	0302-0842	327.95
180/65B16 81H		TL	0306-0310	293.95
180/65B16 WWW 81H		TL	0306-0418	316.95
160/70B17 79V		TL	0306-0421	296.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.



ME880 MARATHON

HIGH-MILEAGE CRUISER TOURING TIRES FOR GENERAL REPLACEMENT/OEM AND MODEL-SPECIFIC APPLICATIONS

- Premium line dedicated to cruiser and heavy touring bikes, featuring high-tech construction not found in other cruiser tires
- Machine-specific carcass construction for exceptional riding comfort and stability at all speeds, even under heavy load
- Built to handle the higher loads and handling characteristics of cruiser and touring bikes
- Front tires feature rounded tread profile for smooth, neutral steering
- Rear tires feature flatter tread profile and larger contact patch for better traction and mileage
- Computer-designed tread pattern with offset groove alignment for uniform wear characteristics, low noise
- Tread pattern has excellent water displacement ability and stability over rain grooves and under hard braking
- Alpha sizes (MH, MT, MU) provide higher load capacity and increased mileage
- S-rated for speeds up to 112 mph, H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, W-rated for speeds up to 168 mph or (W)-rated for speeds of 168+ mph
- Metzeler tubes available in TUBES & ACCESSORIES section
- Custom ME880 sizes available on page 42



ME880 Marathon Front/Rear



ME880 GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/ TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/ TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/ TL	PART #	SUG. RETAIL
FRONT					FRONT (CONT)					REAR (CONT)				
150/80-16	71H	TL	110-10412	\$232.95	120/90B18	65H	TL	110-10409	\$234.95	150/80B16	71H	TL	110-10420	\$233.95
120/70R17	58V	TL	110-20447¹	\$252.95	110/90-19	62H	TL	110-10411	\$200.95	140/80B17	69V	TL	110-10429	\$289.95
120/80-17	61V	TL	110-10427	\$269.95	90/90-21	54H	TL	0305-0011	\$167.95	170/60R17				
130/70R17	62V	TL	0303-0045	\$241.95	REAR					(reinforced)	78V	TL	0302-0238	\$321.95
140/75R17	67V	TL	0301-0225²	\$225.95	140/80B15	67H	TL	110-10422	\$245.95	200/50ZR-17	75V	TL	0304-0056	\$374.95
140/80-17	69H	TL	0303-0046	\$234.95	150/80B15	70V	TL	110-11250	\$302.95	200/55ZR-17	78V	TL	0302-0376	\$270.95
100/90-18	56H	TL	110-11937	\$193.95	150/90B15	80H	TL	110-10418	\$280.95	¹ 0° steel belted radial.				
110/90-18	61H	TL	110-10428	\$195.95	180/70B15	76H	TL	110-10421	\$289.95	² For Fat Boy models originally fitted with this size tire.				
120/70ZR-18	59W	TL	0303-0054	\$243.95	200/70B15	82H	TL	110-14018	\$398.95					

ME880 MODEL-SPECIFIC REPLACEMENT TIRES

							LOAD/ SPEED TT/ SUG.								
FITS MODEL	POSITION	SIZE	CODE	INDEX	TL	PART #	RETAIL	FITS MODEL	POSITION	SIZE	CODE	INDEX	TL	PART #	RETAIL
HARLEY-DAVIDSON®								HONDA (CONT)							
V-Rod® 02-08	Rear	180/55ZR-18	-	(74W)	TL	110-14351	\$334.95	GL1500 Gold Wing 88-00	Front	130/70B18	-	63H	TL	110-13141	\$260.95
Fat Boy 07-14	Front	140/75R17	-	67V	TL	0301-0225	225.95		Rear	160/80B16	-	75H	TL	110-13142	317.95
	Rear	200/55R17	-	78V	TL	0302-0376	270.95	GL1500C Valkyrie 96-03	Front	150/80R17	-	72V	TL	0303-0010	297.95
HONDA									Rear	180/70R16	-	77H	TL	110-13352	332.95
VT750 Shadow A.C.E./ Deluxe 98-03	Front	120/90-17	-	64S	TT	0307-0027	158.95	VTX1800C 02-07	Front	130/70R18	H	63H	TL	110-13361	248.95
VT750 Shadow Aero 04-07	Front	120/90-17	-	64S	TT	0307-0027	158.95		Rear	180/70R16	-	77H	TL	110-13352	332.95
	Rear	160/80-15	-	74S	TT	0308-0026	254.95	VTX1800R/N 02-08	Front	150/80R17	-	72V	TL	0303-0010	297.95
VTX1300S/R/T 03-09	Front	140/80-17	-	69H	TL	0303-0046	234.95		Rear	180/70R16	-	77H	TL	110-13352	332.95
VT1300C Fury 10-14	Front	90/90-21	-	54H	TL	0305-0011	167.95	VTX1800S 03-05	Front	150/80-17	-	72H	TL	0307-0013	224.95
	Rear	200/50R18	-	76W	TL	110-13074	347.95	KAWASAKI							
								VN2000 04-11	Front	150/80R16	-	71V	TL	0303-0057	293.95
									Rear	200/60R16	-	79V	TL	110-13075	351.95

ME880 OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
BMW							TRIUMPH (CONT)						
K1200LT 99-09	Front	120/70B17	58V	TL	110-10447	\$235.95	Rocket III Tourer 08-14	Front	150/80R16	71H	TL	0303-0152	\$286.95
TRIUMPH								Rear	180/70R16	77H	TL	110-13352	\$332.95
Thunderbird 10-14	Front	120/70ZR-19	60W	TL	0303-0151	\$240.95	YAMAHA						
	Rear	200/50ZR-17	75W	TL	0304-0056	\$374.95	XV1900 Star Raider 08-14	Front	120/70-21	62H	TL	0307-0014	\$250.95
Rocket III 04-14	Front	150/80R17	72V	TL	0303-0010	\$297.95		Rear	210/40R18	73H	TL	0304-0055	\$371.95
	Rear	240/50R16	84V	TL	110-10431	\$440.95							

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAIN
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

ME880 MARATHON XXL
UPGRADE AND CUSTOM TIRES

- The first radial tire for cruiser and custom bikes with the latest 0° steel belt technology
- Built to handle the loads and handling characteristics of cruiser bikes with custom frames
- Front tires feature rounded tread profile for smooth, neutral steering
- Rear tires feature round tread profile and larger contact patch for better traction and a softer ride
- Computer-designed tread pattern with offset groove alignment for uniform wear characteristics and low noise
- Tread pattern has excellent water displacement ability and stability over rain grooves and under hard acceleration and braking
- Be conscious of the difference between radial tires and bias-ply tires when switching sizes
- Ideal for high-quality, custom-built cruiser bikes
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, (V)-rated for speeds of 149+ mph, W-rated for speeds up to 168 mph and (W)-rated for speeds of 168+ mph



ME880 Maraton XXL Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
140/70-18 (reinforced)	73H	TL	0305-0097	\$316.95
90/90-21	54H	TL	0305-0011	167.95
120/70-21 (reinforced)	68H	TL	0305-0289	236.95
REAR				
200/70B15	82H	TL	110-14018	398.95
180/70R16	77H	TL	110-13352	332.95
200/60R16	79V	TL	110-13075 ¹	351.95
240/50R16	84V	TL	110-10431 ¹	440.95
200/50ZR-17	75W	TL	0304-0056 ¹	374.95
200/55ZR-17	78V	TL	0302-0376	270.95
150/70B18 (reinforced)	76H	TL	0306-0108	316.95
160/60R18	76V	TL	0302-0028 ¹	344.95
180/55ZR-18	(74W)	TL	110-14351	334.95
200/50R18	(76W)	TL	110-13074 ¹	347.95
240/40R18	(79V)	TL	110-10430 ¹	342.95
260/40R18	84V	TL	0302-0055 ¹	436.95
280/35R18	(84V)	TL	110-14885 ¹	469.95
300/35R18	(87V)	TL	0302-0070 ¹	516.95

¹ 0° steel belted radial.



ME 77 Rear

ME 77 REAR
VINTAGE LINE STREET TIRE

- Tubeless design for mag wheels
- Works well with Lasertec front
- Economical, OEM replacement-grade touring design, all-purpose street tire
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
4.00-18	64H	TL	110-5124	\$174.95



Block K Rear

BLOCK-K
SIDECAR TIRE

- Flat profile designed for vintage sidecar use
- Tube type
- P-rated for up to 93 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
4.00Px18	64P	TT	110-2925	\$167.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



LASERTEC

BIAS SPORT TOURING TIRES

- Proven tread patterns for all-weather riding
- Tread pattern design provides excellent water drainage that reduces hydroplaning, enhancing wet performance for safe riding in all weather conditions
- Special compounds ensure higher braking performance on both wet and dry surfaces
- Classic tread pattern is designed to prevent irregular wear and cupping
- Multiple-Radius Contour Design is tuned specifically for the bias-tire touring segment and provides radial-type handling
- High silica content helps provide outstanding grip in all weather conditions and reduces rolling resistance to improve mileage
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph or (V)-rated for speeds of 149+ mph



Lasertec Front/Rear

LASERTEC GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT					FRONT (CONT)					REAR (CONT)				
100/90-16	54H	TL	0305-0028	\$158.95	3.25-19	54V	TL	0305-0043	\$195.95	130/90-17	68V	TL	0306-0034	\$210.95
110/90-16	59V	TL	0305-0029	167.95	3.50-19	57H	TL	0305-0040	183.95	140/80-17	69V	TL	0306-0035	215.95
120/80-16 (60V)		TL	0305-0030	178.95	3.50-19	57V	TL	0305-0044	208.95	140/80-17	69V	TL	0308-0005 ¹	223.95
110/70-17	54H	TL	0305-0031	174.95	100/90-19	57H	TL	0305-0054	198.95	150/70VB17	69V	TL	0306-0036	219.95
110/80-17	57H	TL	0305-0032	178.95	100/90-19	57V	TL	0305-0042	204.95	160/70-17	73V	TL	0308-0006	248.95
120/70-17	58V	TL	0305-0033	192.95	110/90-19	62H	TL	0305-0109	211.95	4.00-18	64V	TL	0308-0007	208.95
90/90-18	51H	TL	0305-0034	163.95	90/90-21	54H	TL	0305-0041	171.95	120/90-18	65V	TL	0308-0008	214.95
100/90-18	56H	TL	0305-0013	178.95	REAR					130/70-18	63H	TL	0308-0009	201.95
100/90-18	56V	TL	0305-0035	187.95	130/90-16	67V	TL	0306-0030	207.95	130/80-18 (66V)		TL	0308-0010	219.95
110/80-18	58H	TL	0305-0036	173.95	150/80-16 (71V)		TL	0306-0031	227.95					
110/90-18 (61V)		TL	0305-0037	188.95	130/70-17	62H	TL	0306-0032	206.95					
3.25-19	54H	TL	0305-0039	169.95	130/80-17	65H	TL	0306-0033	198.95					

¹ For Moto Guzzi.

LASERTEC OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	CODE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
TRIUMPH							
Bonneville 05-10	Front	100/90-19	-	57H	TL	0305-0054	\$198.95
Thurxton 05-14	Front	100/90-18	-	56H	TL	0305-0013	178.95
America 02-13	Front	110/90-18	-	61H	TL	0307-0018	188.95

ME Z4 FRONT AND ME Z2 REAR OEM TIRES FOR TRIUMPH

- Classic sport touring radials
- Superb high-speed stability and braking force transmission with complete stability even under heavy braking
- Outstanding mileage and even wear
- High-silica compound for excellent dry and wet grip
- Tubeless (TL)
- H-rated for speeds up to 130 mph



ME Z4 Front

ME Z2 Rear

ME Z4 FRONT/ME Z2 REAR OEM AND GENERAL REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
TRIUMPH						
Bonneville/SE 09-14	Front	110/70R17	54H	TL	0303-0100	\$174.95
	Rear	130/80-17	65H	TL	0304-0008	242.95
Thurxton/Bonneville 05-14	Rear	130/80-17	65H	TL	0304-0008	242.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



FEELFREE

BIAS AND RADIAL SCOOTER TIRES

- Metzeler sets the stage for sport touring scooter tires with the Feelfree series
- Broad product range includes radial and bias-ply applications
- Tread pattern based on the successful Z6 motorcycle sport touring tire, provides even wear and performance
- The perfect premium tire for today's scooters
- H, P and S speed-rated



FeelFree Front/Rear



FEELFREE GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/90-13	56P	TL	0340-0154	\$90.95
120/80-14	58S	TL	0340-0143	104.95
120/70R15	56H	TL	0340-0145¹	160.95
100/80-16	50P	TL	0340-0149	122.95
110/70-16	52P	TL	0340-0151	130.95
110/70-16	52S	TL	0340-0153	136.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/70-13	63P	TL	0340-0155	\$106.95
150/70-13	64S	TL	0340-0144	114.95
160/60R14	65H	TL	0340-0146¹	205.95
160/60R15	67H	TL	0340-0147¹	220.95
150/70-14	66S	TL	0340-0152	162.95
130/80-16	64P	TL	0340-0148	129.95
140/70-16	65P	TL	0340-0150	160.95

¹ Feelfree radial.

FEELFREE MODEL-SPECIFIC TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
APRILIA						
Scarabeo	Front	100/80-16	50P	TL	0340-0149	\$122.95
	Rear	130/80-16	64P	TL	0340-0148	129.95
HONDA						
Silver Wing 03-14	Front	120/80-14	58S	TL	0340-0143	104.95
	Rear	150/70-13	64S	TL	0340-0144	114.95
PIAGGIO						
BV200/250 04-11	Front	110/70-16	52P	TL	0340-0151	130.95
	Rear	140/70-16	65P	TL	0340-0150	160.95
BV500 06-11	Front	110/70-16	52S	TL	0340-0153	136.95
	Rear	150/70-14	66S	TL	0340-0152	162.95

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
SUZUKI						
Burgman 400 03-06	Front	110/90-13	56P	TL	0340-0154	\$90.95
	Rear	130/70-13	63P	TL	0340-0155	106.95
Burgman 400 07-14	Front	120/80-14	58S	TL	0340-0143	104.95
	Rear	150/70-13	64S	TL	0340-0144	114.95
Burgman 650 03-14	Front	120/70R15	56H	TL	0340-0145¹	160.95
	Rear	160/60R14	65H	TL	0340-0146¹	205.95
YAMAHA						
Majesty 05-14	Front	120/80-14	58S	TL	0340-0143	104.95
	Rear	150/70-13	64S	TL	0340-0144	114.95
T-Max 09-11	Front	120/70R15	56H	TL	0340-0145¹	160.95
	Rear	160/60R15	67H	TL	0340-0147¹	220.95

¹ Feelfree radial.

ME 1 Front/Rear

ME 1

SCOOTER TIRES

- Light handling and precise steering response provided through "single"-radius contour design
- Comfort combined with high mileage and uniform wear
- Excellent wet and dry grip for the urban jungle
- Tubeless (TL)
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT/REAR				
90/90-10	50J	TL	0340-0407	\$44.95
3.00-10	50J	TL	0340-0405	47.95
3.50-10	59J	TL	0340-0406	54.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

ME7 TEEN
SCOOTER TIRES

- Excellent grip and easy handling provides great riding performance
- All-season compound developed for all weather conditions
- Classic Metzeler tread pattern based on the MEZ3/MEZ4 provides great water dispersion
- OEM tire for Uni-Go trailer
- L-rated for up to 75 mph



ME 7 Teen Front/Rear

ME7 TEEN GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT/REAR				
100/80-10	53L	TL	0340-0138	\$96.95
120/70-10	54L	TL	0340-0139	109.95
120/90-10	66L	TL	0340-0408	59.95
130/70-10	59L	TL	0340-0075	61.95

ME7 TEEN MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
VESPA						
ET 2/ET 4 04-05	Front	100/80-10	53L	TL	0340-0138	\$96.95
	Rear	120/70-10	54L	TL	0340-0139	109.95

ME7 TEEN UNI-GO OEM REPLACEMENT TRAILER TIRE

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
130/70-10	59L	TL	0340-0075	\$61.95



TOURANCE NEXT DUAL-SPORT/ADVENTURE TOURING TIRES 95% ON 5% OFF

- Improved wet grip and stability
- Improved mileage over previous Tourance EXP
- Ideal choice for the latest-generation adventure-touring bikes
- OE on the new BMW R1200GS
- V-rated for speeds up to 149 mph, W-rated for speeds up to 168 mph and (W)-rated for speeds of 168+ mph



Tourance Next Front/Rear

TOURANCE NEXT GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT					REAR				
120/70R17	(58W)	TL	0316-0142	\$207.95	130/80R17	65V	TL	0317-0250	\$240.95
110/80R19	59V	TL	0316-0144	214.95	140/80R17	69V	TL	0317-0152	240.95
120/70R19	60V	TL	0316-0143	220.95	150/70R17	69V	TL	0317-0153	255.95
90/90-21	54V	TL	0316-0145	200.95	160/60R17 (69W)		TL	0317-0238	252.95
					170/60R17	72V	TL	0317-0154	265.95
					180/55ZR-17 (73W)		TL	0317-0155	259.95
					190/55ZR-17 (75W)		TL	0317-0156	286.95

TOURANCE NEXT OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW						
R1200GS 13-14	F	120/70R19	60V	TL	0316-0143	\$220.95
	R	170/60R17	72V	TL	0317-0154	265.95



TOURANCE EXP DUAL SPORT TIRES 95% ON/5% OFF

- The Metzeler patented 0° steel belt radial technology front and rear tire provides great straight-line and braking stability, maximum precision in the corners and excellent bump absorption in fully loaded conditions
- Rear tire has increased tread depth for improved mileage
- Improved compound for excellent grip on wet and dry surfaces
- Tread pattern design engineered to ensure the best on-road performance in wet and dry weather conditions
- V-rated for speeds up to 149 mph



Tourance EXP Front/Rear

TOURANCE EXP OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	OEM CODE	TL/TT	PART #	SUG. RETAIL
YAMAHA							
XT1200Z Super Tenere 12-14	Front	110/80R19	59V	C	TL	0316-0103	\$218.95
	Rear	150/70R17	69V	C	TL	0317-0097	252.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



TOURANCE

DUAL SPORT TIRES

85% ON 15% OFF

- Made for big-bore dual-purpose and enduro bikes that spend most of their time on paved roads, but that take the occasional "detour" down a fire road
- Developed to deliver the traction, feedback and stability for both kinds of road
- Radial tires feature twin-layer, 4-ply diagonal tire carcass construction
- Tire compound provides long mileage, stable handling and touring comfort on road; tread design also handles light off-road riding
- Radial rear tires feature Metzeler's 0° steel belt technology
- Optimized tread design reduces rolling noise
- H-rated for speeds up to 130 mph and V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90-19	57H	TL	110-10124	\$207.95
110/80R19	59V	TL	110-11278¹	202.95
90/90-21	54H	TL	110-10126	194.95



Tourance Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/80R17	65H	TL	110-10120¹	\$238.95
140/80R17	69H	TL	110-10121¹	258.95
150/70R17	69V	TL	110-11279¹	239.95

¹ Radial.

TOURANCE OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
APRILIA						
Capo Nord 02-07	Front	110/80R19	59V	TL	110-11278¹	\$202.95
	Rear	150/70R17	69V	TL	110-11279¹	239.95
BMW						
F650 GS Single 01-07	Front	100/90-19	57H	TL	110-10124	207.95
	Rear	130/80R17	65H	TL	110-10120	238.95
R1100/1150/1200 GS 94-12	Front	110/80R19	59V	TL	110-11278¹	202.95
	Rear	150/70R17	69V	TL	110-11279¹	239.95
TRIUMPH						
Tiger 95-05	Front	110/80R19	59V	TL	110-11278¹	202.95
	Rear	150/70R17	69V	TL	110-11279¹	239.95

¹ Radial.

ENDURO 3 SAHARA

DUAL-SPORT TIRES

50% ON 50% OFF

- Enduro tire with very good on-road performance dedicated to the globetrotters always looking for fun riding no matter what the terrain
- Special tread compound perfectly combining safe cornering grip on the road and good off-road traction
- Tread pattern features knobs with geometry designed for fast self-cleaning; this allows the rider stable and precise trajectories without skidding on soft, muddy terrains
- Great handling with easy corner entry and stable cornering
- Tube type or tubeless (TL)
- DOT certified; S- rated for speeds up to 112 mph, T-rated for speeds up to 118 mph or H-rated for speeds up to 130 mph



Enduro 3 Sahara Front/Rear

ENDURO 3 GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
90/90-21	54S	TT	0316-0006	\$199.95
90/90-21	54H	TL	0316-0018	212.95
REAR				
130/80-17	65S	TT	0317-0006	237.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
130/80-17	65T	TL	0317-0011	\$241.95
4.00-18	64S	TT	110-6252	199.95
120/80-18	62S	TT	110-6254	207.95
140/80-18	70S	TT	0317-0016	220.95

ENDURO 3 MODEL-SPECIFIC TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
BMW						
F 650 GS Dakar 01-08	Front	90/90-21	54S	TT	0316-0006	\$199.95
	Rear	130/80-17	65S	TT	0317-0006	237.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

BRIDGESTONE

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

Nashville-based Bridgestone Americas Tire Operations, LLC, is a subsidiary of Bridgestone Americas, Inc., whose parent company, Bridgestone Corporation, is the world's largest tire and rubber company. Bridgestone uses racing-inspired technology to help develop many of its high performance on-road and off-road products. In MotoGP, after just 6 years of competition at the pinnacle of road racing, Bridgestone won its first MotoGP championship. Bridgestone became the exclusive tire supplier to all participating teams beginning in 2009.

Bridgestone riders have scored many victories and podium finishes, including MotoGP World Championships from 2007 - 2014. In AMA Supercross and motocross, Bridgestone enjoyed many successful seasons as the exclusive tire supplier to the factory Suzuki, Kawasaki and Yamaha teams, plus the Pro-circuit/Kawasaki team, L & M Racing and Joe Gibbs Racing. The dominance of Bridgestone riders was unequaled in off-road competition in 2009, when four of the five AMA National Supercross and motocross championships were captured by Bridgestone riders. Bridgestone is also a major supplier of original equipment products to most of the major motorcycle manufacturers.



BATTLAX
HYPERSPORT
S20

BATTLAX S20

ULTRA-HIGH PERFORMANCE SPORT RADIALS

- Ultra-high performance radials designed to high handling performance and easier cornering using tread patterns and construction technology from MotoGP
- High grip levels from new rubber compounds work in a wider range of temperatures and road conditions
- Dual compound (3LC) used for both front and rear tires
- Contact patch is optimized to improve contact with road
- Performance is maintained throughout the life of the tire
- Construction technologies and compounds include: Mono-spiral, Silica Rich EX, RC polymer and Nano Pro-Tech to achieve high levels of all-around sport bike performance
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph



Battlax S20 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/70ZR16	(61W)	TL	0301-0417	\$161.95
110/70ZR17	(54W)	TL	0301-0418	150.95
120/60ZR17	(55W)	TL	0301-0419	159.95
120/70ZR17	(58W)	TL	0301-0420	161.95
REAR				
150/60ZR17	(66W)	TL	0302-0682	186.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
160/60ZR17	(69W)	TL	0302-0683	\$196.95
170/60ZR17	(72W)	TL	0302-0684	203.95
180/55ZR17	(73W)	TL	0302-0685	216.95
190/50ZR17	(73W)	TL	0302-0686	243.95
190/55ZR17	(75W)	TL	0302-0687	249.95
200/50ZR17	(75W)	TL	0302-0688	256.95


SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG



S20 EVO



**BATTLAX BT-016
PRO HYPERSPORT
ULTRA-HIGH PERFORMANCE
RADIAL TIRES**

**BATTLAX
BT-016 PRO
HYPERSPORT**



BT-016/PRO Hypersport Front/Rear

- Ultra-high-performance radials designed to maximize the performance of all sport bikes on the road today
- Utilize a multi-compound formulated with technology from Bridgestone's MotoGP tire development, for outstanding grip in all conditions
- Front: uses dual-compound to provide grip in all riding modes and the parallel S-shaped grooves provide optimal cornering force
- Rear: uses a dual-compound to provide stronger traction and the L-shaped grooves enhance shock absorption
- 3D-CTDM (Comprehensive Tire Design Method) is an advanced tire design technology that enables dynamic, three-dimensional simulations of tire performance at all lean angles
- Utilizes a compound containing a combination of two special components, silica-rich EX and RC polymer, offer improvement of dry, wet, life and less performance decrease
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph

GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17 (58W)		TL	0301-0336	\$146.95
REAR				
180/55ZR17 (73W)		TL	0302-0555	195.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
190/50ZR17 (73W)		TL	0302-0556	\$220.95
190/55ZR17 (75W)		TL	0302-0557	225.95

**BATTLAX
BT-003
RACING STREET**

BATTLAX BT-003 RACING STREET

DOT APPROVED HYPERSPORT STREET/TRACK DAY TIRES

- Combination of MotoGP-derived multi-compound technology (3LC) and Ultrtraction Compound
- 3LC (dual compound) construction on both the front and rear tire
- Medium compound center for increased durability and soft compound shoulder for increased traction
- Ultrtraction compound ("Ultrtraction" stands for Ultra + Traction) applied in shoulder of front and rear tire achieves both powerful grip in braking and cornering plus high-intensity traction coming out of corners
- HTSPC-MSB (High Tensile Super Penetrated Cord - Mono Spiral Belt) technology in front and rear tire improves stability, bump absorption and reduces heat generation
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph

NOTE: Mid-size Sport front sizes 110/70ZR17 and 120/60ZR17 use 3LC (dual compound without Ultrtraction). Similar to BT-016.

NOTE: Mid-size Sport rear sizes 140/70ZR17, 150/60ZR17 and 160/60ZR17 use 5LC (triple compound without Ultrtraction). Similar to BT-016.



BT-003 Front/Rear

GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70ZR17 (54W)		TL	0301-0212	\$159.95
120/60ZR17 (55W)		TL	0301-0213	166.95
120/70ZR17 (58W)		TL	0301-0214	173.95
REAR				
140/70ZR17 (66W)		TL	0302-0345	184.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
150/60ZR17 (66W)		TL	0302-0346	\$203.95
160/60ZR17 (69W)		TL	0302-0347	211.95
180/55ZR17 (73W)		TL	0302-0348	239.95
190/50ZR17 (73W)		TL	0302-0349	260.95
190/55ZR17 (75W)		TL	0302-0350	269.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



BATTLAX SPORT TOURING T30

BATTLAX SPORT TOURING T30 RADIALS

- Sport Touring tires developed to replace BT-023 with wide-range riding enjoyment
- T30 offers improved handling with light feel, linear response and better dry grip
- Tread pattern supplies handling and grip improvements by utilizing optimized stiffness and contact patch features
- Carcass Construction inspires confidence in cornering by providing increased footprint on the road, plus light, predictable handling and good line-holding
- Front rubber compound (rear is dual compound) developed using MotoGP analysis brings improved performance range of operating temperatures by utilizing RC polymer/NanoPro-Tech technology
- "GT" Spec available in five sizes to suit heavyweight motorcycles (front has modified tread pattern)
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70ZR17	(54W)	TL	0301-0490	\$161.95
120/60ZR17	(55W)	TL	0301-0491	165.95
120/70ZR17	(58W)	TL	0301-0492	171.95
120/70ZR17	(58W) (GT Spec)	TL	0301-0493	171.95
110/80ZR18	(58W)	TL	0301-0494	171.95
120/70ZR18	(59W) (GT Spec)	TL	0301-0495	176.95
110/80ZR19	(59W)	TL	0301-0496	176.95
REAR				
150/70ZR17	(69W)	TL	0302-0832	203.95



T30 Front/Rear

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
160/60ZR17	(69W)	TL	0302-0833	\$203.95
160/70ZR17	(73W)	TL	0302-0834	208.95
170/60ZR17	(72W) (GT Spec)	TL	0302-0835	208.95
180/55ZR17	(73W)	TL	0302-0836	225.95
180/55ZR17	(73W) (GT Spec)	TL	0302-0837	225.95
190/50ZR17	(73W)	TL	0302-0838	243.95
190/55ZR17	(75W)	TL	0302-0839	246.95
190/55ZR17	(75W) (GT Spec)	TL	0302-0840	246.95
160/60ZR18	(70W)	TL	0302-0841	217.95

BATTLE WING BW-501/BW-502

BW501/BW502

DUAL-SPORT RADIAL TIRES - 80% ON 20% OFF

- Front tire features a high-grip compound and an updated profile to enhance handling and contact feel
- Silica-enriched compound (rear) offers exceptional level of grip on both wet and dry surfaces
- Mono-Spiral Belt construction (rear) offers high-speed stability and excellent shock absorption
- Tread pattern design minimizes road noise
- Tubeless
- Blackwall
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph



BW501 Front/Rear

BATTLE WING OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW						
F650 GS 09-14	F	110/80R19	59V	G TL	0316-0046	\$160.95
	R	140/80R17	69V	G TL	0317-0038	203.95
F800 GS 09-14	F	90/90-21	54V	G TL	0316-0047	122.95
	R	150/70R17	69V	G TL	0317-0039	200.95
R1200GS 07-12	F	110/80R19	59V	- TL	0316-0028	165.95
	R	150/70ZR17	69V	- TL	0317-0022	210.95
SUZUKI						
DL1000 V-Strom 02-12	F	110/80R19	59V	- TL	0316-0028	165.95
	R	150/70ZR17	69V	- TL	0317-0022	210.95

FITS MODEL	POS.	SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
SUZUKI (CONT)						
DL1000 V-Strom 14	F	110/80R19	59V	J TL	0316-0206	\$168.95
	R	150/70R17	69V	J TL	0317-0235	210.95
TRIUMPH						
Tiger 800 12-13	F	90/90-21	59H	G TL	0316-0047	122.95
	R	150/70ZR17	69V	G TL	0317-0039	210.95
YAMAHA						
Super Tenere XT1200						
12-13	F	110/80R19	59V	E TL	0316-0122	172.95
	R	150/70R17	69V	E TL	0317-0125	215.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

BRIDGESTONE EXEDRA

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

EXEDRA G851/850

HIGH-PERFORMANCE CRUISER REPLACEMENT RADIAL TIRE

- Performance radials designed for large cruisers, offer solid performance and good mileage
- Silica-enriched compound offers exceptional level of grip on both wet and dry surfaces
- Kevlar® Mono-Spiral Belt construction (rear) offers high speed stability and excellent shock absorption
- Blackwall
- Tubeless
- H-rated for speeds of 130 mph, (W)-rated for speeds of 168+ mph



G851

G850

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/70ZR-17	(62W)	TL	0303-0026	\$187.95
120/70ZR-18	(59W)	TL	0303-0027	156.95
120/70ZR-19	(60W)	TL	0303-0023	164.95
REAR				
170/60ZR-17	(72W)	TL	0304-0027	218.95
190/60R17	78H	TL	0304-0039	260.95
200/50ZR-17	(75W)	TL	0304-0028	235.95
180/55ZR-18	(74W)	TL	0304-0023	203.95

EXEDRA MAX

CRUISER AND TOURING REPLACEMENT TIRES

- Both bias-ply and radial applications
- Radials will have an "R" in the size designation
- Specific rubber compound for cruiser applications provides long mileage
- Unique wide shape of tire profile supports touring-type riding while reducing fatigue
- Belt package construction provides linear handling even for heavy bike and 2-up riding
- Purpose-built rubber compounds and tread patterns enhance water evacuation and both dry and wet grip
- Blackwall
- Tubeless
- S-rated for speeds up to 112 mph, H-rated for speeds up to 130 mph, V-rated for speeds up to 149+ mph or (W)-rated for speeds of 168+ mph



Exedra Max Front/Rear

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
150/80R16	71V	TL	0303-0172	\$244.95
150/80-16	71H	TL	0305-0230	198.95
130/90B16	67H	TL	0305-0229	191.95
130/70R17	(62W)	TL	0303-0173	158.95
120/90-17	64H	TL	0305-0231	160.95
120/70ZR18	(59W)	TL	0303-0174	163.95
130/70ZR18	(63W)	TL	0303-0175	171.95
110/90-18	61H	TL	0305-0232	164.95
120/70ZR19	(60W)	TL	0303-0176	171.95
100/90-19	57H	TL	0305-0233	134.95
110/90-19	62H	TL	0305-0234	160.95
80/90-21	48H	TL	0305-0235	136.95
90/90-21	54H	TL	0305-0236	136.95
REAR				
140/90-15	70H	TL	0306-0235	198.95
150/90B15	74V	TL	0306-0236	244.95
160/80-15	74S	TL	0306-0237	209.95
170/80B15	77H	TL	0306-0238	249.95
180/70-15	76H	TL	0306-0239	231.95
150/80B16	71H	TL	0306-0241	244.95
170/70B16	75H	TL	0306-0242	251.95
180/70ZR16	77V	TL	0304-0175	261.95
200/60R16	79V	TL	0304-0176	257.95
240/55ZR16	86V	TL	0304-0177	284.95
170/60ZR17	(72W)	TL	0304-0178	217.95
200/50ZR17	(75W)	TL	0304-0180	240.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.



BATTLAX
RACING STREET
RS10

BATTLAX RS10 RACING STREET HYPERSPORT/TRACK DAY TIRES

- High-performance sport radials optimized for high-grip and handling performance on dry surfaces
- Bridgestone's MotoGP development analysis was used to determine the placement of new 3-D tread grooves to improve stability, grip and handling by optimizing block stiffness
- Specially formulated rubber compounds front and rear offer sure grip as well as increased durability
- Front tire uses a Mono-Spiral Belt constructed with stiffer steel to enhance rigidity of the tread area for upgraded response and stability
- Rear profile enables a larger contact patch for improved grip in mid to high lean angles
- Cap and base on rear tire adds tread stiffness for stability when braking and accelerating
- Rear tire has softer sidewall construction incorporated for better damping to improve handling
- Rear is lighter than BT-003RS to lessen gyro effect for better handling
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0577	\$173.95
REAR				
190/55ZR17	(75W)	TL	0302-0954	269.95
200/55ZR17	(78W)	TL	0302-0955	277.95



RS10 Front/Rear

BATTLAX
HYPERSPORT
S20 EVO

BATTLAX S20 EVO HYPERSPORT/ULTRA-HIGH PERFORMANCE SPORT RADIALS

- Ultra-High performance radials improving upon the S20 to enhance handling performance and cornering using existing tread patterns with updated construction and rubber technology from MotoGP
- Handling and stability are improved by optimized stiffness of both front and rear tires
- Wear life is enhanced without losing performance of S20
- S20 EVO (front) has Dual Compound (3LC) technology plus a high strength belt package
- Rear tire re-introduces Triple Compound (5LC) technology originally introduced in the Battlax BT-016 to provide both good grip and wear life
- Rear tire center compound provides good stability, the shoulder compound transfers power to the road with strong traction and the edge compound offers high grip and a secure contact feel
- Rear grip is also enhanced by providing a compliant contact patch
- Other technologies used include: (MS-Belt) Mono-Spiral Belt, (HTSPC) High Tensile Super Penetrated Cord and Enhanced Bead Filler, to achieve high levels of all-around sport bike performance
- H-speed rated tires have modified rubber compounds (single rubber tread compound) and carcass constructions to offer enhanced grip and handling for smaller motorcycles
- Tubeless
- Blackwall
- H-rated for speeds up to 130 mph, (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70R17	54H	TL	0301-0570	\$151.95
120/70ZR17	(58W)	TL	0301-0571	161.95
REAR				
140/70R17	66H	TL	0302-0943	183.95
150/60R17	66H	TL	0302-0944	187.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.



S20 EVO Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17	(73W)	TL	0302-0945	\$216.95
190/50ZR17	(73W)	TL	0302-0946	243.95
190/55ZR17	(75W)	TL	0302-0947	249.95
200/55ZR17	(75W)	TL	0302-0948	256.95

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BATTLAX BT-45**BIAS-PLY SPORT-TOURING TIRES**

- Sport touring bias-ply tires for mid-sized sport-touring bikes and older sport bikes
- Features silica enriched compound for exceptional wet and dry grip
- Dual Tread Compound (DTC) in the rear allows for longer mileage than single compound and better stability from center, while shoulders offer grip and performance while cornering
- Larger crown radius contributes to excellent stability for high-speed touring
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph

**BT-45 Front/Rear**

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BT-45H FRONT				
100/90-16	54H	TL	BAX4500	\$139.95
110/70-17	54H	TL	0305-0203	176.95
120/70-17	58H	TL	BAX4504	174.95
90/90-18	51H	TL	BAX4505	146.95
100/80-18	53H	TL	BAX4507	153.95
90/90-21	54H	TL	0305-0049	131.95
BT-45H REAR				
120/80-17	61H	TL	BAX4522	158.95
130/70-17	62H	TL	0306-0206	181.95
130/80-17	65H	TL	BAX4523	175.95
140/70-17	66H	TL	BAX4525	191.95
110/80-18	53H	TL	BAX4528	143.95
110/90-18	61H	TL	BAX4527	152.95
120/80-18	62H	TL	BAX4529	153.95
130/70-18	63H	TL	BAX4530	180.95
BT-45V FRONT				
110/90-16	59V	TL	BQ-3715	158.95

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BT-45V FRONT (CONT)				
120/80-16	60V	TL	BQ-3720	\$168.95
110/80-17	57V	TL	BQ-3722	168.95
110/80-18	58V	TL	BQ-3732	169.95
110/90-18	61V	TL	BQ-3735	171.95
100/90-19	57V	TL	BQ-3745	172.95
BT-45V REAR				
130/90-16	67V	TL	BQ-4713	197.95
150/80-16	71V	TL	BQ-4710	228.95
120/90-17	64V	TL	BQ-4715	187.95
130/90-17	68V	TL	BQ-4720	197.95
140/80-17	69V	TL	BQ-4730	197.95
150/70-17	69V	TL	BQ-4733	215.95
120/90-18	65V	TL	BQ-4740	189.95
130/80-18	66V	TL	BQ-4750	198.95
140/70-18	67V	TL	BQ-4760	200.95
140/80-18	70V	TL	BQ-4755	200.95
150/70-18	70V	TL	0305-0084	203.95

**S11 BLK Front/Rear****S11 RWL Front/Rear****S11 SPITFIRE SPORT TOURING TIRES****BIAS-PLY REPLACEMENT TIRES**

- Sport touring bias-ply tires
- Excellent tire for bikes of the 1970s and 1980s
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/90-16 BLK	67H	TL	B1100	\$180.95
150/80-16 RBL	71H	TL	B1163	215.95
100/90-18 BLK	56H	TL	B1120	132.95
110/90-18 BLK	61H	TL	B1125	141.95
120/90-18 RWL	65H	TL	0305-0197	200.95
90/90-19 BLK	52H	TL	B1140	136.95
100/90-19 BLK	57H	TL	B1150	150.95
100/90-19 RWL	57H	TL	0305-0198	176.95
110/90-19 BLK	62H	TL	B1160	156.95

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
170/80-15 RBL	77H	TL	B2163	\$232.95
140/90-15 RWL	70H	TL	0306-0199	219.95
150/90-15 RWL	74H	TL	0306-0200	238.95
130/90-16 BLK	67H	TL	B2120	178.95
130/90-16 RWL	67H	TL	0306-0201	208.95
140/90-16 RWL	71H	TL	0306-0202	226.95
130/90-17 BLK	68H	TL	B2130	180.95
130/80-18 BLK	66H	TL	0306-0203	195.95
110/90-18 BLK	61H	TL	B2140	155.95
120/90-18 BLK	65H	TL	B2145	176.95
130/90-18 BLK	69H	TL	B2150	195.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

BRIDGESTONE EXEDRA



G709 Front

G704 Rear

G701 Front

G702 Rear

EXEDRA TOURING RADIAL AND BIAS PLY TIRES FOR HONDA GOLDWING

- Designed and developed specifically for touring bikes
- G709/G704 Original equipment on and designed specifically for GL1800 since 2012
- Unidirectional pattern for reliable performance on dry or wet surfaces
- Tread compound maximizes traction and mileage
- Tubeless, blackwall only
- H-rated for speeds up to 130 mph

EXEDRA MOTORCYCLE-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE & RATING	PLY	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
HONDA							
GL1500 88-00	F	130/70-18	Bias	63H	TL	BT-0030	\$209.95
	R	160/80-16	Bias	80H	TL	BT-0040	271.95
GL1800 01-14	F	130/70R18	Radial	63H	TL	BR-7055	215.95
	R	180/60R16	Radial	74H	TL	BR-7060	282.95



EXEDRA CRUISER RADIAL TIRES FOR HONDA VALKYRIE

- Specifically constructed for today's cruiser bikes
- Honda-approved replacement radials for Valkyrie models
- Constructed for exceptional ride, comfort and handling
- Unidirectional pattern for reliable performance on dry and wet surfaces
- Radial construction
- Tubeless
- Blackwall
- H-rated for speeds up to 130 mph



Exedra Front/Rear

EXEDRA MOTORCYCLE-SPECIFIC REPLACEMENT TIRES

SIZE & RATING	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT					
150/80R17	G701	72H	TL	BAX7010	\$226.95
REAR					
180/70R16	G702	77H	TL	BAX7020	257.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



BT-023 Front/Rear

BT-45 Front/Rear

BT54



G515

G526

G546

G547

G548

G721



G722

L303

L309

S20 Front/Rear

G853 Front

G852 Rear

ORIGINAL EQUIPMENT TIRES

FOR SPORT, SPORT TOURING, CRUISERS AND STANDARDS

•The letter code in the tire size and rating column is also on the sidewall of the tire and the tire label; tires are the same size, but compound and construction will vary to suit the weight, horsepower and handling characteristics of the model for which each tire was designed

•TT type is tube-type

•S-rated for speeds up to 112 mph, H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, W-rated for speeds up to 168 mph

FITS MODEL	POS.	SIZE & RATING	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW							
K1200LT 05-10	F	120/70B17	BT-020-M	58V	TL	0307-0004	\$193.95
	R	160/70B17	BT-020-M	79V	TL	0308-0012	237.95
K1600GT 11-13	F	120/70ZR17	BT-022-F	58W	TL	0303-0186	163.95
	R	190/55ZR17	BT-021-F	75W	TL	0304-0192	252.95
HONDA							
CMX250 Rebel 09-14	F	3.00-18	L303-A	47P	TT	0307-0045	133.95
	R	130/90-15	G508	66P	TT	0308-0033	154.95
CBR600RR 07-12	F	120/70ZR17	BT-015-E	58W	TL	0303-0064	163.95
	R	180/55ZR17	BT-015-E	73W	TL	0303-0065	219.95
VT600 Shadow 88-07	R	170/80-15	G546-G	77S	TT	BR-0160	244.95
VT750 Shadow Ace 98-03	F	120/90-17	G701	64S	TT	BR-0712	168.95
	R	170/80-15	G702	77S	TT	BR-0714	231.95
VT750 Shadow Aero 04-14	F	120/90-17	G701	64S	TT	BR-0712	168.95
	R	160/80-15	G702	74S	TT	BR-105732	221.95
VT750C2 Shadow Spirit 07-09/12-13	F	90/90-21	G701	54S	TT	0307-0015	139.95
	R	160/80-15	G702	74S	TT	BR-105732	221.95
VT750DC Shadow Spirit 01-03, 05-07	F	110/80-19	G515-G	59S	TT	BR-105716	163.95
	R	160/80-15	G702	74S	TT	BR-105732	221.95
CB1000R 11-13	F	120/70ZR17	BT-015-L	58W	TL	0303-0180	163.95
	R	180/55ZR17	BT-015-L	73W	TL	0304-0186	219.95
CB1100 13	F	110/80R18	BT54	58W	TL	0303-0196	163.95
	R	140/70R18	BT54	67W	TL	0304-0211	219.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

ORIGINAL EQUIPMENT TIRES (CONT)

FITS MODEL	POS.	SIZE & RATING	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
HONDA (CONT)							
ST1100 91-02	F	110/80-18	G547	58V	TL	BR-0839	\$163.95
	R	160/70-17	G548	73V	TL	BR-0565	243.95
VFR1200F 10/13	F	120/70ZR17	BT-021-N	58W	TL	0303-0163	163.95
	R	190/55ZR17	BT-021-N	75W	TL	0304-0165	252.95
CTX1300 14	F	130/70R18	G853-F	63V	TL	0303-0201	168.95
	R	200/50R17	G852-F	75V	TL	0304-0216	248.95
ST1300 03-12	F	120/70ZR18	BT-020-F	59W	TL	BR-146438	168.95
	R	170/60ZR17	BT-020-F	72W	TL	BR-146472	218.95
VT1300CR Stateline/Interstate 10-14	F	140/80-17	L309-F	69H	TL	0307-0047	190.95
	R	170/80-15	G702-F	77H	TL	0308-0034	231.95
VT1300CS Sabre 10-14	F	90/90-21	G701-F	54H	TL	0307-0046	148.95
	R	170/80-15	G702-F	77H	TL	0308-0034	231.95
GL1500 Valkyrie 97-03	F	150/80-17	G701	72H	TL	BAX7010	226.95
	R	180/70R16	G702	77H	TL	BAX7020	257.95
KAWASAKI							
EX250 Ninja 250R 08-09	F	110/70-17	BT-45-F	54H	TL	0305-0203	176.95
	R	130/70-17	BT-45-R	62H	TL	0306-0206	181.95
ZX-6R 09-12	F	120/70ZR17	BT-016-L	58W	TL	0303-0096	163.95
	R	180/55ZR17	BT-016-L	73W	TL	0304-0098	219.95
ZX-6R 13-14	F	120/70ZR17	S20-J	(58W)	TL	0303-0194	163.95
	R	180/55ZR17	S20-R	(73W)	TL	0304-0206	219.95
EX650C Ninja 650R 09-10	F	120/70ZR-17	BT-021-J	58W	TL	0303-0164	163.95
	R	160/60ZR-17	BT-021-J	69W	TL	0304-0166	193.95
VN900B Special Edition 14	F	130/90-16 WWW	G721-J	67H	TT	0307-0051	182.95
	R	180/70-15 WWW	G722-R	76H	TT	0308-0037	256.95
Ninja 1000 14	F	120/70ZR17	S20-N	(58W)	TL	0303-0197	163.95
	R	190/50ZR17	S20-N	(73W)	TL	0304-0212	253.95
ZX10R 11-14	F	120/70ZR17	BT-016-G	58W	TL	0303-0177	163.95
	R	190/55ZR17	BT-016-G	75W	TL	0304-0181	252.95
Z1000 11-13	F	120/70ZR17	BT-016-C	58W	TL	0303-0181	168.95
	R	190/50ZR17	BT-016-C	73W	TL	0304-0187	253.95
ZG1400C Concours 14 08-14	F	120/70ZR17	BT-021-U	58W	TL	0303-0165	163.95
	R	190/50ZR17	BT-021-U	73W	TL	0304-0167	246.95
ZX14 06-11	F	120/70ZR17	BT-014-SL	58W	TL	0303-0051	163.95
	R	190/50ZR17	BT-014-L	73W	TL	0304-0049	246.95
ZX14 14	F	120/70ZR17	S20-E	58W	TL	0303-0204	163.95
	R	190/50ZR17	S20-E	73W	TL	0304-0221	253.95
VN1600 Vulcan Nomad 05-08	F	150/80-16	G721	71H	TL	0307-0007	209.95
	R	170/70B16	G722-G	75H	TL	0308-0015	251.95
VN1700E Vulcan Classic 09-13	F	130/90-16	G721-E	67H	TL	0307-0048	196.95
	R	170/70B16	G722-E	75H	TL	0308-0035	251.95
VN1700A Vulcan Voyager 09-13	F	130/90-16	G721-E	67H	TL	0307-0048	196.95
	R	170/70B16	G722-E	75H	TL	0308-0035	251.95
VN2000 04-10	F	150/80R16	BT-020	71V	TL	0303-0004	220.95
	R	200/60R16	BT-020	79V	TL	0304-0003	246.95
SUZUKI							
GSX-R600 11-13	F	120/70ZR17	BT-016-AA	58W	TL	0303-0182	163.95
	R	180/55ZR17	BT-016-AA	73W	TL	0304-0188	225.95
GSX-R750 11-13	F	120/70ZR17	BT-016-G	58W	TL	0303-0183	163.95
	R	180/55ZR17	BT-016-G	73W	TL	0304-0189	225.95
V5800/S50 00-09	F	100/90-19	G701-G	57H	TT	BR-0729	134.95
	R	140/90-15	G702A-G	70H	TT	BR-0730	191.95
GSX1250FA 11-12	F	120/70ZR17	BT-021-AA	58W	TL	0303-0195	185.95
	R	180/55ZR17	BT-021-AA	73W	TL	0304-0207	237.95
GSXR-1300 Hayabusa 08-13	F	120/70ZR17	BT-015-M	58W	TL	0303-0076	163.95
	R	190/50ZR17	BT-015-M	73W	TL	0304-0074	246.95
VL1500/C90 98-09	F	150/80B16	G703-F	71H	TL	BR-0716	209.95
	R	180/70-15	G702	76H	TL	BR-0718	244.95
C90 Boulevard 13	F	130/80R17	G853-G	65H	TL	0303-0202	197.95
	R	200/60R16	G852-G	79H	TL	0304-0217	267.95
C90T Boulevard 05-09	F	150/80-16	G703-J	71H	TL	0307-0009 ¹	218.95
	R	180/70-15	G702-J	76H	TL	0308-0017 ¹	255.95
M90 Boulevard 09/13	F	120/70ZR18	G853-G	59W	TL	0303-0099	168.95
	R	200/50ZR17	G852-G	75W	TL	0304-0101	238.95
C109R Boulevard 08-09	F	150/80R16	G853-E	71V	TL	0303-0087	195.95
	R	240/55R16	G852-G	86V	TL	0304-0084	274.95
TRIUMPH							
Bonneville 02-09	F	100/90-19	BT45	57H	TT	BR-001029	162.95
	R	130/80-17	BT45	65H	TT	BR-001046	196.95
Bonneville America 02-09	F	3.50-18	L303	56S	TT	BR-00995	138.95
	R	170/80-15	G546	77S	TT	BR-001012	244.95
YAMAHA							
WR250X 08-11	F	110/70R17	BT-090-G	54H	TL	0303-0084	152.95
	R	140/70R17	BT-090-G	66H	TL	0304-0081	182.95

¹ Whitewall tire.

ORIGINAL EQUIPMENT TIRES continued on next page.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.

2015 TIRE CATALOG

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

BRIDGESTONE ORIGINAL EQUIPMENT TIRES (CONT)

FITS MODEL	POS.	SIZE & RATING	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
YAMAHA (CONT)							
XVS650A V-Star Classic 98-10	R	170/80-15	G702	77S	TT	BR-0714	\$231.95
FZ-07 14	F	120/70ZR17	BT-023F	(58W)	TL	0303-0199	171.95
	R	180/55ZR17	BT-023F	(73W)	TL	0304-0220	225.95
FZ8 11-13	F	120/70ZR17	BT-021-BB	58W	TL	0303-0184	163.95
	R	180/55ZR17	BT-021-BB	73W	TL	0304-0190	219.95
FZ-09 14	F	120/70ZR17	S-20M	(58W)	TL	0303-0198	163.95
	R	180/55ZR17	S-20M	(73W)	TL	0304-0213	216.95
XVS950 09-12	F	130/70-18	G721-J	63H	TL	0307-0017	209.95
	R	170/70B16	G722-J	75H	TL	0308-0025	251.95
XVS 950 Bolt 14	F	100/90-19	G721-F	57H	TL	0307-0060	162.95
	R	150/80B16	G722-F	71H	TL	0308-0047	244.95
XVS1100 V-Star Custom 99-09	F	110/90-18	L309	61S	TT	BR-0715	142.95
XVS1100 V-Star Classic 00-09	F	130/90-16	G703	67S	TL	BR-001675	173.95
	R	170/80-15	G702	76S	TL	BR-001692	244.95
VMX1200 Vmax 89-07	F	110/90-18	G535	61V	TL	BR-0838	148.95
	R	150/90-15	G526	74V	TL	BR-0156	225.95
FJR1300 08-12	F	120/70ZR17	BT-021-F	58W	TL	0303-0089	163.95
	R	180/55ZR17	BT-021-F	73W	TL	0304-0087	219.95
FJR1300 13-14	F	120/70ZR17	BT-023F	(58W)	TL	0303-0199	171.95
	R	180/55ZR17	BT-023F	(73W)	TL	0304-0214	225.95
V-Star 1300 07-14	R	170/70B16	G722-G	75H	TL	0308-0015	251.95
XVZ1300AT Royal Star Tour 96-00	F	150/80-16	G705	71H	TL	BR-0721 ¹	228.95
	R	150/90-15	G702	74H	TL	BR-0723 ¹	261.95
Royal Star Tour Deluxe/Venture 05-13	F	150/80-16	G705-G	71H	TL	0307-0005	209.95
	R	150/90B15	G702-G	74H	TL	0308-0013	243.95
XV1600A Road Star 98-03	F	130/90-16	G703-F	67H	TT	BR-0745	180.95
	R	150/80B16	G702A	71H	TT	BR-0747	244.95
XV1600AT Road Star Silverado 98-03	F	130/90-16	G703-F-M	67H	TT	BR-0751 ¹	180.95
	R	150/80B16	G702-E	71H	TT	BR-0753 ¹	255.95
VMX1700 Vmax 09-14	F	120/70R18	BT028-G	59V	TL	0303-0090	168.95
	R	200/50R18	BT028-G	76V	TL	0304-0088	258.95
XV1700 Road Star 04-14	F	130/90-16	G703N	67H	TL	0307-0002	180.95
	R	150/80B16	G702N	71H	TL	0308-0004	244.95
XV1700 Road Star Silverado 04-14	F	130/90-16	G703	67H	TL	BR-028790 ¹	191.95
	R	150/80B16	G702A	71H	TL	BR-028807 ¹	255.95
XV1700 Road Star Warrior 02-09	F	120/70ZR-18	BT-020-G	59W	TL	BR-119326	168.95
	R	200/50ZR-17	BT-020	75W	TL	BR-119334	245.95
XV1900 Stryker 11-14	F	120/70-21	G721-G	62H	TL	0307-0050	196.95
	R	210/40R-18	G852R-G	73H	TL	0304-0173	274.95
XV1900 Roadliner/Stratoliner 06-14	F	130/70R18	G851-G	63H	TL	0303-0041	161.95
	R	190/60R17	G850-G	78H	TL	0304-0039	260.95

¹ Whitewall tire.

HOOP GENERAL AND OEM REPLACEMENT TIRES SCOOTER TIRES

- High-quality replacement tires
- Replacement applications can be used front or rear
- Blackwall
- Tubeless (TL) or tube type (TT)
- J-rated for speeds up to 62 mph, L-rated for speeds up to 75 mph, P-rated for speeds up to 94 mph and S-rated for speeds up to 112 mph

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
2.75-10	26J	TT	BH-0100	\$48.95
80/90-10	44J	TL	BH-0140	45.95
3.50-10	59J	TL	BH-0230 ¹	50.95

¹ Reinforced hoop tire.**HOOP OEM REPLACEMENT SCOOTER TIRES**

FITS MODEL	POSITION	SIZE & RATING	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
HONDA							
NSS250 Reflex 01-07	F	110/90-13	B03	56L	TL	BH-154261	\$95.95
	R	130/70-12	B02	62L	TL	BH-154288	97.95
FSC600 Silver Wing 02-09	F	120/80-14	B03	58S	TL	BH-0414	122.95
	R	150/70-13	B02	64S	TL	BH-0416	130.95
SUZUKI							
Burgman 400 04-06	F	110/90-13	B03/G	55P	TL	0340-0002	113.95
	R	130/70-13	B02/G	63P	TL	0340-0003	117.95
Burgman 400 07-13	F	120/80-14	B03/G	58S	TL	0340-0119	126.95
	R	150/70-13	B02/G	64S	TL	0340-0120	165.95
Burgman 650 02-13	F	120/70R15	TH01F	56H	TL	BR-146387	135.95
	R	160/60R14	TH01M	65H	TL	BR-146421	176.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



Hoop Tires



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



TW2 Front/Rear

ML2 Rear

ML16 Rear

ML17 Front

TW Front/Rear

ML50 Front/Rear

SCOOTER TIRES

GENERAL REPLACEMENT SCOOTER TIRES

- ML2; front or rear use featuring grooved center tread for directional stability
- ML16; excellent water channeling for wet-weather performance; recommended use with ML17
- ML17; unidirectional design provides full surface road contact in wet weather; front only; recommended for use with ML16
- ML50; 130/60L-13 designed for use with Aprilia RS50; all others are direct replacement tires
- TW series; designed for off-road mini-bikes
- Blackwall
- Tubeless (TL) or tube type (TT)
- J-rated for speeds up to 62 mph and H-rated for speeds up to 130 mph

GENERAL REPLACEMENT SCOOTER TIRES

SIZE & RATING	POS.	TYPE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
3.50-8	F&R	TW2	35J	TT	BS-0054	\$48.95
3.50-10, 2-ply	F&R	ML2	51J	TT	BS-0149	66.95
4.00-10	R	ML16 BM	60J	TL	0340-0037	84.95
4.00-10	F	ML17	60J	TL	BS-0205	108.95

SIZE & RATING	POS.	TYPE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
4.00-10	F&R	TW	49J	TT	BS-00172	\$74.95
120/90-10	F&R	ML50	56J	TL	BS-157414	89.95
130/90-10	F&R	ML50	61J	TL	BS-157422	99.95

HOOP OEM REPLACEMENT SCOOTER TIRES

FITS MODEL	POSITION	SIZE & RATING	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
HONDA							
CN250 Helix							
92-07	F	110/100-12	ML17	67J	TL	BS-0370	\$93.95
	R	120/90-10	ML16	66J	TL	BS-0250	96.95

FITS MODEL	POSITION	SIZE & RATING	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
YAMAHA							
T-Max 09-11	F	120/70ZR15	BT-0110R	56H	TL	0303-0091	\$133.95
	R	160/60ZR15	BT-012-R	67H	TL	0304-0089	181.95

TRAIL WING TW101/TW152 DUAL-SPORT OEM RADIAL TIRES

- Radial applications for BMW F650 and R1200GS models, Suzuki DL650 and DL1000 V-Strom models
- Tires are specifically targeted for each model; compounds and constructions will vary to suit the weight, horsepower and handling characteristics of the model for which each tire was designed
- Blackwall
- Tubeless (TL) or tube type (TT)
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph



TW101 Front

TW152 Rear

OEM REPLACEMENT

FITS MODEL	POS.	SIZE & TYPE	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW							
F650 97-07	F	100/90-19	TW101	Bias 57H	TT	BS-0954	\$140.95
	R	130/80R17	TW152	Radial 65H	TT	BS-5006	197.95
R1200GS 05-06	F	110/80R19	TW101-L	Radial 59V	TL	0303-0029	169.95
	R	150/70R17	TW152-L	Radial 69V	TL	0304-0029	222.95
SUZUKI							
DL650 V-Strom							
04-13	F	110/80R19	TW101-J	Radial 59H	TL	0303-0003	160.95
	R	150/70R17	TW152-F	Radial 69H	TL	BR-147390	200.95

FITS MODEL	POS.	SIZE & TYPE	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
SUZUKI (CONT)							
DL650 V-Strom 14	F	110/80R19	TW101-J	Radial 59H	TL	0316-0205	\$160.95
	R	150/70R17	TW152-F	Radial 69H	TL	0317-0234	200.95
DL1000 V-Strom							
03-12	F	110/80R19	TW101-F	Radial 59H	TL	BR-147373	160.95
	R	150/70R17	TW152-F	Radial 69H	TL	BR-147390	200.95

MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE & TYPE	CODE	TYPE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW								
R1100/1150GS (all)	F	110/80R19	TW101-L	Radial	59V	TL	0303-0029	\$169.95
	R	150/70R17	TW152-L	Radial	69V	TL	0304-0029	222.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



TW8

TW9

TW21

TW22

TW39

TW40

TW41

TW42



TW52

TW101

TW152

TW203

TW204

TW301

TW302

TRAIL WING SERIES

GENERAL AND OEM REPLACEMENT DUAL-SPORT TIRES

- Four-ply front/rear combination designed for dual-sport use
- Special dimpled tread pattern means many edges to maximize traction
- Provide balanced highway and off-road performance
- Long-wearing durability
- Self-cleaning tread blocks give a traction edge for muddy and loose terrains
- TW301/TW302 50% on/50% off
- Blackwall
- Tubeless (TL) or tube type (TT)
- DOT approved
- L-rated for speeds up to 74 mph, P-rated for speeds up to 93 mph, S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph

TRAIL WING GENERAL REPLACEMENT TIRES

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
TW301 FRONT				
3.00-21	51S	TT	BS-00303	\$113.95
TW302 REAR				
4.60-18	63P	TT	BS-00302	143.95

TRAIL WING OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	FITS MODEL	POS.	SIZE	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW								SUZUKI							
R1200GS 05-06	F	110/80R19	TW101-L	59V	TL	0303-0029	\$169.95	DR-Z400S 00-13	F	80/100-21	TW41	51P	TL	BS-00305	\$113.95
	R	150/70R17	TW152-L	69V	TL	0304-0029	222.95		R	120/90-18	TW42	65P	TL	BS-00306	176.95
HONDA								DR650 90-13	F	90/90-21	TW41J	54S	TL	BS-01188	113.95
XL80S	F	2.50-16	TW9	36L	TL	BS-00054	85.95		R	120/90-17	TW42-F	64S	TL	BS-00401	132.95
	R	3.00-14	TW8	40P	TL	BS-00016	118.95	DL1000 V-Strom							
NX250	F	90/100-19	TW39	55P	TL	BS-0840	119.95	03-12	F	110/80HR19	TW101-F	59H	TL	BR-147373	160.95
	R	120/90-16	TW40	63P	TL	BS-0277	136.95		R	150/70HR17	TW152-F	69H	TL	BR-147390	200.95
XR250L	R	4.60-18	TW302	63P	TL	BS-00302	143.95	TRIUMPH							
XL500S	F	3.00-23	TW9	56P	TL	BS-1237	113.95	Scrambler 06-13	F	100/90-19	TW101	57H	TL	BS-0954	140.95
	R	4.60-18	TW52	63S	TL	BS-00052	121.95		R	130/80-17	TW42	65H	TL	0317-0017	187.95
XL600V	F	90/90-21	TW21	54S	TL	BS-01178	113.95	YAMAHA							
	R	130/80-17	TW22	65S	TL	BS-0589	142.95	TW200 87-14	F	130/80-18	TW31	66P	TL	0316-0027	113.95
NX650	F	90/90-21	TW41	54S	TL	BS-01188	113.95		R	180/80-14	TW34	78P	TL	0317-0021	174.95
	R	120/90-17	TW42	64S	TL	BS-00401	132.95	WR250R 08-14	F	80/100-21	TW301F	51P	TL	0316-0040	113.95
XR650L	F	3.00-21	TW301	51S	TL	BS-00303	113.95		R	120/80-18	TW302F	62P	TL	0317-0031	136.95
	R	4.60-18	TW52	63S	TL	BS-00052	121.95								

MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE & TYPE	CODE	TYPE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW								
R1100/1150GS (all)	F	110/80R19	TW101-L	Radial	59V	TL	0303-0029	\$169.95
	R	150/70R17	TW152-L	Radial	69V	TL	0304-0029	222.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



PIRELLI TIRES: PASSION AND PERFORMANCE

Because passion is as important as performance, Pirelli is a brand admired worldwide. From Formula 1, World Superbike, AMA Supercross, and World MX Championships – Pirelli's image inspires the imagination. Manufacturing tires at 23 factories located in 11 countries, Pirelli is the world leader in the field of tires for high-performance cars and motorcycle tires, for both original equipment and replacement. The Pirelli range includes tires for cars, motorcycles, scooters, bicycles and commercial vehicles, and among the company's strengths is its commitment to developing products with ever greater reliability and higher performance. Pirelli has 19 World Rally Championships and 62 World MX GP Championships. Pirelli Moto is the exclusive tire supplier for all the teams competing in the World Superbike and Supersport, British Superbike Series and Supersport Championships, and competes with top teams like Joe Gibbs Racing in the AMA Supercross Championship. Pirelli's investment and commitment as the spec-tire for World Superbike competition has led to numerous innovations that made their way into the Diablo™ family such as the Supercorsa, Rosso Corsa, Diablo Rosso II as well as the Angel GT multi-compound Extended Mileage Sport tire.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



Diablo Rosso II Front/Rear

**DIABLO
ROSSO**

DIABLO ROSSO II

MULTI-COMPOUND SUPERSPORT TIRES

- Bi-Compound rear tire combining long lasting mileage with excellent grip at full lean
- Front tire's design is derived from the Diablo Rosso Corsa to provide improved drainage, better wear regularity and efficient braking
- Pirelli Enhanced Patch Technology (EPT) optimizing the contact patch for improved grip
- Functional Groove Design (FGD) to optimize wet behavior
- Slick shoulder area for maximum grip at full lean, providing confidence and top performance
- New 180/60ZR-17 size for 5.5" rims
- Blackwall
- Tubeless
- H-rated tires fit Honda CBR250RR and Kawasaki Ninja 250
- H-rated for speeds up to 130 mph, W-rated for speeds up to 168 mph and (W)-rated for speeds of 168+ mph



DIABLO ROSSO II GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
110/70ZR17	54H	TL	0301-0367	\$155.95
110/70ZR17	54W	TL	0301-0368	166.95
120/60ZR17	(55W)	TL	0301-0338	166.95
120/70ZR17	(58W)	TL	0303-0178	166.95
120/70ZR17 "D"	(58W)	TL	0301-0448 ¹	169.95
REAR				
140/70R17	66H	TL	0302-0609	191.95
150/60ZR17	68W	TL	0302-0618	205.95
160/60ZR17	(69W)	TL	0302-0558	206.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
170/60ZR17	(72W)	TL	0302-0619	\$217.95
180/55ZR17	(73W)	TL	0304-0183	223.95
180/60ZR17	(75W)	TL	0302-0707	228.95
190/50ZR17	(73W)	TL	0302-0559	259.95
190/55ZR17	(75W)	TL	0302-0560	264.95
200/50ZR17	(75W)	TL	0302-0708	277.95
240/45ZR17	(82W)	TL	0304-0182	298.95

¹ OEM on all 2013 Ducati applications.

DIABLO ROSSO II OEM TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
DUCATI						
Diavel 11-14	Front	120/70ZR17	(58W)	TL	0301-0448	\$169.95
	Rear	240/45ZR17	(82W)	TL	0304-0182	298.95
Monster Evo 11-13	Front	120/70ZR17	(58W)	TL	0301-0448	169.95
	Rear	180/55ZR17	(73W)	TL	0304-0183	223.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG



DEALER/CONSUMER
INFORMATIONAL BROSCHURE
2015

PART # 9901-0763

For a complete look at the Pirelli line, order one 10-pack of this brochure. Available at no charge with any Parts Unlimited order. Qty. 10 per pack.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

PERFORMANCE RADIALS



DIABLO
ROSSO CORSA

DIABLO
SUPERCORSA SP

DIABLO
ROSSO II

ANGEL GT

DIABLO

RACE / TRACKDAY

HYPERSPORT

SUPERSPORT

EXT. MILEAGE SPORT (EMS)



DIABLO
ROSSO CORSA

**DIABLO ROSSO CORSA
THREE-ZONE COMPOUND ULTRA
HIGH-PERFORMANCE TIRES**

- Profiles and structures set the new benchmark, manufactured with the latest world superbike compound technology
- Feature Pirelli's patented EPT (Enhanced Patch Technology), matched with a three-zone compound rear, optimizes the contact patch for the best grip on the road and on the track
- Feature the aggressive Rosso tread design
- Pure racetrack performance combined with the comfort and predictability you expect from a high-performance street tire
- New 180/60ZR-17 size for 5.5" rims
- Blackwall
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph



Diablo Rosso Corsa Front/Rear

DIABLO ROSSO CORSA GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/60ZR17 (55W)		TL	0301-0298	\$187.95
120/65ZR17 (56W)		TL	0301-0383	201.95
120/70ZR17 (58W)		TL	0301-0234	195.95
REAR				
160/60ZR17 (69W)		TL	0302-0389	240.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17 (73W)		TL	0302-0390	\$251.95
180/60ZR17 (75W)		TL	0304-0201	274.95
190/50ZR17 (73W)		TL	0302-0391	285.95
190/55ZR17 (75W)		TL	0302-0392	306.95
200/55ZR17 (78W)		TL	0302-0706	318.95

DIABLO ROSSO CORSA OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
DUCATI						
Streetfighter 848 12-14	Front	120/70ZR17	(58W)	TL	0301-0234	\$195.95
	Rear	180/60ZR17	(75W)	TL	0304-0201	274.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



DIABLO SUPERCORSA SP V2 HYPERSPORT TIRES

- OE on many of today's leading hypersport bikes
- The new SP Version 2 features the same tread design currently used in the World Superstock 1000 championship
- High modulus fiber carcass offers a lower deformation ratio and makes the entire structure stiffer to allow a better synergy between compounds and carcass
- Single Element Tread Pattern permits a 24% larger slick shoulder area (vs. previous Diablo Supercorsa), increasing contact area and grip and wear regularity
- New compounds offer great balance of mileage and grip in an ultra-high-performance product
- Rear tire uses Pirelli's patented EPT (enhanced patch technology) matched with a tri-zone compound that helps optimize the contact patch for improved grip and handling
- 180/60ZR-17 size for 5.5" rims
- Dual compound rear
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph



Diablo Supercorsa SP V2 Front/Rear

DIABLO SUPERCORSA SP V2 GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0303-0191	\$258.95
REAR				
180/55ZR17	(73W)	TL	0302-0709	312.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
180/60ZR17	(75W)	TL	0302-0710	\$319.95
190/55ZR17	(75W)	TL	0302-0711	387.95
200/55ZR17	(78W)	TL	0304-0202	412.95

DIABLO SUPERCORSA SP V2 OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	CODE	TT/TL	PART #	SUG. RETAIL
DUCATI							
Panigale 12-14	Front	120/70ZR17	(58W)	-	TL	0303-0191	\$258.95
	Rear	200/55ZR17	(78W)	-	TL	0304-0202	412.95



DIABLO SUPER VALUE SUPERSPORT TIRES

- Supersport performance for any level of rider
- Fantastic dry grip and quick warm-up time thanks to a rear tread pattern optimized in the mid-crown and shoulder area
- Optimized Land/Sea ratio provides outstanding grip and traction in wet and dry conditions, plus improved tread wear and performance throughout the tire's life
- Silica-Silan matrix compound and multi-radius are some of the innovative R&D racing attributes engineered into the Diablo
- 240/40ZR-18 rear tire PART #0302-0118 is a perfect match for Trac Dynamics Big Wheel 240 kits
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph



Diablo Front/Rear

DIABLO GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	1430700	\$159.95
REAR				
160/60ZR17	(69W)	TL	1430400	192.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17	(73W)	TL	0302-0495	\$204.95
190/50ZR17	(73W)	TL	0302-0496	240.95
240/40ZR18	(79W)	TL	0302-0118	305.95

DIABLO OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	OEM CODE	TT/TL	PART #	SUG. RETAIL
BMW							
X-Moto 07-09	Front	120/70ZR17	(58W)	-	TL	1430700	\$159.95
	Rear	160/60ZR17	(69W)	-	TL	1430400 ¹	192.95

¹ OEM tires.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV


TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



ANGEL GT EXTENDED-MILEAGE SPORT TIRES

- Includes multi-compound technology from the World Superbike Championship (on select rears)
- Extended Mileage Sport (EMS) – best in class for mileage and grip
- Improved wet grip performance
- Ideal for sport bikes that require increased mileage without sacrificing grip and traction
- "A Spec" rears feature a 2-ply, reinforced carcass for heavy-duty sport-touring models
- Blackwall
- Tubeless
- V-rated for speeds up to 149 mph or (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/60ZR17	(55W)	TL	0301-0425	\$201.95
120/70ZR17	(58W)	TL	0301-0424	205.95
110/80ZR18	(58W)	TL	0301-0427	198.95
120/70ZR18	(59W)	TL	0301-0426	208.95
110/80R19	69V	TL	0316-0208	209.95
REAR				
150/70R17	69V	TL	0302-0933	233.95
150/70ZR17	(69W)	TL	0302-0703	250.95



Angel GT Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
160/60ZR17	(69W)	TL	0302-0699	\$256.95
170/60ZR17TL	(72W)	TL	0302-0701	255.95
180/55ZR17	(73W)	TL	0302-0698¹	266.95
180/55ZR17 "A Spec"	(73W)	TL	0302-0700¹	292.95
190/50ZR17 "A Spec"	(73W)	TL	0302-0704¹	290.95
190/55ZR17	(75W)	TL	0302-0705¹	290.95
190/55ZR17 "A Spec"	(75W)	TL	0304-0210¹	302.95
160/60ZR18	(70W)	TL	0302-0702	235.95

¹ Multi-compound.

PHANTOM SPORTSCOMP SUPERSPORT/GENERAL/OEM REPLACEMENT TIRES

- A perfect balance of traction, handling and durability in a classic design
- Standard on the Ducati sport classics and Scrambler
- Blackwall
- Tubeless design (TL)
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

PHANTOM SPORTSCOMP GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70R17	58V	TL	0303-0048	\$236.95
100/90-18	65H	TL	0305-0439	162.95
REAR				
150/70R17	69H	TL	0306-0466	269.95
180/55R17	73V	TL	0304-0045	306.95



Phantom Sportscomp Front/Rear

PHANTOM SPORTSCOMP OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
DUCATI						
GT1000, Smart 1000LE, Sport 1000 06-10	Front	120/70R17	58V	TL	0303-0048¹	\$236.95
	Rear	180/55R17	73V	TL	0304-0045¹	306.95

¹ Requires tube.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

PIRELLI

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX




Night Dragon Front/Rear

NIGHT DRAGON

NIGHT DRAGON

NIGHT DRAGON HIGH-PERFORMANCE CRUISER TIRES

- Pirelli's Night Dragon allows a rider and his bike to reach their full potential without sacrificing mileage
- The Night Dragon increases not only wet and dry grip but gives you noticeably better handling on backroads and the interstate
- Modern tread pattern combines high-performance attributes and a great new style
- Outstanding grip at all lean angles
- Special compounds offer incredible straight-line acceleration and traction
- New structural designs provide great stability and comfort
- Tube/tubeless (TL); blackwall
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph; (V)-rated for speeds of 149+ mph; W-rated for speeds up to 168 mph or (W)-rated for speeds of 168+ mph



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
130/90-16	67H	TL	0305-0285	\$176.95
MT90B16	72H	TL	0305-0080	192.95
150/80-16	71H	TL	0305-0192	214.95
130/80B17	65H	TL	0305-0283	214.95
140/80-17	69H	TL	0305-0286	251.95
140/70B18 (reinforced)	73H	TL	0305-0083 ¹	291.95
140/75R17	67V	TL	0301-0143	228.95
130/70B18	63H	TL	0305-0288	248.95
130/70R18	63V	TL	0303-0189	253.95
100/90-19	57H	TL	0305-0081	171.95
110/90-19	62H	TL	0305-0284	187.95
120/70ZR19	(60W)	TL	0301-0144	254.95
90/90-21	54H	TL	0305-0193	170.95
120/70B21 (reinforced)	68H	TL	0305-0287 ¹	241.95
MH90-21	54H	TL	0305-0082	169.95
130/60B23	65H	TL	0305-0384	255.95
REAR				
170/80B15	76H	TL	0306-0109	230.95
180/70B15	76H	TL	0306-0117	267.95
200/70B15	82H	TL	0306-0118	371.95
130/90B16 (reinforced)	73H	TL	0306-0090 ¹	210.95
MT90B16	74H	TL	0306-0091	227.95
MU85B16	77H	TL	0306-0092	230.95
150/80B16 (reinforced)	77H	TL	0306-0093 ¹	222.95
180/65B16 (reinforced)	81H	TL	0306-0302 ¹	295.95
180/70R16	77H	TL	0304-0198	341.95
160/70-17	73V	TL	0306-0303	282.95
160/70B17	73H	TL	0306-0304	262.95
170/60R17 (reinforced)	78V	TL	0304-0199 ¹	294.95
180/60B17 (reinforced)	81H	TL	0306-0094 ¹	316.95
180/60B17	75V	TL	0306-0305	302.95
200/55R17	78V	TL	0302-0247	273.95
150/70B18 (reinforced)	76H	TL	0306-0095 ¹	294.95
180/55R18	(74W)	TL	0302-0246	323.95
240/40R18	(79V)	TL	0302-0253	348.95

¹ Increased load index.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.

2015 TIRE CATALOG



MT66 - ROUTE 66 VALUE CRUISER TIRES

- Classic design with modern compounds developed for metric cruiser bikes of all sizes
- Improving a motorcycle's handling characteristics at a value price point
- Designed for wet grip, exceptional handling, riding comfort and durability
- Designed to provide a smooth ride with superior stability
- Exceptional performance at an exceptional value
- TT=tube type; TL=tubeless
- Blackwall
- H-rated for speeds up to 130 mph, S-rated for speeds up to 112 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
130/90-16	67H	TL	MT66-01	\$144.95
150/80-16	71H	TL	MT66-02	197.95
120/90-17	64S	TT	MT66-08	142.95
3.00-18	47S	TT	MT66-09	109.95
100/90-18	56H	TL	MT66-10	114.95
90/90-19	52H	TL	MT66-04	129.95
100/90-19	57S	TT	MT66-11	118.95
100/90-19	57H	TL	MT66-05	122.95
110/90-19	62H	TL	MT66-06	140.95
80/90-21	48H	TT	MT66-07	118.95



MT66-Route 66 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
130/90-15	66S	TT	MT66-28	\$136.95
140/90-15	70H	TL	MT66-21	157.95
150/90-15	74H	TL	MT66-22	183.95
170/80-15	77H	TL	MT66-23	201.95
180/70-15	76H	TL	MT66-27	232.95
130/90-16 (reinforced)	73H	TL	MT66-24	144.95
140/90-16	71H	TL	MT66-25	165.95
150/80-16	71H	TL	MT66-26	180.95
120/90-18	65H	TL	MT66-30	146.95

SPORT DEMON BIAS SPORT/TOURING TIRES

- Specially designed front tire - profile is designed to greatly improve handling; excellent water evacuation thanks to central sine-wave groove
- Multiple-radius rear tire profile provides lighter and more precise handling and stability in all riding conditions - radial-like handling from bias-ply tires
- Blackwall
- Tubeless (TL)
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, (V)-rated for speeds of 149+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
100/90-16	54H	TL	1403100	\$148.95
110/90-16	59V	TL	1342100	159.95
120/80-16	(60V)	TL	1342200	172.95
110/70-17	54H	TL	1342900	169.95
120/70-17	58V	TL	1342500	181.95
100/90-18	56H	TL	0305-0257	162.95
110/80-18	58V	TL	1404200	163.95
110/90-18	61V	TL	1404400	176.95
100/90-19	57V	TL	1405200	177.95
REAR				
130/90-16	67V	TL	1403600	203.95



Sport Demon Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
150/80-16	(71V)	TL	1342300	\$225.95
130/70-17	62H	TL	1343100	196.95
130/80-17	65H	TL	1343200	197.95
130/90-17	68V	TL	1403800	205.95
140/70-17	66H	TL	1403900	205.95
140/80-17	(69V)	TL	1342600	210.95
110/90-18	61H	TL	1404500	174.95
120/80-18	62H	TL	1404600	178.95
120/90-18	65V	TL	1404700	193.95
130/70-18	63H	TL	1343400	194.95
140/70-18	67V	TL	1405000	211.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



MT 75

OEM AND COMMUTER MOTORCYCLE TIRES

- Modern, aggressive tread pattern for a high level of dry- and wet-weather performance
- Excellent handling, superior grip and traction in corners and good mileage
- OEM tires for Aprilia RS50 and Buell Blast
- Blackwall
- Tubeless (TL)
- P-rated for speeds up to 93 mph, S-rated for speeds up to 112 mph, or T-rated for speeds up to 118 mph



MT 75 Front/Rear

MT 75 OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
APRILIA						
RS50 99-04	Front	90/80-17	46P	TL	0341-0056	\$110.95
	Rear	110/80-17	57S	TL	MT75-02	133.95
BUELL						
Blast 01-10	Front	100/80-16	50T	TL	MT75-03	115.95
	Rear	120/80-16	60T	TL	MT75-04	139.95

DIABLO SCOOTER TIRES

PERFORMANCE SPORT SCOOTER TIRES

- Bias-ply and radial tires for sport-oriented scooters
- Tread pattern adapted from the Pirelli Diablo sport tire adds the best wet handling and dry grip while limiting road noise
- High-performance tread compound imported directly from Pirelli's sport-touring tires results in more mileage and regular wear
- Larger contact patch maximizes braking efficiency and traction in all weather conditions, increasing rider safety
- Radial tires are the only scooter tires with multi-ply carcass and patented 0° steel belt that aids in high-speed riding stability and cornering even with fully loaded vehicle
- Tubeless (TL)
- P-rated for speeds up to 93 mph, S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph



Diablo Scooter Front/Rear

DIABLO SCOOTER GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT					REAR (CONT)				
120/70-12	51S	TL	0340-0347	\$85.95	130/70-13 (reinforced)	63P	TL	0340-0315	\$98.95
110/90-13	56P	TL	0340-0314	88.95	140/60-13 (reinforced)	63P	TL	0340-0316	121.95
90/90-14	46P	TL	0340-0346	84.95	150/70-13	64S	TL	0340-0081	104.95
120/80-14	58S	TL	0340-0084	94.95	100/90-14	57P	TL	0340-0348	109.95
120/70R15	56H	TL	0340-0036¹	147.95	140/60-14 (reinforced)	64P	TL	0340-0375	106.95
100/80-16	50P	TL	0340-0083	110.95	140/70-14 (reinforced)	68S	TL	0340-0374	125.95
110/70-16	52P	TL	0340-0082	120.95	160/60R14	65H	TL	0340-0035¹	190.95
REAR					130/80-16	64P	TL	0340-0079	118.95
130/70-12 (reinforced)	62P	TL	0340-0078	94.95	140/70-16	65P	TL	0340-0080	146.95

¹ Radial tires; sizes fit Burgman 650.

DIABLO SCOOTER MODEL-SPECIFIC TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
APRILIA							PIAGGIO (CONT)						
Scarabeo 150 00-05/	Front	100/80-16	50P	TL	0340-0083	\$110.95	X9 09	Front	120/70-14	55S	TL	0340-0174	\$102.95
Scarabeo 200 05-06	Rear	130/80-16	62P	TL	0340-0079	118.95		Rear	150/70-14	66S	TL	0340-0122	149.95
HONDA							SUZUKI						
PCX125/150 11/13	Front	90/90-14	46P	TL	0340-0346	84.95	650 Burgman 03-14	Front	120/70R15	56H	TL	0340-0036	147.95
	Rear	100/90-14	57P	TL	0340-0348	109.95		Rear	160/60R14	65H	TL	0340-0035	190.95
PIAGGIO							YAMAHA						
BV500 06-11	Front	110/70-16	52S	TL	0340-0121	124.95	T-max 09-11	Front	120/70R15	56H	TL	0340-0123	147.95
	Rear	150/70-14	66S	TL	0340-0122	149.95		Rear	160/60R15	65H	TL	0340-0124	200.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



SL26 Front/Rear

SL26**PERFORMANCE SCOOTER TIRES**

- A modern sport-oriented tread pattern with the look of a high-performance motorcycle tire
- Designed to give superb handling, a high level of grip and excellent wet-weather performance
- Tubeless (TL)
- Blackwall
- Tire of choice for 50cc motard bikes
- J-rated for speeds up to 62 mph, or P-rated for speeds up to 92 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT & REAR				
3.00-10 (reinforced)	50J	TL	SL26-01	\$49.95
3.50-10 (reinforced)	59J	TL	SL26-02	\$6.95
90/90-10	50J	TL	SL26-03	46.95
100/90-10	56J	TL	SL26-04	54.95
120/90-10	66J	TL	SL26-05	59.95
130/90-10	61J	TL	SL26-09	63.95
110/100-12	67J	TL	SL26-07	67.95
120/70-12	51P	TL	SL26-10	73.95
130/70-12	56P	TL	SL26-11	79.95
130/60-13 (reinforced)	60P	TL	SL26-06	90.95



SL38 Unico Front/Rear

SL38 UNICO**TOURING SCOOTER TIRES**

- Sport-touring tread pattern for scooters with 10" and 11" wheels
- Classic-designed tread pattern with low section profile and stiff carcass to ensure stability when cornering, even when scooter is fully loaded
- Outstanding stability and handling characteristics
- Large tread blocks for wet performance, even wear and outstanding mileage
- Tubeless (TL)
- Blackwall
- L-rated for speeds up to 75 mph

SL38 OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
VESPA						
ET2/ET4 04-05	Front	100/80-10	53L	TL	SL38-01	\$89.95
	Rear	120/70-10 (reinforced)	54L	TL	SL38-02	101.95
LX50 05-14/	Front	110/70-11	45L	TL	0340-0085	100.95
LX150 08-14	Rear	120/70-10 (reinforced)	54L	TL	SL38-02	101.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



SL 36 (Synergy) Front/Rear

SL36 (SYNERGY)**PERFORMANCE SCOOTER TIRES**

- A low aspect-ratio, high-performance tire
- Tread pattern adapted from the Dragon Corsa motorcycle tire
- Original equipment on Derbi 50; offer great performance for any scooter
- Tubeless (TL)
- Blackwall
- L-rated for speeds up to 75 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT/REAR				
120/70-12	51L	TL	0340-0403	\$88.95
130/70-12	56L	TL	0340-0402	93.95
140/60-12 (reinforced)	62L	TL	0340-0404	100.95



SC30 Front/Rear

SC30**RETRO SCOOTER TIRES**

- Classic profile tires for scooters with 10" wheels
- Blackwall
- Tube type
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT/REAR				
3.00-10	42J	TT	SC30-01	\$42.95
3.50-10	51J	TT	SC30-02	47.95



ML75 MOPED TIRES

- Modern, sport-oriented tread pattern derived from the MT 75
- Provide the best performance while providing a modern, sporty look
- Original equipment on Aprilia Scarabeo 50
- Blackwall
- Tube type
- M-rated for speeds up to 81 mph; J-rated for speeds up to 62 mph



ML75 Front/Rear

ML75 OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
APRILIA						
Scarabeo 50 04-06	Front	2.5-16	42J	TT	ML75-01	\$55.95
	Rear	2.75-16	46J	TT	ML75-02	67.95



SL60 Front/Rear

SL60

DUAL-PURPOSE SCOOTER TIRES

- Aggressive on/off tread pattern for scooters with 10" wheels
- Enduro tread pattern designed to provide excellent traction on every surface
- Stiff carcass to ensure handling and good cornering stability
- Yamaha Zuma fitment
- Blackwall
- Tubeless (TL)
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT/REAR				
120/90-10	57J	TL	SL60-01	\$88.95
130/90-10	61J	TL	SL60-02	100.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

MANDRAKE MT 15

- Conventional design
- Central grooves for good feedback and excellent wet performance
- Classic designed tread pattern with low section profile and stiff carcass, to ensure cornering stability
- Tube type (TT)
- J-rated for speeds up to 62 mph



Mandrake MT 15 Front/Rear

MT15 MANDRAKE MODEL-SPECIFIC TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
PIAGGIO						
Liberty 125/250 01-05	F	110/80-14	59J	TT	0341-0067	\$60.95
	R	90/80-16	51J	TT	0341-0066	58.95

MT15 MANDRAKE GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
110/80-14	59J	TT	0341-0067	\$60.95
REAR				
90/80-16	51J	TT	0341-0066	58.95

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

PIRELLI

SCORPION TRAIL

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



Scorpion Trail Front/Rear

SCORPION TRAIL DOT APPROVED PERFORMANCE TOURING/DUAL-SPORT TIRES 95% ON 5% OFF

- Specially designed for the latest generation of high-performance dual-sport motorcycles: BMW GS, Aprilia Capo Nord and Suzuki V-Strom
- OE on the 2010-14 Ducati Multistrada and the Triumph Tiger 800
- Replacement tires for various Buell models
- Revolutionary tread pattern combines high performance with a very innovative look
- Patented 0° steel belt technology on the front and rear offers maximum stability and excellent handling on every kind of terrain
- Latest generation of materials and compound for improved grip in all weather conditions
- Carcass designed to promote road holding at high speed and maximum comfort in varied terrain
- Blackwall
- Tubeless (TL) or tube type
- S-rated for speeds up to 113 mph, H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph or W-rated for speeds up to 168 mph



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70R17	58W	TL	0301-0236	\$220.95
100/90-19	57V	TL	0316-0126	196.95
110/80R19	59V	TL	0316-0033	215.95
90/90-21	54V	TL	0316-0067	194.95
REAR				
120/90-17	64S	TT	0313-0182	206.95
130/80-17	65S	TT	0313-0184	206.95
150/70R17	69V	TL	0313-0185	256.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
150/70R17 G	69V	TL	0317-0059	\$267.95
180/55ZR17	73W	TL	0302-0493	275.95
180/55ZR17 K	73W	TL	0317-0136¹	286.95
190/55ZR17	75W	TL	0302-0393	307.95
150/70R18	70V	TL	0317-0129	249.95

¹ Fits Kawasaki Versys.

SCORPION TRAIL OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	CODE	TT/TL	PART #	SUG. RETAIL
BMW							
F800GS 09-14	Front	90/90-21	54V	-	TL	0316-0067	\$194.95
	Rear	150/70R17	69V	G	TL	0317-0059	267.95
DUCATI							
Multistrada 10-14	Front	120/70R17	58W	-	TL	0301-0236	220.95
	Rear	190/55R17	75W	-	TL	0302-0393	307.95
Hyperstrada 10-14	Front	120/70R17	58W	-	TL	0301-0236	220.95
	Rear	180/55ZR17	73W	-	TL	0317-0136	286.95
TRIUMPH							
Tiger 800 11-14	Front	100/90-19	57V	-	TL	0316-0126	196.95
	Rear	150/70R17	69V	-	TL	0313-0185	256.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



MT 60-R

DUAL-SPORT TIRES 60% ON 40% OFF DUAL-SPORT

- Corsa radial with maximum grip tread
- OE fitment on 2015 Ducati Scrambler
- Superb cornering and straight-line stability; exceptional wet-weather performance
- Excellent traction, on- and off-road; provides light, responsive handling
- Designed for machines like the KTM Duke
- Blackwall
- Tubeless (TL)
- V-rated for speeds up to 149 mph

MT 60-R OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
DUKATI						
Scrambler/X 15	Front	110/80R18	58H	TL	0316-0215	\$214.95
	Rear	160/60R17	69H	TL	0317-0251	252.95

MT 60-R GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70R17	58V	TL	MT60R-8	\$251.95
REAR				
160/60R17	69V	TL	MT60R-3	308.95
180/55R18	73H	TL	0317-0252	254.95



MT 90 A/T

DOT APPROVED ENDURO/DUAL-SPORT TIRES 70% ON 30% OFF

- General and OEM replacement tires
- Tread pattern with big central knobs for straight riding stability and general V-shape orientation for high adherence in traction and braking
- Excellent high-speed stability even when fully loaded thanks to a size-optimized carcass
- Superb wet/dry grip due to the Silica tread compound that offers mileage and regular tread wear performance
- Blackwall
- Tubeless (TL) or tube type (TT)
- S-rated for speeds up to 113 mph or V-rated for speeds up to 149 mph

MT 90 A/T OEM REPLACEMENT TIRES

FITS MODEL	POSITION	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
KTM						
950 Adventure 04-07 , 990 Adventure/S 08-13	Front	90/90-21	54V	TL	0316-0004	\$194.95
	Rear	150/70R18	70V	TL	0317-0004	222.95

MT 90 A/T GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT					REAR				
80/90-21	48S	TT	MT90-07	\$105.95	120/90-17	64S	TT	MT90-16	\$183.95
90/90-21	54S	TT	MT90-06	143.95	110/80-18	58S	TT	MT90-13	184.95
					120/80-18	62S	TT	MT90-14	192.95
					140/80-18	70S	TT	MT90-15	208.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



MT60-R Front/Rear



MT90 A/T Front/Rear

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



STREET

DRAW SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

3D ULTRA SPORT
SPORT RADIAL TIRES

- Outstanding handling characteristics
- Large footprint at extreme lean angles
- New design wind-on belt material used in rear tire increases the footprint size at all lean angles to improve grip
- Multi compound with super-rich silica compound
- 3D siping with interlocking three-dimensional points to improve stability and grip, limit tread flex, and allow the tire to warm up quickly
- Triple Extrusion (TE) tread compounds – durable rubber material in the tire center to aid mileage, and softer compounds on the tire shoulder to aid grip; a third compound underneath binds all compounds to the tire to stay cooler and increase tire longevity
- Ideal for use on high-performance motorcycles; good balance of mileage versus grip
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph



3D Ultra Sport Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/70R16	(61W)	TL	0301-0348	\$167.95
120/60R17	(55W)	TL	0301-0349	147.95
120/70R17	(58W)	TL	0301-0350	154.95
REAR				
150/60R17	(66W)	TL	0302-0579	163.95
160/60R17	(69W)	TL	0302-0580	173.95
180/55R17	(73W)	TL	0302-0581	189.95
190/50R17	(73W)	TL	0302-0582	203.95
190/55R17	(75W)	TL	0302-0583	212.95
200/50R17	(75W)	TL	0302-0584	224.95

3D ULTRA SUPERSPORT
HIGH-PERFORMANCE RADIAL TIRES

- Super performance on the road; also suitable for track day use
- High-performance tread compound
- Precise handling characteristics
- 3D siping with interlocking three-dimensional points to improve stability and grip, limit tread flex, and allow tire to warm up quickly
- New design wind-on belt material used in the rear tire increases the footprint size at all lean angles, improving grip
- High-performance compound suitable for aggressive riding and track days
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph



3D Ultra Supersport Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/60R17	(55W)	TL	0301-0346	\$153.95
120/70R17	(58W)	TL	0301-0347	165.95
REAR				
160/60R17	(69W)	TL	0302-0575	199.95
180/55R17	(73W)	TL	0302-0576	208.95
190/50R17	(73W)	TL	0302-0577	237.95
190/55R17	(75W)	TL	0302-0578	252.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STORM 3D X-M

- Performance plus extended mileage
- Delivers 15%-20% extra mileage compared to the current Storm range
- Interlocking three-dimensional points hidden in the sipes improve stability and grip, limit tread flex and allow the tire to warm up quickly
- High-performance single and multi-compound super-rich silica tread enhances wet grip (SRS)
- Superb handling and stability characteristics
- Ideal choice for today's high-performance sport-touring bikes
- Tubeless
- Blackwall
- V-rated for speeds up to 149 mph, or (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
3D X-M FRONT				
110/70ZR17	(54W)	TL	0301-0560	\$192.95
120/60ZR7	(55W)	TL	0301-0561	196.95
120/70R17	(58W)	TL	0301-0486	201.95
110/80ZR18	(58W)	TL	0301-0562	198.95
120/70ZR18	(59W)	TL	0301-0563	210.95
110/80R19	59V	TL	0301-0564	209.95
3D X-M REAR				
150/80ZR16	(71W)	TL	0302-0930	246.95
150/70ZR17	(69W)	TL	0302-0931	232.95



Storm 3D Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
3D X-M REAR (CONT)				
160/60ZR17	(69W)	TL	0302-0932	\$237.95
160/70R17 (reinforced)	79V	TL	0302-0933	251.95
170/60ZR17	(72W)	TL	0302-0934	253.95
180/55R17	(73W)	TL	0302-0824	258.95
190/50R17	(73W)	TL	0302-0825	271.95
190/55ZR17	(75W)	TL	0302-0935	280.95
200/50ZR17	(75W)	TL	0302-0936	287.95
160/80ZR18	(70W)	TL	0302-0937	253.95



3D Ultra Xtreme Front/Rear

3D ULTRA XTREME ULTRA HIGH-PERFORMANCE RADIAL TIRE

- Superb dry weather performance due to super-sticky rubber compound
- Very quick warmup to optimal operating temperature
- Large footprint at extreme lean angles
- 3D siping with interlocking three-dimensional points to improve stability, grip and limit tread flex
- Race compound
- New design of wind-on belt material used in rear tires increases tire footprint size at all lean angles to improve grip
- Recommended for trackday use
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70R17	(58W)	TL	0301-0343	\$208.95
REAR				
180/55R17	(73W)	TL	0302-0574	258.95
190/55R17	(75W)	TL	0302-0573	294.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG



For a complete look at the Avon tire line, order one 25-pack of brochure PART #9901-0954. Available at no charge with any Parts Unlimited order.

DESCRIPTION	PART #
Avon Tyre brochure. 25 per pack.	9901-0954

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

COBRA AV71
TRIKE TIRE

- Cobra AV71 tire made to fit GL1800 and Victory trikes with 18" front tires, or any custom trikes
- Snakeskin sidewall effect complements the Cobra logo and tread design; a truly unique custom look
- Features a flatter profile to resist wear
- Lifetime Profile Engineering (LPE) for consistent handling and stability for the full life of the tire
- Enhanced Aqua Flow (EAF) tread pattern gives optimal water dispersal
- Enhanced Stability System (ES) design reduces tire flex for improved grip and stability
- Tubeless
- V-rated for speeds up to 149 mph



Cobra AV71

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
AV71 FRONT				
130/70R16	63V	TL	0301-0566	\$241.95

COBRA AV71/AV72
CRUISER/TOURING/CUSTOM TIRES

- Snakeskin sidewall effect complements the Cobra logo and tread design; a truly unique custom look
- Fits everything from Valkyries and Goldwings to Customs
- Advanced Variable Belt Density (A-VBD) rear construction uses a densely wrapped belt in the center of the tire for stability, wear and mileage; belt is less dense on the shoulder for a huge, compliant contact patch (most sizes)
- Force Following Grooves (FFG) for reduced tire noise, increased wear resistance, improved stability and better resistance to cupping
- Lifetime Profile Engineering (LPE) for consistent handling and stability for the full life of the tire
- Wide Custom Tread Arc (WCTA) tire profile for improved maneuverability at all speeds
- Enhanced Aqua Flow (EAF) tread pattern gives optimal water dispersal
- Enhanced Stability System (ES) design reduces tire flex for improved grip and stability
- Tubeless
- Blackwall (BLK) or whitewall (WWW) available in some sizes
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph or (W)-rated for speeds of 168+ mph



Cobra AV71 WWW Front Cobra AV72 WWW Rear Cobra AV71 BLK Front Cobra AV72 BLK Rear

SIZE	LOAD/ SPEED INDEX	TL/ TT	PART #	SUG. RETAIL	SIZE	LOAD/ SPEED INDEX	TL/ TT	PART #	SUG. RETAIL
AV71 FRONT					AV72 REAR (CONT)				
MT90B16 BLK (reinforced) (130/90B16 equivalent)	74H	TL	0305-0267	\$176.95	140/90B16 BLK (reinforced) (MU85B16 equivalent)	77H	TL	0306-0273¹	\$210.95
MT90B16 WWW (reinforced) (130/90B16 equivalent)	74H	TL	0305-0268	213.95	140/90B16 WWW (reinforced) (MU85B16 equivalent)	77H	TL	0306-0274¹	260.95
150/80R16 BLK	71V	TL	0301-0095	249.95	150/80B16 BLK (reinforced)	77V	TL	0306-0275¹	225.95
150/80R16 WWW	71V	TL	0303-0203⁴	289.95	150/80B16 WWW (reinforced)	77V	TL	0306-0276¹	262.95
150/80-16 BLK	71H	TL	0305-0429	202.95	170/70R16 BLK	75H	TL	0302-0715	262.95
130/80B17 BLK	65H	TL	0305-0194¹	192.95	180/60R16 BLK (triple compound)	80H	TL	0304-0204²	282.95
150/80R17 BLK	72H	TL	0301-0096	258.95	180/65B16 BLK (reinforced)	81H	TL	0306-0197¹	258.95
120/90-18 BLK	71H	TL	0305-0428	187.95	180/70R16 BLK	77H	TL	0302-0165	276.95
130/70B18 BLK	69H	TL	0305-0436	219.95	180/70R16 WWW	77V	TL	0304-0218⁴	314.95
130/70R18 BLK	63H	TL	0301-0097²	231.95	200/60R16 BLK	(79V)	TL	0302-0166	310.95
130/70R18 BLK	63V	TL	0305-0269	235.95	240/50R16 BLK	84V	TL	0302-0167	385.95
100/90-19 BLK	57H	TL	0305-0270	147.95	190/60R17 BLK	78H	TL	0304-0205	249.95
100/90-19 WWW	57H	TL	0305-0271	192.95	200/55R17 BLK	78V	TL	0302-0168	274.95
110/90-19 BLK	62H	TL	0305-0427	156.95	180/55Z18 BLK	(74W)	TL	0302-0169	294.95
120/70Z19 BLK	(60W)	TL	0301-0098	237.95	200/55R18 BLK	(79V)	TL	0302-0170	299.95
80/90-21 BLK	48H	TL	0305-0430	146.95	240/40R18 BLK	(79V)	TL	0302-0171	306.95
90/90-21 BLK	54H	TL	0350-0198	152.95	250/40R18 BLK	(81V)	TL	0302-0172	311.95
120/70-21 BLK (reinforced)	68V	TL	0305-0261	203.95	300/35R18 BLK	(87V)	TL	0302-0173	368.95
120/70-21 WWW (reinforced)	68V	TL	0305-0432	248.95	UNIVERSAL				
MH90-21 BLK (reinforced)	56V	TL	0305-0088	149.95	130/60R23 BLK	65V	TL	0301-0099³	219.95
MH90-21 WWW (reinforced)	56V	TL	0305-0272	197.95					
AV72 REAR									
150/90B15 BLK (reinforced)	80H	TL	0306-0463	233.95					
MT90B16 BLK (reinforced) (130/90B16 equivalent)	74H	TL	0306-0271¹	186.95					
MT90B16 WWW (reinforced) (130/90B16 equivalent)	74H	TL	0306-0272¹	233.95					

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

¹ Belted (non-radial) tire.
² Model-specific replacement tire for Honda GL1800 Gold Wing, Victory Ness/Tour/ Crossroads/Cross Country/Vision/Hardball.
³ Universal fitment front or rear.
⁴ OE replacement for Triumph Thunderbird LT.

All part numbers in **BOLD MAGENTA** are new this year.



VENOM-R REAR RADIALS

- Advanced casing technology for low rolling resistance, cooler running and high mileage
- Unique sequential tread pattern produces a quiet ride
- Multi-arc tread contour for light, neutral turn-in and cornering stability
- 180/55R18 tire is narrow 177mm width, good for use on customs that have narrow clearance
- Large 330-series custom size tire features a built-in rim protector
- 330-series tire recommended rim size is 12", 11.5" rim size minimum and 12.25" rim size maximum; tire outside diameter is approximately 25.0" (634mm), tire outside width is approximately 13.0" (330mm)
- Tubeless
- Blackwall
- V-rated to speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
AM42 VENOM R REAR				
330/30R17 BLK	87V	TL	0302-0035	\$461.95



AM42 Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
AM42 VENOM R REAR (CONT)				
180/55R18 BLK	74V	TL	0302-0445	\$290.95

AM20/AM21

CRUISER/REPLACEMENT TIRES

- Tread pattern provides traction in wet conditions for a positive braking "bite"
- Special contour promotes progressive lean-in when cornering
- Strong pre-stressed casing ensures excellent ride comfort and stability
- 230-series rear tire designed for fitment on 6 1/4" to 8" W rims
- Tubeless
- Blackwall
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
AM20 FRONT				
130/90-16 (reinforced)	73H	TL	AV-086	\$183.95
90/90-19	52H	TL	AV026	153.95
90/90-21	54H	TL	AV029	162.95



AM20 Front

AM21 Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
AM21 REAR				
230/60B15 (belted)	86H	TL	AV046	\$398.95
MT90-16 (reinforced)	74H	TL	AV040 ¹	191.95

¹ 130/90-16 equivalent.

GANGSTER RETRO WHITEWALL TIRE

- Retro appearance – tire features 2 3/4" W whitewall
- Can be used for front or rear wheel applications
- Tubeless; recommended for 16" Harley-Davidson® wheels
- H-rated for speeds up to 130 mph



Gangster

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
MT90-16 WWW	74H	TL	AV012 ^{1,2}	\$357.95

¹ 130/90-16 equivalent. ² Reinforced.

AM9 UNIVERSAL RETRO REPLACEMENT TIRES

- Tread pattern is designed to resist destabilizing
- Provides a wide contact patch on the road
- Can be used for both front or rear applications
- Tube type
- Blackwall
- H-rated for speeds up to 130 mph



AM9 Universal

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
4.10-19	61H	TT	AV007	\$189.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

ROADRIDER AM26

- Excellent grip at all lean angles from large contact patch
- Interrupted center groove to resist tracking
- Special rubber compound formulated for excellent grip
- Bias-ply construction
- Wide range of sizes and matching tread design front and rear
- Tubeless
- Blackwall
- V-rated for speeds up to 149 mph, or (V)-rated for speeds of 149+ mph



Roadrider AM26 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70-17	(54V)	TL	0305-0056	\$126.95
110/80-17	(57V)	TL	0305-0057	\$126.95
120/70-17	(58V)	TL	0305-0058	\$131.95
90/90-19	52V	TL	0305-0063	\$131.95
90/90-21	54V	TL	0305-0060	\$151.95
REAR				
160/80-15	74V	TL	0308-0036	\$203.95
MT90-16	(74V)	TL	0306-0052^{1,2}	\$181.95
150/80-16	(71V)	TL	0306-0061	\$203.95
130/70-17	62V	TL	0306-0068	\$154.95
130/80-17	65V	TL	0306-0056	\$163.95
130/90-17	68V	TL	0306-0055	\$173.95
140/70-17	66V	TL	0306-0062	\$158.95
150/70-17	(69V)	TL	0306-0054	\$163.95
4.00-18	64V	TL	0306-0060	\$159.95
120/80-18	62V	TL	0306-0065	\$156.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
120/90-18	65V	TL	0306-0057	\$173.95
130/70-18	(63V)	TL	0306-0059	\$167.95
130/80-18	(66V)	TL	0306-0067	\$190.95
140/70-18	(67V)	TL	0306-0066	\$215.95
150/70-18	(70V)	TL	0306-0058	\$181.95
UNIVERSAL FRONT OR REAR				
3.25-19	54V	TL	0305-0059	\$130.95
120/80-16	(60V)	TL	0306-0071	\$151.95
120/80-17	61V	TL	0306-0053	\$133.95
120/90-17	64V	TL	0306-0063	\$142.95
140/80-17	(69V)	TL	0306-0064	\$199.95
90/90-18	51V	TL	0305-0064	\$115.95
100/90-18	56V	TL	0306-0069	\$140.95
110/80-18	(58V)	TL	0306-0073	\$150.95
110/90-18	(61V)	TL	0306-0070	\$151.95
100/90-19	57V	TL	0306-0072	\$140.95

¹ Reinforced.

² 130/90-16 equivalent.

SPEEDMASTER (AM6)

- Great for positive steering, featuring a unique contour for long life and even wear
- Continuous sipe and uninterrupted tread ribs for added braking and handling capabilities
- Perfect match to our Safety Mileage rear
- Tube type
- Blackwall
- S-rated for speeds up to 112 mph



Speedmaster (AM6)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
3.25-19	54S	TT	AV001	\$140.95
3.50-19	57S	TT	AV002	\$142.95
3.00-21 (reinforced)	57S	TT	AV003	\$142.95

SIDECAR TRIPLE-DUTY

- Flat tread profile ensures a large contact patch
- Center rib for positive steering and stability
- Can be fitted on any position on side car
- Tube type
- Blackwall
- L-rated for speeds up to 75 mph



Sidecar Triple-Duty

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
3.50-19	57L	TT	AV006	\$184.95

SAFETY MILEAGE MARK II (AM7)

- Provides excellent handling and a smooth ride
- Perfect mate to Speedmaster front rib
- Tube type
- Blackwall
- S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
5.00-16	69S	TT	AV004	\$222.95
4.00-18	64S	TT	AV005	\$198.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



AV004

0306-0308

AV005/400

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
3.50-19	57S	TT	AV-400	\$163.95
4.00-19	65H	TT	0306-0308	\$252.95

All part numbers in **BOLD MAGENTA** are new this year.



AM63 VIPER STRYKE SCOOTER TIRES

- Modern scooter tires for today's bigger-engineered scooters
- Gives sure, safe-footed handling in all conditions
- Long tire life – an essential quality for today's scooter commuters
- Tubeless
- Blackwall
- P-rated for speeds up to 93 mph or S-rated for speeds up to 112 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT OR REAR				
130/70-12	62P	TL	0340-0060¹	\$59.95
130/60-13	60P	TL	0340-0061¹	65.95
FRONT				
110/90-13	56P	TL	0340-0043	64.95
120/70-14	55S	TL	0340-0045	64.95
120/80-14	58S	TL	0340-0047	78.95



AM63 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT (CONT)				
110/70-16	52S	TL	0340-0050	\$84.95
REAR				
130/70-13	63P	TL	0340-0052¹	72.95
150/70-13	64S	TL	0340-0053	91.95
120/80-16	60P	TL	0340-0057	108.95
140/70-16	65P	TL	0340-0058	129.95

¹ Reinforced.

AM43/AM44 DISTANZIA 80% ON-ROAD, 20% OFF-ROAD PERFORMANCE DUAL-SPORT TIRES

- Advanced tread pattern designed for on/off road applications
- VBD radial rear construction (some sizes) gives excellent straight-line stability and improved grip in corners; at the center of the tread, cables are very closely spaced for maximum stability and high wear resistance
- High-mileage compound for long-distance touring
- Tubeless
- Blackwall
- S-rated for speeds up to 112 mph, T-rated for speeds up to 118 mph, H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM43 FRONT				
120/70R17	58H	TL	AV-703^{1,2}	\$189.95
110/80R19	59H	TL	AV-702¹	177.95
110/80R19	59V	TL	0316-0025^{1,3}	179.95
100/90-19	57H	TL	AV-701	162.95
90/90-21	54V	TL	0316-0127	157.95
AM44 REAR				
130/80R17	65H	TL	AV-750¹	241.95



AM43 Distanzia Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM44 REAR (CONT)				
130/80-17	65T	TL	AV-753	\$194.95
140/80R17	69H	TL	AV-751¹	251.95
150/60R17	66H	TL	AV-757^{1,2}	251.95
150/70R17	69H	TL	AV-752¹	249.95
150/70R17	69V	TL	AV-758^{1,3}	249.95
160/60R17	69H	TL	AV-756^{1,2}	280.95
120/80-18 (4.60-18)	62S	TL	AV-755	166.95

¹ Radial tire construction. ² Ideal for Supersmoto use. ³ Fits Triumph Tiger.

AM24 GRIPSTER DUAL SPORT TIRES

- Performs equally well on highways and cross-country trails
- Deep tread pattern for long life and more grip
- Arrowhead tread pattern provides excellent self-cleaning ability
- Three-ply nylon construction
- Available in tubeless design; can also accept tubes
- Blackwall
- T-rated for speeds up to 118 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM24 FRONT				
90/90-21	54T	TL	AV146	\$139.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.

CONTINENTAL TIRE



Continental has been around for over 100 years and has a rich history in the motorcycle industry. Continental is Germany's largest tire manufacturer, fourth largest in the world and, having been founded in 1871 in Hanover, Germany, also one of the oldest. In 1956, Continental tires were on the first motorcycle that set the Land Speed Record at over 200 mph at Bonneville. Continental tires were on Bill Warner's motorcycle that set the Land Speed Record for a "sit-on" motorcycle at over 311 mph in 2011. These feats helped propel Continental into being one of the foremost motorcycle tire manufacturers in the world today.

CONTI SPORT ATTACK 2

HIGH-PERFORMANCE HYPERSPORT RADIAL TIRES

- Extraordinary light handling with outstanding grip and stability during cornering
- Exceptional control, riding performance, and optimal feedback when riding at the limit
- 0°-steel belt construction front and rear for higher stability and feedback when braking and accelerating out of corners
- "Black Chili" compound specially designed for supersport bikes consisting of highly structured racing black carbon for excellent cold grip and quick tire warm-up, grip resins for short braking distances and silica constituents for superior wet traction
- Multi-Grip Technology ensures high mileage and maximum grip in extreme lean angles up to 51°
- Traction Skin, a revolutionary tactile tread surface with a micro-roughness that optimizes the mechanical adhesion to the road, offering the safest and fastest tire break-in available
- Blackwall
- Tubeless
- (W)-rated for speeds over 168 mph



Conti Sport Attack 2 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70ZR17 (54W)		TL	0301-0353	\$158.95
120/60ZR17 (55W)		TL	0301-0354	161.95
120/70ZR17 (58W)		TL	0301-0355	176.95
REAR				
150/60ZR17 (66W)		TL	0302-0589	208.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
160/60ZR17 (69W)		TL	0302-0590	\$212.95
180/55ZR17 (73W)		TL	0304-0193¹	235.95
180/55ZR17 (73W)		TL	0302-0591	226.95
190/50ZR17 (73W)		TL	0302-0592	235.95
190/50ZR17 (73W)		TL	0304-0194¹	242.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
190/55ZR17 (75W)		TL	0302-0593	\$242.95
200/55ZR17 (78W)		TL	0302-0731	252.95

¹ C-spec fit R1200R, R1200RT, K1200GT, K1200RS.

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	CODE	PART #	SUG. RETAIL
BMW							
S1000RR	F	120/70ZR17	(58W)	TL	Conti Sport Attack 2	0301-0355	\$176.95
12-14	R	190/55ZR17	(75W)	TL	Conti Sport Attack 2	0302-0593	242.95
KTM							
RC8 13-14	F	120/70ZR17	(58W)	TL	Conti Sport Attack 2	0301-0355	176.95
	R	190/55ZR17	(75W)	TL	Conti Sport Attack 2	0302-0593	242.95

CONTI SPORT ATTACK
VALUE SPORT RADIAL TIRES

- Engineered to meet the demands of today's powerful high-performance sportbikes and naked muscle bikes
- 0° steel belt spooled onto a rayon base construction delivers the highest possible levels of grip, stability and control
- Ideal occasional track day tire
- Excellent grip in dry and wet conditions
- Excellent braking feedback
- Positive feedback at maximum lean angles
- Multi-Grip Technology features a single compound which is cured via a process to yield multiple compounds without the abrupt transitions lines between the compounds
- Continuous transition from center to shoulderequals smooth, predictable performance
- Reduced kickback under hard acceleration
- Stunning tread pattern to match today's sportbikes
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph



Conti Sport Attack Front/Rear



SPORT ATTACK GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/60ZR17 (55W)		TL	0301-0052	\$142.95
120/70ZR17 (58W)		TL	0301-0568	127.95
REAR				
180/55ZR17 (73W)		TL	0302-0939	158.95
190/50ZR17 (73W)		TL	0302-0940	164.95
190/55ZR17 (75W)		TL	0302-0941	171.95

SPORT ATTACK MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	CODE	PART #	SUG. RETAIL
BMW							
F800S 07	F	120/70ZR17	(58W)	TL	Conti Sport Attack	0301-0568	\$127.95
	R	180/55ZR17	(73W)	TL	Conti Sport Attack	0302-0939¹	158.95
R1200S 06-07	F	120/70ZR17	(58W)	TL	Conti Sport Attack	0301-0568	127.95
K1300S 09-12, K1300R 09	F	120/70ZR17	(58W)	TL	Conti Sport Attack	0301-0568	127.95
KTM							
990 Supermoto T/R 10-11	F	120/70ZR17	(58W)	TL	Conti Sport Attack	0301-0568	127.95
	R	180/55ZR17	(73W)	TL	Conti Sport Attack	0302-0939	158.95

¹ For 5 1/2" rim.

² For 6" rim.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



CONTI ROAD ATTACK 2 EVO THE EVOLUTION OF HYPER SPORT-TOURING

- The latest in compound and tread technology deliver radically improved mileage combined with a level of grip, safety and dynamics never known before in the hyper sport-touring market
- Tire "wet grip" compound with high silica content and functional tread design provide unsurpassed grip with the utmost in confidence when roads turn wet
- Increased tread depth translates to further increased mileage
- Traction Skin, the revolutionary new micro-roughness of the tread optimizes the mechanical adhesion and offers the safest, fastest break-in period in the market
- Multi-Grip Technology is a single compound that is used through a temperature controlled curing process delivers the benefits of a multi-compound tire without the abrupt transition between the different compounds that other multi-compound tires are known for
- 0° steel belted construction, improved stability, handling and control of the bike by using patented steel cord construction and a unique contour
- Blackwall
- Tubeless
- V-rated for speeds up to 149 mph, or (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0509	\$193.95
110/80R19	59V	TL	0301-0510	199.95
REAR				
150/70R17	69V	TL	0302-0861	238.95

CONTI ROAD ATTACK 2 HYPER SPORT-TOURING RADIAL TIRES

- Revolutionary new technology that offers a level of grip, confidence, mileage and dynamics never known before in the sport-touring radial market
- Features Continuous Compound Technology – this is the use of a single compound with a temperature-controlled curing process that delivers the benefits of a multi-compound tire: a wear-resistant center tread area for high mileage, increased shoulder tread area for improved grip, and a continuous transition from the center of the tire to the shoulder area for smooth, predictable performance
- "Black Chili" compound for quick warm-up, short braking distance and excellent grip on wet and dry roads
- Traction Skin, the revolutionary new micro-roughness of the tread, optimizes the mechanical adhesion and offers the fastest break-in period in the market
- Features DynamicRideTechnology, a patented steel belt construction with a unique contour to improve overall handling and control
- Road Attack 2 GT features special construction design of the carcass, which improves the stability and handling on heavy touring bikes
- Tubeless
- V-rated for speeds up to 149 mph, W-rated for speeds up to 168 mph, or (W)-rated for speeds over 168 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
CONTI ROAD ATTACK 2 GENERAL REPLACEMENT TIRES				
FRONT				
110/70ZR-17	54W	TL	0301-0275	\$158.95
120/60ZR-17	(55W)	TL	0301-0276	156.95
120/70ZR-17	(58W)	TL	0301-0277	180.95
120/70ZR-17	(58W)	TL	0301-0358¹	180.95
110/80ZR-18	(58W)	TL	0301-0278	173.95
120/70ZR-18	(59W)	TL	0301-0279	172.95
110/80R-19	59V	TL	0301-0280²	195.95
REAR				
150/70R-17	69V	TL	0302-0468²	240.95
150/70ZR-17	69W	TL	0302-0461	222.95

OEM AND MODEL SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	CODE	PART #	SUG. RETAIL
BMW							
K 1200 R/RT	F	120/70ZR-17	(58W)	TL	Conti Road Attack 2(c)	0303-0171	\$180.95
	R	180/55ZR-17	(73W)	TL	Conti Road Attack 2(c)	0304-0174	240.95
K 1600GT/GTL	F	120/70ZR-17	(58W)	TL	Conti Road Attack 2 GT	0301-0441	180.95
	R	190/55ZR-17	(75W)	TL	Conti Road Attack 2 GT	0302-0735	229.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

2015 TIRE CATALOG



Conti Road Attack 2 EVO Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
160/60ZR17	(69W)	TL	0302-0862	\$225.95
180/55ZR17	(73W)	TL	0302-0863	241.95
190/50ZR17	(73W)	TL	0302-0864	257.95
190/55ZR17	(75W)	TL	0302-0865	259.95



Conti Road Attack 2 Front/Rear

STREET

DRAIN
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

CONTI ATTACK SM ADVANCED HIGH-PERFORMANCE SUPERMOTO TIRES

- Extraordinary light handling with outstanding grip curve stability
- Exceptional control of riding performance and optimal feedback in the limit range
- 0°-steel belt construction on the front and rear for higher stability and feedback when braking into and accelerating out of curves
- Good cold grip and quick tire warm-up through a newly developed "Black Chili" tread compound, specially designed for supermoto riding
- Approved Continuous Compound Technology ensures high mileage and maximum grip in extreme lean angles
- Traction Skin provides an extremely safe and short tire break-in
- Traction Skin provides revolutionary raw tread surface, the result of a mold-coating technology which eliminates the need for tire-release agents
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph



Conti Attack SM Front/Rear

MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
HONDA						
CBR250R 13-14	F	110/70R17	54H	TL	0301-0356	\$158.95
	R	140/70R17	66H	TL	0302-0720	212.95

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
KTM						
690 SMC 07-14	F	120/70R17	58H	TL	0301-0357¹	\$179.95
	R	160/60R17	69H	TL	0302-0595	231.95

¹ OEM on 12-13 690 SMC.

CONTI ATTACK GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70R17	54H	TL	0301-0356	\$158.95
120/70R17	58H	TL	0301-0357	179.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
140/70R17	66H	TL	0302-0720	\$212.95
150/60R17	66H	TL	0302-0594	221.95
160/60R17	69H	TL	0302-0595	231.95

CONTI MILESTONE AND MILESTONE MILEAGE PLUS HIGH-PERFORMANCE CRUISER/TOURING TIRES



- Wide range of applications for heavy touring and cruiser bikes
- Exclusive activated silica compound delivers exceptional high mileage and wet grip
- Reinforced casing for extra load carrying capacity
- Extra-deep tread patterns give improved grip on wet roads
- Front and rear tread patterns have a unique, performance-enhancing design to complement any bike
- Advanced carcass design technology yields unmatched comfort, handling and stability
- New Milestone Mileage Plus rear tire has new compound that significantly extends mileage while maintaining exceptional handling
- Blackwall (BLK) or wide white stripe sidewall (WWW) sidewalls
- Tubeless
- H-rated for speeds up to 130 mph



CM1/2 Front/Rear

CM1/2 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
CM1 FRONT				
MT90B16 BLK	74H	TL	0305-0379	\$156.95
MT90B16 WWW	74H	TL	0305-0378	192.95
130/90-16 BLK	67H	TL	98007	146.95
130/90-16, WWW	67H	TL	98013	185.95
130/80B17 BLK	65H	TL	0305-0380	174.95
130/80B17 WWW	65H	TL	0305-0381	192.95
130/70B18 BLK	65H	TL	0305-0382	178.95
130/70B18 WWW	65H	TL	0305-0383	221.95
100/90-19 BLK	57H	TL	98008	127.95
110/90-19 BLK	62H	TL	98009	126.95
80/90-21 BLK	48H	TL	98010	111.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
CM2 PLUS REAR				
140/90-15 BLK	70H	TL	0306-0285	\$169.95
150/90-15 BLK	80H	TL	0306-0286	196.95
170/80-15 BLK	77H	TL	0306-0287	189.95
MT90B16	74H	TL	0306-0404	187.95
MT90B16 WWW	74H	TL	0306-0405	209.95
MU85B16	77H	TL	0306-0406	185.95
MU85B16 WWW	77H	TL	0306-0407	207.95
150/80B16	77H	TL	0306-0408	189.95
150/80B16 WWW	77H	TL	0306-0409	221.95
180/65B16	81H	TL	0306-0410	253.95
180/65B16 WWW	81H	TL	0306-0411	286.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



CONTI MOTION

HIGH-PERFORMANCE SPORT-TOURING RADIAL TIRES

- Sport touring all-season radial with high-end performance at a lower price
- Ideal for entry-level riders and economic-minded veterans
- Offers safe, reliable feedback on dry or wet roads
- Formulated polymers in the compound deliver an impressive cost/mileage ratio
- 0° steel-belt construction for improved stability and a smooth ride
- Value-priced leader
- Blackwall
- Tubeless
- H-rated for speeds to 130 mph, W-rated for speeds up to 168 mph, (W)-rated for speeds of 168+ mph



Conti Motion Front/Rear

CONTI MOTION GENERAL REPLACEMENT TIRES

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70ZR17	54W	TL	0301-0145	\$98.95
120/60ZR17	(55W)	TL	0301-0133	98.95
120/70ZR17	(58W)	TL	0301-0134	98.95
REAR				
150/70ZR17	69W	TL	0302-0250	136.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
160/60ZR17	(69W)	TL	0302-0234	\$115.95
170/60ZR17	(72W)	TL	0302-0251	116.95
180/55ZR17	(73W)	TL	0302-0235	131.95
190/50ZR17	(73W)	TL	0302-0236	137.95

CONTI GO!

GENERAL REPLACEMENT BIAS PLY TIRES

- Cross-ply tire for all-round use
- Developed as modern technology to meet the growing popularity of older machines
- Provides the perfect grip under all weather conditions for all-year-round use
- Up-to-date compound technology ensures excellent mileage
- Innovative tread pattern design for even wear and good water dispersion
- Improved carcass construction for easy handling and high stability
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph



Conti Go! Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/80-16	60V	TL	0305-0089	\$166.95
110/70-17	54H	TL	0305-0090	123.95
110/80-17	57V	TL	0305-0091	171.95
90/90-18	51H	TL	0305-0092	120.95
100/90-18	56V	TL	0305-0085	120.95
110/80-18	58V	TL	0305-0093	128.95
110/90-18	61H	TL	0305-0094	124.95
3.25-19	54H	TL	0305-0086	111.95
100/90-19	57V	TL	0305-0095	124.95
90/90-21	54H	TL	0305-0096	128.95
3.00-21	51H	TL	0305-0108	105.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/70-17	62H	TL	0306-0099	\$149.95
130/80-17	65H	TL	0306-0100	152.95
130/90-16	67V	TL	0306-0098	172.95
130/90-17	68V	TL	0306-0101	149.95
140/80-17	69V	TL	0306-0102	173.95
110/90-18	61H	TL	0306-0103	147.95
4.00-18	64H	TL	0306-0096	135.95
120/90-18	65V	TL	0306-0097	151.95
130/70-18	63H	TL	0306-0104	163.95
130/80-18	66V	TL	0306-0105	167.95
150/70-18	70V	TL	0306-0106	188.95



RBK/K112 Front/Rear

CONTI TWINS

RB2/K112 VINTAGE/CLASSIC TIRES

- For classic models such as BMW airhead
- Designed to complement each other
- Long mileage and predictable handling
- Great for rigid frame applications
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
RB2 FRONT				
3.25-19	54H	TL	97190	\$148.95
K112 REAR				
MT90-16	71H	TL	97110	203.95
4.00-18	64H	TL	97308	196.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

D.R.A.G.
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



TKV11/TKV12 Front/Rear

CONTI ULTRA
TKV11/12 SPORT/CLASSIC TIRES

- TKV11 features tread design that minimizes aquaplaning in wet conditions
- TKV12 tread design ensures maximum contact patch, even at extreme lean angles
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
TKV11 FRONT				
110/90-16	59V	TL	97946	\$117.95
90/90-18	51H	TL	97953	117.95
100/90-18	56V	TL	97954	117.95
TKV12 REAR				
130/90-16	67V	TL	97960	130.95
110/90-18	61H	TL	97961	161.95

CLASSIC ATTACK
RADIAL UPGRADE TIRES FOR CLASSIC BIKES

- Brand new concept radial for the classic bike market
- Enhances and sharpens handling of a vintage/classic bike designed to run on bias ply tires to the level of a modern radial tire bike
- Perfect grip under all weather conditions
- Excellent mileage due to up-to-date compound technology
- Innovative tread pattern design for even wear and good water disbursement
- Improved carcass construction for easy handling and high levels of stability
- 0° steel-belted construction, front and rear, guarantees excellent stability at high speeds
- Multi-Grip Technology makes it possible to use a homogeneous grip grading with a single compound thanks to a temperature-controlled curing of the tire during the production process; Shoulder area: flexible for better grip; Zenith area: wear resistant for better mileage; Continuous transition
- Traction Skin provides an extremely safe and short tire break-in, which is possible due to the revolutionary raw tread surface – result of a new mold-coating technology which eliminates the need for tire-release agents
- Blackwall
- Tubeless
- V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
90/90R18	51V	TL	0301-0569	\$188.95
100/90R19	57V	TL	0301-0435	188.95



Classic Attack Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
110/90R18	61V	TL	0302-0721	\$195.95
120/90R18	65V	TL	0302-0722	202.95
110/85R19	61V	TL	0302-0942	195.95

SCOOTER TIRES

- Modern compound and construction methods deliver up-to-date performance
- Can be used as front or rear
- Tubeless
- J-rated for up to 62 mph or L-rated for speeds up to 75 mph



K 62 Front/Rear

LB Front/Rear

Zippy 1 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
K 62 FRONT/REAR WHITEWALL				
3.50-10	59J	TL	0340-0006	\$109.95
LB FRONT/REAR WHITEWALL				
3.50-8	46J	TT	0340-0007	96.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
ZIPPY 1 FRONT/REAR				
3.00-10	50J	TL	97100	\$45.95
3.50-10	59J	TL	97101	51.95
120/70-12	58L	TL	0340-0076	59.95
130/70-12	62L	TL	0340-0077	63.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



TRAIL ATTACK 2

DUAL-SPORT RADIAL TIRES

90% ON-ROAD/10% OFF-ROAD

- Advanced adventure touring/dual-sport tire for large-capacity bikes
- Engineered to meet the demands of today's modern powerful, high-performance adventure touring/enduro machines
- 0° steel-belt construction on the rear tire delivers superior stability and comfort even at high cruising speeds and high loads
- Reinforced carcass on the front tire utilizes a newly designed tread pattern to ensure higher precision and optimized wear
- Improved touring compound offers high grip in all wet and dry conditions combined with excellent mileage for long trips
- Exceptionally quick warm-up time
- Stunning new tread pattern adapted from the Conti-Attack family
- Multi-Grip Technology makes it possible to use a homogeneous grip grading with a single compound thanks to a temperature-controlled curing of the tire during the production process; Shoulder area, flexible for better grip; Zenith area, wear resistant for better mileage; Continuous transition
- Traction Skin provides an extremely safe and short tire break-in in which is possible due to the revolutionary raw tread surface; result of a new mold-coating technology which eliminates the need for tire-release agents
- Tubeless
- Blackwall
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, W-rated for speeds up to 168 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	58W	TL	0316-0157	\$176.95
100/90B19	57H	TL	0316-0153	93.95
110/80R19	59V	TL	0316-0154	180.95
110/80R19	59V	TL	0316-0193	189.95
120/70R19	60V	TL	0316-0155	171.95
90/90B21	54V	TL	0316-0156	113.95
120/70ZR19	58W	TL	0316-0161	191.95



Trail Attack 2 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/80R17	65H	TL	0317-0165	\$204.95
140/80R17	69H	TL	0317-0166	214.95
150/70R17	69V	TL	0317-0167	233.95
160/60ZR17	72V	TL	0317-0223	243.95
170/60R17	72V	TL	0317-0168	248.95
170/60ZR17	72V	TL	0317-0178	251.95
180/55ZR17	73W	TL	0317-0169	251.95
190/55ZR17	75W	TL	0317-0170	258.95
140/80-18	69H	TL	0317-0177	175.95
150/70R18	70W	TL	0317-0171	230.95

OEM AND MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	CODE	PART#	SUG. RETAIL
BMW							
F650/700	F	110/80R19	59V	TL	Trail Attack 2	0316-0193¹	\$189.95
R1200GS 13	F	120/70/19	60V	TL	Trail Attack 2	0316-0155	171.95
	R	170/60R17	72V	TL	Trail Attack 2	0317-0168	248.95
1200GS 13	F	120/70ZR19	58W	TL	Trail Attack 2	0316-0161	191.95
	R	170/60R17	72V	TL	Trail Attack 2	0317-0168	248.95

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	CODE	PART#	SUG. RETAIL
KTM							
1190 Adv. 13	F	120/70ZR19	58W	TL	Trail Attack 2	0316-0161¹	\$191.95
	R	170/60ZR17	72V	TL	Trail Attack 2	0317-0178	251.95
1190 Adv. R 13	F	90/90B21	54V	TL	Trail Attack 2	0316-0156	113.95

¹ K-spec.



Conti Escape Front/Rear

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



TKC 70

60% ON/40% OFF-ROAD ADVENTURE TIRES

- Combines rugged off-road ability with balanced street performance
- Select sizes feature radial tire construction in a off-road use trail tire
- Unique tread block pattern makes this tire quiet and stable on the road
- Agile on asphalt or gravel
- MultiGrip semi-dual tire compound technology allows different levels of tire "hardness" on the central tread and tire shoulder area for extended mileage and improved grip
- RainGrip technology provides outstanding wet-weather grip and short tire warm-up times
- High stability and low kickback from 0° steel belted construction
- Blackwall
- Tubeless (TL)
- T-rated for speeds up to 118 mph or V-rated for speeds up to 149 mph

SIZE & RATING	LOAD/SPEED INDEX	TT/TL PART #	SUG. RETAIL
FRONT BIAS			
100/90-19	57T	TL 0316-0210	\$108.95
90/90-21	54T	TL 0316-0213	113.95
FRONT RADIAL			
110/80R19	59V	TL 0316-0211	180.95
120/70R19	60V	TL 0316-0212	171.95

SIZE & RATING	LOAD/SPEED INDEX	TT/TL PART #	SUG. RETAIL
REAR BIAS			
120/90-17	64T	TL 0317-0239	\$174.95
130/80-17	65T	TL 0317-0240	204.95
4.00-18	64T	TL 0317-0244	151.95

TKC 70 Front/Rear

SIZE & RATING	LOAD/SPEED INDEX	TT/TL PART #	SUG. RETAIL
REAR RADIAL			
140/80R17	69T	TL 0317-0241	\$214.95
150/70R17	69V	TL 0317-0242	233.95
170/60R17	72V	TL 0317-0243	248.95
150/70R18	70T	TL 0317-0245	230.95

TWINDURO TKC80

DUAL-SPORT DOT

40% ON-ROAD, 60% OFF-ROAD TIRES

- Continental's dual-sport tire with a compound and block pattern to optimize street and off-road performance
- Excellent braking and traction on a wide range of surfaces from loose to hard pack
- Blackwall
- Tubeless or tube-type
- Q-rated for speeds up to 100 mph, R-rated for speeds up to 106 mph, S-rated for speeds up to 112 mph or T-rated for speeds up to 118 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70B17	58Q	TL	0316-0137	\$139.95
100/90-19	57S	TT	0316-0038	122.95
110/80B19	59Q	TL	97388	165.95
120/70B19	60Q	TL	0316-0163	177.95
90/90S-21	54S	TL	97391	115.95
REAR				
120/90-17	64S	TT	0317-0180	150.95
130/80-17	65T	TL	97394	159.95
140/80-17	69Q	TL	0317-0183	191.95



Twinduro Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
150/70B17	69Q	TL	97398	\$203.95
170/60B17	72Q	TL	0317-0184	212.95
180/55B17	73Q	TL	0317-0146	242.95
4.00-18	64R	TT	0317-0187	129.95
120/90-18	65R	TT	97395	140.95
140/80-18	70R	TT	97396	139.95
150/70B18	70Q	TT	0317-0023	232.95
150/70B18	70Q	TL	0317-0227	232.95

MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW						
F650GS (all)	F	110/80B19	59Q	TL	97388	\$165.95
	R	130/80-17	65T	TL	97394	159.95
R850GS, R1100GS, R1150GS,	F	110/80B19	59Q	TL	97388	165.95
R1200GS Adventure (all)	R	150/70B17	69Q	TL	97398	203.95

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
KTM						
690 Enduro (all),	F	90/90-21	54S	TL	97391	\$115.95
990 Adventure	R	150-70-18	70Q	TT	0317-0023	232.95

OEM REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
BMW						
R1150GS/R1200 GS	F	110/80B19	59Q	TL	97388	\$165.95
Adventure 02-12	R	150/70B17	69Q	TL	97398	203.95
1200GS Adv. 13	F	120/70B19	60Q	TL	0316-0163	177.95
	R	170/60B17	72Q	TL	0317-0184	212.95

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
KTM						
690 Enduro R	F	90/90S-21	54S	TL	97391	\$115.95
	R	140/80-18	70R	TL	97396	139.95
1190 Adv. R 13	F	90/90S-21	54S	TL	97391	115.95
	R	150-70B 18	70Q	TT	0317-0023	232.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

KENDA**K673 KRUIZ****CRUISER/TOURING BIAS PLY TIRES**

- Designed to meet the needs and looks of high-load carrying motorcycles
- Tread design, front and rear, with deep wide grooves for all-weather cruising
- 3+2 casing design, front and rear, for improved handling and high-load carrying capacity
- Unique rubber compound for improved mileage and all-weather traction
- Revolutionary inflated tire shapes for improved straight-line stability and cornering performance
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/90-16	72H	TL	K673-01	\$110.95
150/80-16	71H	TL	0305-0199	138.95
130/70-18	63H	TL	0306-0116	114.95
100/90-19	57H	TL	K673-03	80.95
110/90-18	61H	TL	0306-0043	81.95
120/90-18	71H	TL	0306-0044	88.95
110/90-19	62H	TL	0305-0052	81.95
80/90-21	48H	TL	K673-04	80.95

**K673 Front/Rear**

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
140/90-15	70H	TL	0306-0045	\$120.95
150/90-15	74H	TL	0306-0046	143.95
170/80-15	77H	TL	0306-0042	135.95
130/90-16	74H	TL	K673-02	117.95
140/90-16	77H	TL	0306-0047	146.95
150/80-16	71H	TL	0306-0048	138.95
160/80-16	75H	TL	0306-0049	146.95

**K657 Front/Rear****K657 CHALLENGER****SPORT CRUISER/TOURING BIAS PLY TIRES**

- Six-ply-rated nylon casing with special insert plies that help reduce heat and prolong tire life
- Outstanding directional stability
- Angled grooves are combined with unidirectional tread design to provide excellent wet-weather traction
- Tube/tubeless
- Not for high-load carrying motorcycles
- Blackwall
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/90-16	74H	TL	K6581	\$92.95
100/90-18	56H	TL	K6578	70.95
100/90-19	57H	TL	K6572	71.95
110/90-19	68H	TL	K657-10	76.95
90/100-21	56H	TL	K6582	87.95
REAR				
130/90-15	66H	TL	K6570	87.95
140/90-15	70H	TL	K6573	97.95
120/90-16	74H	TL	K6577	83.95
130/90-16	74H	TL	K6571	92.95
140/90-16	74H	TL	K6579	102.95
130/90-17	68H	TL	K6574	93.95
110/90-18	61H	TL	K6580	77.95
120/90-18	65H	TL	K6575	84.95
130/90-18	69H	TL	K6576	101.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

**K671 Front/Rear****K671 CRUISER****SPORTS CRUISER BIAS PLY TIRES**

- Aggressive tread design provides excellent traction and performance
- Matched front/rear pattern for superior stability and maximum handling
- Deep, offset tread sipes deliver outstanding water dispersion and wet-weather traction
- Tubeless construction for touring and cruiser bikes
- Low-profile sport tire design
- Strong, six-ply-rated carcass
- Wide contact patch for superior traction and increased mileage
- Not for high-load carrying motorcycles
- Blackwall
- H-rated for speeds up to 130 mph or P-rated for speeds up to 93 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90-16	54H	TL	K67101	\$79.95
110/70-16	52P	TL	K671-06	86.95
110/80-17	57H	TL	K67102	91.95
110/70-17	54H	TL	K67103	86.95
90/90-18	51H	TL	K67104	84.95
100/90-19	57H	TL	K67105	76.95
REAR				
130/90-15	66H	TL	K67126	89.95
170/80-15	77H	TL	K671-28	114.95
130/90-16	74H	TL	K67127	97.95
140/70-16	65P	TL	K671-29	100.95
130/70-17	62H	TL	K67121	94.95
140/70-17	66H	TL	K67122	100.95
150/70-17	69H	TL	K67123	103.95
130/70-18	63H	TL	K67124	100.95
140/70-18	67H	TL	K67125	109.95

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX

KENDA**K676 RETROACTIVE**

- Sport bias belted tire for the classic bikes of the 70's and 80's
- Designed for all-weather riding conditions
- New rubber compound for improved durability and mileage
- Improved crown radius for larger footprint in corners
- Blackwall
- Tubeless
- V-rated for speeds up to 130 mph

NOTE: NOT recommended for high load carrying vehicles.

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
120/80B16	TL	0305-0301	\$119.95
110/80B17	TL	0305-0300	122.95
100/90B18	TL	0305-0298	123.95
100/90B19	TL	0305-0299	118.95
REAR			
130/90B16	TL	0306-0317	137.95

K676 Front/Rear

SIZE	TL/TT	PART #	SUG. RETAIL
REAR (CONT)			
150/80B16	TL	0306-0321	\$156.95
140/80B17	TL	0306-0318	165.95
150/70B17	TL	0306-0316	170.95
120/90B18	TL	0306-0320	138.95
130/80B18	TL	0306-0319	142.95

K413**PERFORMANCE SCOOTER TIRES**

- Race inspired tread pattern
- Four-ply rated
- Metric sizes for many models
- Blackwall
- Tubeless

SIZE	TL/TT	PART #	SUG. RETAIL
3.00-10	TL	K413-01	\$29.95
3.50-10	TL	K413-02	32.95
90/90-10	TL	K413-03	29.95
100/80-10	TL	K413-04	32.95
100/90-10	TL	K413-05	34.95

SIZE	TL/TT	PART #	SUG. RETAIL
110/80-10	TL	K413-06	\$37.95
120/90-10	TL	K413-07	43.95
130/70-10	TL	K413-08	47.95
130/90-10	TL	K413-09	44.95
110/70-12	TL	K413-10	37.95

K413

SIZE	TL/TT	PART #	SUG. RETAIL
120/70-12	TL	K413-11	\$47.95
130/70-12	TL	K413-12	42.95
140/70-12	TL	K413-13	47.95
130/60-13	TL	K413-15	48.95

**K329****TOURING SCOOTER TIRES**

- Good balance between mileage and wet traction
- Four-ply rated
- Blackwall
- Tubeless

SIZE	TL/TT	PART #	SUG. RETAIL
2.50-10	TT	K329-01	\$20.95
2.75-10	TT	K329-02	22.95

SIZE	TL/TT	PART #	SUG. RETAIL
3.50-10	TL/TT	K329-03	\$31.95
90/90-10	TL/TT	K329-04	28.95

K329

SIZE	TL/TT	PART #	SUG. RETAIL
120/90-10	TL	K329-05	\$43.95
140/90-10	TL	K329-06	48.95



SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

KENDA

K784 BIG BLOCK DUAL SPORT TIRES

- Kenda's all-new and true "Adventure" tire combination
- Designed specifically to meet the demands of the high powered adventure rider
- Features large tread blocks for improved tread wear and high speed handling
- High-impact casing provides a high level of puncture resistance
- Includes bias belted casing for improved handling and stability
- Rubber compound
- Created specifically for wet-slick and dry-hard packed terrain
- DOT and E-mark approved
- Blackwall
- Tubeless
- Q-rated for speeds up to 100 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90B19	57Q	TL	0316-0106	\$132.95
110/80B19	59Q	TL	0316-0105	129.95
90/90B21	54Q	TL	0316-0107	106.95



K784 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/80B17	65Q	TL	0317-0101	\$120.95
150/70B17	69Q	TL	0317-0099	174.95
140/80B18	70Q	TL	0317-0102	127.95
150/70B18	70Q	TL	0317-0100	184.95

K761 DUAL SPORT

80% ON 20% OFF DUAL-SPORT TIRES

- DOT approved
- Unique combination of street and off-road grip provides maximum performance
- Strong and durable nylon four-ply construction
- The advanced compound design gives better stability, cornering traction and braking control
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph or P-rated for speeds up to 93 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/80-18	64H	TL	0317-0141	\$83.95
100/90-19	66H	TL	0317-0143	83.95
90/90-21	54H	TL	0316-0134	70.95



K761 Dual Sport Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
120/90-17	64H	TL	0317-0139	\$87.95
130/80-17	65H	TT	0317-0140	91.95
120/80-18	62H	TL	0317-0142	87.95

K761

DUAL-PURPOSE SCOOTER TIRES

- DOT approved
- Unique combination of street and off-road grip provides maximum performance
- Strong and durable nylon four-ply construction
- The advanced compound design gives better stability, cornering traction and braking control
- Blackwall
- Tubeless

SIZE	TL/TT	PART #	SUG. RETAIL
FRONT			
110/70-12	TL	K761-03	\$42.95
110/90-12	TL	K761-04	47.95
REAR			
120/90-10	TL	K761-01	44.95



K761 Front/Rear

SIZE	TL/TT	PART #	SUG. RETAIL
REAR (CONT)			
130/90-10	TL	K761-02	\$44.95
120/70-12	TL	K761-05	39.95
130/70-12	TL	K761-07	44.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



RX-02 ROAD WINNER BIAS TIRES

BIAS SPORTBIKE TIRES

- The next generation of RX-series tires
- More neutral cross-sectional shape for improved handling and stability
- Improved wet and dry grip performance
- Extended mileage compared to RX-01
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph



RX-02 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
RX-02 FRONT				
100/80-17	52H	TL	0305-0400	\$127.95
110/70-17	54H	TL	0305-0401	127.95
110/80-17	57H	TL	0305-0402	136.95
120/70-17	58H	TL	0305-0403	145.95
RX-02 REAR				
120/80-17	61H	TL	0306-0432	145.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
RX-02 REAR (CONT)				
130/70-17	62H	TL	0306-0433	\$145.95
130/80-17	65H	TL	0306-0434	158.95
140/70-17	66H	TL	0306-0436	158.95
150/70-17	69H	TL	0306-0437	188.95
140/70-18	67H	TL	0306-0435	158.95
150/70-18	70H	TL	0306-0438	188.95

RX-01 ROAD WINNER BIAS SPORTBIKE TIRES

- Unique, aggressive tread design
- Narrow grooves create a flexible tread surface for a superior road-holding performance
- Stronger casing construction for better stability
- Blackwall
- Tubeless
- S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph



RX-01 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70-17	54H	TL	IRC-370	\$120.95
110/70-17	54S	TT	0307-0055	59.95
110/80-17	57H	TL	IRC-371	129.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/70-17	62H	TL	IRC-372	\$137.95
130/70-17	62S	TT	0308-0040	85.95
140/70-17	66H	TL	IRC-376	149.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



WF-920 WILD FLARE BIAS TOURING/CRUISER TIRES

- Fantastic look and performance to match
- Reliable tire designed for good looks and function
- Also available in heavy-duty version; added reinforcement to the sidewall/tire bead junction helps prevent torsional-flexing under heavy loads and provides extended mileage
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph

WF-920HD HEAVY DUTY/EXTENDED MILEAGE

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/90-16	73H	TL	0305-0053	\$145.95
REAR				
130/90-16	73H	TL	0306-0050	187.95
150/80-16	71H	TL	0306-0074	182.95



WF-920 Front/Rear

WF-920

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/90-16	67H	TL	IRC-704	\$134.95
120/80-17	61H	TL	IRC-703	134.95
120/90-17	64H	TL	0305-0066	134.95
120/90-18	65H	TL	IRC-702	134.95
90/90-19	49H	TL	0305-0067	127.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT (CONT)				
100/90-19	57H	TL	IRC-701	\$127.95
110/90-19	62H	TL	IRC-705	134.95
80/90-21	48H	TL	IRC-700	127.95
REAR				
140/90-15	70H	TL	IRC-725	162.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
150/80-15	70H	TL	IRC-723	\$171.95
150/90-15	74H	TL	IRC-722	171.95
170/80-15	77H	TL	IRC-724	184.95
130/90-16	67H	TL	IRC-720	154.95
140/90-16	71H	TL	IRC-721	171.95

DUROTOUR RS-310 BIAS SPORT TOURING TIRES

- Low profile provides a large contact patch and tread compound is formulated for extended mileage
- Blackwall
- Tube/tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90-16	54H	TL	IRC-296	\$129.95
120/80-16	60H	TL	IRC-297	131.95
90/90-18	51H	TL	IRC-298	129.95
100/90-18	56H	TL	IRC-291	131.95
110/90-18	61H	TL	IRC-292	131.95
100/90-19	57H	TL	IRC-294	131.95
REAR				
140/90-15	70H	TL	IRC-311	162.95
150/90-15	74H	TL	IRC-312	168.95
120/90-16	63H	TL	IRC-302	131.95



RS-310 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
130/90-16	67H	TL	IRC-304	\$168.95
110/90-17	60H	TL	IRC-313	129.95
120/90-17	64H	TL	IRC-314	150.95
130/90-17	68H	TL	IRC-306	162.95
110/80-18	58H	TL	IRC-315	136.95
110/90-18	61H	TL	IRC-310	136.95
120/80-18	62H	TL	IRC-318	150.95
120/90-18	65H	TL	IRC-309	156.95
130/80-18	66H	TL	IRC-319	162.95
130/90-18	69H	TL	IRC-308	162.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

The Motorsport Spirit
IRC

GS-11**BIAS GENERAL
REPLACEMENT TIRES**

- Standard inch and low-profile inch series sizes
- Provides good traction, braking and cornering as well as excellent mileage for just about any small to midsize motorcycle
- Blackwall
- Tube type
- S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph

**GS-11 Front/Rear**

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
3.00-18	47S	TT	IRC-14	\$89.95
3.25-19	54H	TT	IRC-12	104.95
3.50-19	57H	TT	IRC-13	105.95
REAR				
4.60-16	60S	TT	IRC-110	101.95
3.50-18	56S	TT	IRC-08	101.95
4.00-18	64H	TT	IRC-10	122.95

NR77**GENERAL
REPLACEMENT TIRES**

- W-shaped pattern channels water quickly for excellent wet surface performance
- Special high-grip compound
- Flat sidewall design
- Blackwall
- Tube type
- P-rated for speeds up to 93 mph or S-rated for speeds up to 112 mph

**NR77 Front/Rear**

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
70/90-14	34P	TT	0341-0024	\$27.95
REAR				
80/90-14	40P	TT	0341-0025	31.95
80/90-17	44S	TT	0341-0086	42.95

**GS-18 Front/Rear****GS-23 Front/Rear****GS-23WWW Front/Rear****RX-01 Front/Rear****OEM REPLACEMENT TIRES**

- High-quality OEM replacement tires
- S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TYPE	MODEL	PART #	SUG. RETAIL
HONDA							
CBR250R 11-13	F	110/70-17	54S	BLK	RX-01	0307-0054	\$66.95
	R	140/70-17	66S	BLK	RX-01	0308-0041	122.95
KAWASAKI							
Ninja 250R 08-12	F	110/70-17	54S	BLK	RX-01	0307-0054	66.95
	R	130/70-17	62S	BLK	RX-01	0308-0039	95.95
SUZUKI							
LS650 Savage 86-04	F	100/90-19	57H	BLK	GS-18	IRC-44	120.95
	R	140/80-15	67H	BLK	GS-18	IRC-45	158.95
VL800 Volusia 01-03	F	130/90-16	67H	BLK	GS-23	IRC-900	175.95
	F	130/90-16	67H	WWW	GS-23	0305-0051	200.95
	R	170/80-15	77H	BLK	GS-23	IRC-950	191.95
	R	170/80-15	77H	WWW	GS-23	0306-0041	225.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA**
are new this year.



MB99 SCOOTER TIRES

- Dual-purpose scooter tires that provide good traction on both street and dirt
- Blackwall
- Tubeless
- J-rated for speeds up to 62 mph



MB99 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
120/90J-10	57J	TL	0340-0029	\$43.95
130/90J-10	61J	TL	0340-0030	47.95



SS-530 Front/Rear

SS-530 SCOOTER TIRES

- Ideal for large cc scooters
- OEM-approved quality and performance
- Rubber compound extends life of tire and provides stability at high speeds
- Blackwall
- Tubeless
- P-rated for speeds up to 93 mph or S-rated for speeds up to 112 mph

MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
HONDA						
Silverwing	Front	120/80-14	58S	TL	0341-0021	\$122.95
	Rear	150/70-13	64S	TL	0341-0023	128.95
KYMCO						
People S 125	Front	100/80-16	50P	TL	0340-0172	66.95
	Rear	120/80-16	60P	TL	0340-0173	69.95
SUZUKI						
Burgman 400	Front	110/90-13	55P	TL	0341-0020	98.95
03-06	Rear	130/70-13	57P	TL	0341-0022	104.95

MB520 SCOOTER/MINI-BIKE TIRES

- Provide good traction, braking and steering at an affordable price
- Blackwall
- Tubeless
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
3.00-10	42J	TL	IRC-363	\$59.95
3.50-10	51J	TL	IRC-364	64.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



WF-930 Front/Rear

WF-930 WILD FLARE SCOOTER TIRES



- Unique tread pattern for the hottest scooters
- Different tread pattern on front and rear
- Engraved flare pattern on sidewall
- Similar rubber compound as used on IRC sport tires
- Blackwall
- Tubeless
- J-rated for speeds up to 62 mph or L-rated for speeds up to 74 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/90L-12	64L	TL	0341-0014	\$116.95
110/100J-12	67J	TL	0341-0015	116.95
REAR				
120/90J-10	66J	TL	0341-0017	112.95
130/70L-12	62L	TL	0341-0018	120.95



SS540 Front/Rear

SS540 SCOOTER TIRES

- All new scooter tire provides good traction, braking and steering at an affordable price
- Blackwall
- Tubeless
- L-rated for speeds up to 74 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
110/70-12	47L	TL	0340-0357	\$52.95
REAR				
120/70-12	58L	TL	0340-0358	57.95



MB520 Front

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



SS-560 Front/Rear

**SS-560
SCOOTER TIRES**

- Designed for large-cc scooters
- OEM-approved quality and performance
- Rubber compound extends the life of the tire and provides stability at high speeds
- Blackwall
- Tubeless
- P-rated for speeds up to 93 mph

MODEL-SPECIFIC REPLACEMENT TIRES

FITS MODEL	POS.	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
HONDA						
PCX 125 10-11	Front	90/90-14	46P	TL	0340-0376	\$53.95
	Rear	100/90-14	57P	TL	0340-0377	62.95



MB90

MB90

GENERAL REPLACEMENT SCOOTER TIRES

- Intended for use on small cc scooters
- Superb grip with high-mileage durability
- Suited for varying weather conditions
- Blackwall
- Tubeless
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
3.00-10	42J	TL	0340-0409	\$31.95
80/90-10	44J	TL	0340-0411	31.95
80/100-10	46J	TL	0340-0412	31.95
90/90-10	50J	TL	0340-0413	36.95
3.50-10	51J	TL	0340-0410	40.95
100/90-10	56J	TL	0340-0414	48.95



MB8

MB8

SCOOTER TIRE

- Economically priced scooter tire
- 4-ply rated
- Blackwall
- Tube type

SIZE	TL/TT	PART #	SUG. RETAIL
2.50-10	TT	IRC-975	\$25.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



MB510 Front/Rear

MB510

SCOOTER TIRES

- Scooter and mini-bike tires
- Provide good traction, braking and steering at an affordable price
- Blackwall
- Tubeless or tube type
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
2.75-10	38J	TT	IRC-359	\$56.95
4.00-10	60J	TL	IRC-362	71.95

All part numbers in **BOLD MAGENTA** are new this year.



NR-21 REAR UNIVERSAL MOPED TIRES

- For small-to-medium displacement bikes where no high-speed ratings are required
- Provide excellent steering, braking and long mileage at an economical price
- Tube-type, blackwall only
- L-rated for speeds up to 74 mph or P-rated for speeds up to 93 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
3.00-16	43P	TT	IRC-118	\$62.95
3.50-16	52P	TT	IRC-120	81.95
2.25-17	33L	TT	IRC-172	28.95



NR-21 Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
3.00-17	45P	TT	IRC-119	\$66.95
3.00-18	47P	TT	IRC-114	61.95
3.50-18	56P	TT	IRC-116	108.95



NR45

NR53

NR58

NR64

NR73

NR45, NR53, NR58, NR64 AND NR73 UNIVERSAL MOPED TIRES

- High-quality moped and small cc motorcycle tires
- Front and rear application
- Tube-type
- L-rated for speeds up to 74 mph, P-rated for speeds up to 93 mph or S-rated for speeds up to 112 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
NR45				
90/90-17	49S	TT	0341-0090	\$44.95
NR53				
2.25-17	33L	TT	0341-0008	21.95
2.50-17	38L	TT	0341-0010	26.95
2.75-17	41P	TT	0341-0012	32.95
90/80-17	46S	TT	0341-0085	35.95
2.50-18	40L	TT	0341-0011	27.95
2.75-18	42P	TT	0341-0088	33.95
3.00-18	47P	TT	0341-0013	36.95
NR58				
2.00-17	27S	TT	0341-0007	17.95
NR64				
110/80-17	57S	TT	0341-0092	52.95
NR73				
90/90-14	46P	TT	0341-0087	38.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

**HF296****CRUISER/GENERAL REPLACEMENT BIAS TIRES**

- Premium-quality touring or cruiser tires
- Stronger and lighter with higher thread-count cords in a cross-ply reinforced arrangement
- Heavy-load capacity and deep water-shedding grooves will satisfy the most demanding rider
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
HF296A FRONT				
130/90H-16	67H	TL	HF296-01	\$104.95
130/70H-18	63H	TL	HF296-02	103.95
100/90H-19	57H	TL	HF296-03	78.95
110/90H-19	62H	TL	HF296-04	84.95
80/90H-21	56H	TL	HF296-05	74.95

**HF296A Front/Rear**

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
HF296C REAR				
140/90H-15	76H	TL	HF296-51	\$111.95
150/90H-15	79H	TL	HF296-52	119.95
170/80H-15	77H	TL	HF296-53	129.95
130/90H-16	73H	TL	HF296-54	104.95
160/80H-16	75H	TL	HF296-55	134.95

HF918**SPORT/GENERAL REPLACEMENT BIAS TIRES**

- All-around performance in wet and dry conditions
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
HF918 FRONT				
100/90-16	54H	TL	HF918-01	\$74.95
120/80-16	60H	TL	HF918-02	89.95
110/70-17	54H	TL	HF918-03	69.95
90/90-18	51H	TL	HF918-04	73.95
100/90-18	56H	TL	HF918-05	81.95
100/90-19	57H	TL	HF918-06	86.95

**HF918 Front/Rear**

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
HF918 REAR				
130/90-17	68H	TL	HF918-52	\$99.95
140/70-17	66H	TL	HF918-51	88.95
110/90-18	61H	TL	HF918-53	96.95
120/90-18	65H	TL	HF918-54	103.95
130/80-18	66H	TL	HF918-55	101.95
140/70-18	67H	TL	HF918-56	106.95

HF261A**GENERAL REPLACEMENT BIAS TIRES**

- Universal front/rear design
- Long-wearing rubber compound; tread design fights rain grooves
- Tires have been known to run 10,000 miles or more under ideal conditions
- Tubeless, but will accept inner tubes for tube-type rims
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
120/90H-16	63H	TL	HF261-01	\$84.95
130/90H-16	67H	TL	HF261-02	88.95
140/90H-16	71H	TL	HF261-03	101.95
120/90H-17	64H	TL	HF261-04	93.95
130/90H-17	68H	TL	HF261-05	101.95

**HF261 Front/Rear**

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
100/90H-18	56H	TL	HF261-06	\$74.95
110/90H-18	61H	TL	HF261-07	81.95
120/90H-18	65H	TL	HF261-08	93.95
100/90H-19	57H	TL	HF261-09	76.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIESSERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



HF302 Front/Rear

HF317 Front

HF314 Front/Rear

HF319 Front/Rear

HF316 Front/Rear

CLASSIC/VINTAGE TIRES

- Fit classic/vintage bikes going back 35 years
- Use of modern rubber compounds and construction creates higher quality than OEM tires of the past
- S-rated for speeds up to 112 mph or non-speed-rated for speeds up to 93 mph

SIZE	LOAD /SPEED INDEX	TT/TL	PART #	SUG. RETAIL
HF302 FRONT & REAR				
5.10-16	N/A	TT	HF302-01	\$96.95
HF317 FRONT				
3.00-18	47S	TT	HF317-01	51.95
3.25-19	N/A	TT	HF317-02	61.95
HF314 FRONT AND REAR				
3.25-19	N/A	TT	0305-0434	64.95

SIZE	LOAD /SPEED INDEX	TT/TL	PART #	SUG. RETAIL
HF314 FRONT AND REAR (CONT)				
3.50-18	N/A	TT	HF314-01	\$64.95
4.00-18	N/A	TT	HF318-01	73.95
HF319 FRONT AND REAR				
3.00-18	N/A	TT	0305-0435	38.95
HF316 FRONT AND REAR				
4.00-18	N/A	TT	0306-0465	71.95



HF308 Front/Rear

HF308

- Designed for use with classically styled motorcycles and sidecars
- Excellent puncture resistance
- Can be used as a front and rear tire
- 6-ply
- Tube type

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT/REAR				
4.00-19	72P	TT	0306-0307	\$89.95
3.50-19	57H	TT	0306-0384	69.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



HF903 Front/Rear

HF903/904 MEDIAN DUAL SPORT TIRES

- Dual-purpose tires made for 60% street and 40% dirt use
- Excellent on dirt, gravel and bad roads
- S-rated for speeds up to 112 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT (HF903)				
90/90-21	51S	TT	HF904-01	\$66.95
REAR (HF904)				
130/90-16	67S	TT	HF904-51	94.95
130/80-17	65S	TT	HF904-52	98.95
4.10-18	59S	TT	HF904-54	69.95
120/80-18	62S	TT	HF904-53	89.95



HF903

HF903**DUAL SPORT SCOOTER TIRES**

- Attractive tread design
- Sizes available for most popular scooter models
- Fit both front and rear
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
120/90-10	56J	TL	0340-0131	\$59.95
130/90-10	61J	TL	HF903-20	51.95
120/70-12	56J	TL	HF903-21	44.95
130/70-12	58J	TL	HF903-22	46.95
130/60-13	55J	TL	HF903-23	44.95



HF912A Front/Rear

HF912A**SPORT SCOOTER TIRES**

- A quality tire at an attractive price
- Tread style improves scooter handling
- Fits both front and rear
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
90/90-10	50J	TL	HF912-01	\$36.95
110/70-12	47J	TL	0340-0132	46.95
120/70-12	51J	TL	HF912-02	53.95
130/70-12	58J	TL	HF912-03	49.95



HF290

HF290 SCOOTER TIRES

- Economical scooter tires available in four popular sizes
- Directional arrow-shaped pattern enhances water evacuation and stability
- 4-ply
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
3.00-10	42J	TL	0340-0125	\$36.95
3.50-10	51J	TL	0340-0126	48.95
120/90-10	56J	TL	0340-0127	63.95
130/90-10	61J	TL	0340-0128	68.95



HF294

HF294 GENERAL REPLACEMENT SCOOTER TIRES

- Feature good contact stability and water evacuation
- 4-ply
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
3.00-10	42J	TL	0340-0129	\$33.95
3.50-10	51J	TL	0340-0130	43.95



M6024 Front/Rear

**M6024
FRONT/REAR**

- Dual-purpose tread pattern features aggressive lines for traction on the street and off-road
- Stable central blocks with large grooves for outstanding water dispersion
- A proven compound yields outstanding traction and low tread wear
- J-rated for speeds up to 62 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
120/70-12	51J	TL	0340-0565	\$72.00
130/70-12	56J	TL	0340-0564	80.00

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.