

TRAILERS & RAMPS



KHROME WERKS® RECEIVER TRAILER HITCH

Black, high-gloss, powder-coated, 1 in. tube frame with a removable chrome-plated, heavy-duty 1-1/4 in. draw bar tongue with a 1-7/8 in. ball. Welded-on chain and 5-pin male/female connector brackets included. Mounts to the vertical struts and the lower saddlebag/muffler supports.

- Main frame is made from 125, 1020 steel tubing, robotic welded and high-gloss, black powder-coat
- Holes for mounting mud flaps and wiring tie-wraps are provided
- Mounts with factory hardware
- Includes polished and chrome-plated hitch, 1-7/8 in. chrome-plated ball and pin with hitch clip
- 300 lbs. maximum trailer weight
- 30 lbs. maximum tongue weight

Note: Hitch mounted on these models without fender trims will leave a gap between the hitch and fender.

HARLEY-DAVIDSON	Year	P/N	Retail
FLHT, FLHR, FLHX	86-08	490977	329.95



KHROME WERKS® TRAILER HITCHES FOR TRIKE MODELS

1-1/4 in. all-steel, receiver-style hitch mounts securely to the Trike frame. Robotic welded and high-gloss, black powder-coated.

- Includes polished chrome-plated hitch ball mount, 1-7/8 in. ball, pin with hitch clip and all mounting hardware
- Gross weight not to exceed 300 lbs.
- Made in USA



HARLEY-DAVIDSON	Year	P/N	Retail
FLHXXX/FLHTCUTG	11-16	481928	279.95



491007



491008

491114

KHROME WERKS® TRAILER HITCHES

This chrome-plated hitch plate is made from heavy-duty steel and reinforced for extra strength; handles tongue weight up to 30 lbs.

- Comes complete with 1-7/8 in. chrome-plated ball, mounting hardware and instructions

HARLEY-DAVIDSON	Year	P/N	Retail
FLH, FLT	80-08	491114	229.95
FLHR	94-08	491114 ²	229.95
FXST	86-99	491007 ^{1,3}	329.95
FXST	86-99	491008 ⁴	199.95
FLST	86-16	491007 ^{1,3}	329.95
FLST	86-16	491008 ⁴	199.95

¹ Does not fit with H-D® rear dresser bars or rear fender rails. Must use P/N 491008 rear dresser bar, sold separately

² Exc. FLH, FLHX

³ Exc. FLSTF

⁴ Rear Dresser Bar for P/N 491007

KHROME WERKS® HIGH, LOW TRAILER HITCHES

Black, high-gloss, powder-coated 1 in. tube frame with a removable, chrome-plated, heavy-duty 1-1/4 in. draw bar tongue with a 1-7/8 in. ball. Mounts to the upper frame struts and the saddlebag/muffler supports.

- 300 lbs. maximum trailer weight, 30 lbs. maximum tongue weight
- Welded on safety chain and 5-pin male/female connector brackets included

Note: Does not fit with Harley-Davidson® saddlebag guard kit on 14-15 models.

HARLEY-DAVIDSON	Year	High Mount	Finish	Retail	Low Mount	Finish	Retail
FLHX	14-16				496764	Chrome	279.95
FLHX	14-16				496766	Black	329.95
FLHR, FLHTCU	14-16	496765	Chrome	279.95			
FLHR, FLHTCU	14-16	496767	Black	329.95			
FLHTC, FLHR, FLTRX	09-13				496764	Chrome	279.95
FLHTC, FLHR, FLTRX	09-13				496766	Black	329.95
FLTR, FLHRC	09-13	496765	Chrome	279.95			
FLTR, FLHRC	09-13	496767	Black	329.95			



High Mount-Chrome

Low Mount - Black

**KHROME WERKS® TRAILER HITCH RECEPTACLE KIT**

Chrome-plated, receptacle plate mounts below hitch plate for a quick, clean way to connect and disconnect trailer lights.

- Includes 5-pin male/female plug-in connector, mounting hardware and instructions.
- Fits Big Twin Touring models

P/N	Retail
491132	56.80

**KHROME WERKS® 6-PIN CONNECTOR KIT**

The kits include the plug-and-play isolator module with 6-pin Molex plugs, 15-Amp fuse/holder, butt connector and ring terminal.

Note: Module Label: NTI-08. See Instructions.



HARLEY-DAVIDSON	Year	Description	P/N	Retail
FLHX, FLHTCU, FLTRX	14-16	Isolator with 4-Wires	496768	109.95
FLHR, FLTRUSE	14-16	Isolator with 5-Wires	496769	129.95
FLHR, FLTRUSE	14-16	Isolator/Converter with 4-Wires	496770	129.95

FAT BAGGERS, INC. HIDDEN TRAILER HITCHES

Pull your extra load with confidence using one of FBI's hidden hitch assemblies. All hitch framework is stainless steel and receivers are polished stainless steel; no more chrome chipping concerns.

- Receiver and ball are included with each hitch
- Ball is 1-7/8 in. with 3/4" x 1-1/2" shank, chrome

HARLEY-DAVIDSON	Year	P/N	Retail
FLH, FLT	14-16	400583 ¹	299.95
FLH, FLT	10-13	400592 ¹	299.95
FLH, FLT	2009	400591	299.95
FLH, FLT	96-08	400590	299.95
FLHTCUTG	11-16	400596	299.95
FLHTCUTG	09-10	400595	299.95
FLHTCU, FLTRU	11-12	400591 ²	299.95
FLHX	2011	400594 ²	299.95
CVO	2010	400593 ²	299.95

¹ exc. CVO

² CVO only

**KHROME WERKS® 5-PIN CONNECTOR KIT**

Available with or without isolator module.

HARLEY-DAVIDSON	Year	P/N	Retail
FLT	97-13	491109 ^{1,3}	79.95
FLSTC	97-16	491109 ²	79.95
FLHTCUTG, FLHXXX	09-12	491109 ⁴	79.95
FLT	97-13	491144 ^{1,5}	129.95
FLSTC	97-16	491144 ²	129.95
FLHTCUTG, FLHXXX	09-12	491144 ⁶	129.95
FLHX, FLTR	10-13	491145 ⁷	129.95

¹ Fits 96-08 FLT touring with Khrome Werks hitch P/N 490977 or 491114. To fit earlier production Khrome Werks hitch (identified by weld-on safety chain link) requires separate purchase of ball mount bracket P/N 491146

² Fits 97-16 FLSTC models with Khrome Werks hitch P/N 491007. To fit earlier production Khrome Werks hitch (identified by weld-on safety chain link) requires separate purchase of ball mount bracket P/N 491146

³ With 5-pin Standard Connector Kit and Plug-N-Play Wiring Harness (exc. 10-13 FLHX/FLTRX/2009 FLTRSE CVO/10-13 FLHXSE CVO)

⁴ With 5-pin Male Female Die-Cast Connector Plugs and 8-pin AMP Multilock Plug-N-Play Wire Harness

⁵ With 5-pin Connector Kit with Isolator and Plug-N-Play Wiring Harness (exc. 10-12 FLHX/FLTRX 2009 FLTRSE CVO/10-12 FLHXSE CVO)

⁶ With 5-pin Male Female Die-Cast Connector Plugs and 8-pin AMP Multilock Plug-N-Play Wire Harness

⁷ Models with Isolator Module



TRAILERS & RAMPS

KURYAKYN®



KURYAKYN® TRAILER HITCH FOR V-TWINS

This hitch fits with or without saddlebag light bars. Made of heavy-duty steel, it has a reinforced hitch plate and comes with all mounting hardware, including a 1-7/8 in. ball.

HARLEY-DAVIDSON	Year	Mfg/N	P/N	Retail
FLH, FLT	09-13	7652	493921	289.99
FLH, FLT	80-08	9181	497920	199.99
FLHTCUTG	09-16	7653	419680	279.99
FLHXXX	10-11	7653	419680	279.99

KURYAKYN® UNIVERSAL TRAILER RECEPTACLE KIT

Keep your trailer plug-in tucked under your rear fender for an almost invisible appearance and maintain the ability to remove your receiver hitch for a clean rear end. With included male and female plug components, this 5-pin plug and universal mount kit makes wiring your trailer a snap.

Mfg/N	P/N	Retail
7670	495619	49.99



KURYAKYN® TRAILER HITCH RACK

Simply install the mounting plate beneath your trailer hitch ball and this rack quickly attaches or detaches in seconds.

- 18" W x 12" L x 1-1/2" D, Weight: 6.5 lbs.
- Fits Kuryakyn® trailer hitches: Mfg/N 9181, 7650, 7651 and universal applications

Note: This product is not intended to be used while pulling a trailer. Suggested weight limit is 35 lbs. for appropriate handling and cornering. Universal mounting under hitch ball requires a flat/unrestricted area 5" wide x 2-1/2" long and ball stud able to accept a 1/4 in. thick spacer.

Mfg/N	P/N	Retail
7643	494099	159.99



KURYAKYN® TRAILER RECEPTACLE KIT

You've installed the hitch, now make your life even more simple by installing one of our Trailer Receptacle Kits. Our Trailer Receptacle Kits come with both the male and female plug components to help get you on the road faster. Pair with one of our Trailer Wiring Harnesses for a truly custom fit.

Type	Mfg/N	P/N	Retail
5-Pin Trailer Receptacle	7659	412446	49.99
5-Pin Hitch Receptacle	9183	488911	49.99

NEW!


NAMZ TRAILER ISOLATOR

When it's time to hit the open road and you need more space than the saddlebags and tour pack can offer, you may want to purchase a trailer. Heck, you can put a sleeping bag along with a whole lot more in one of those. Although some would argue that a trailer isolator is not needed, we beg to differ. The isolator takes power directly from the battery and grabs the signal from your brakes, running lights and both turn signals. This process sends those signals through a bank of four relays before it sends it off to the trailer. The relays draw power from the battery and not your O.E.M. turn signal module, thus, preventing premature module failure. A factory turn signal module is a few hundred dollars making these isolators a worthwhile investment.

HARLEY-DAVIDSON	Year	Type	P/N	Retail
FLH, FLT, FXST, FLST, FXD	97-16	8-Position Multilock	482048 ¹	119.95
FLH, FLT, FXST, FLST, FXD	96-16	5 to 4 Module with 8-Position Multilock	482058 ²	119.95
FLHTCU, FLHX	14-16	6-Position Molex	482053	119.95
FLHX, FLTR	10-16	5 to 4 Module with 6-Position Molex	482060	119.95
FLHX, FLTR	10-13	6-Position Molex	482050	119.95
FLHR, FLHRP	14-16	6-Position Molex	482052	119.95
FLHR, FLHRP	2014	5 to 4 Module with 6-Position Molex	482061	119.95
CVO FLH, FLT	09-10	8-Position Molex	482049	119.95
CVO FLH, FLT	09-10	5 to 4 Module with 8-Position Molex	482059	119.95
FLRT	15-16	8-Position Gray Molex	482054	119.95
FLHTCUTG	14-16		482055	119.95
XL	00-03	8-Position Multilock	482048	119.95

¹ exc. 10-13 CVO, FLHX, FLTR

² exc. 10-16 CVO, FLHX, FLTR



NAMZ Universal Trailer Isolator

P/N	Retail
482051	119.95

**NEW!****SHOW CHROME® ACCESSORIES
UNIVERSAL TRAILER HITCH RACK**

Big Bike Parts® lets you take more on your ride without your trailer. The all new Universal Trailer Hitch Rack offers a generous 16" L x 10-1/2" W platform that can accommodate coolers, extra luggage, bags and more. Its 1-1/2 in. high frame is deep enough to secure your load and give you piece of mind while riding. A simple mounting bracket design uses your hitch ball as its mounting bolt with a custom designed washer that prevents movement once securely tightened. Works with most receivers up to 3 in. wide and fits balls with up to a 3/4 in. shank. As it mounts to the receiver ball mount, it fits with both horizontal and vertical receiver hitch assemblies. A quick-release design allows quick removal by simply removing the two locking pins and sliding the rack free of the mount to accept your trailer. Made from durable, powder-coated steel, this rack will give years of service and hold up to harsh road grime. Its open tubular design brings this durable rack in at barely over 6 lbs.

- Universal 10-1/2" x 16" x 1-1/2"
- Quick attach pins
- Weighs 6-1/4 lbs.

P/N	Retail
418965	109.99

**NEW!****SHOW CHROME® ACCESSORIES
ISOLATED TRAILER WIRE HARNESS**

As motorcycles get more complex with electronic ignitions, fuel injection, ABS braking and other sensitive electronics, isolating electronics between your motorcycle and trailer is critical for safe riding. Big Bike Parts® Electronically Isolated Trailer Harnesses have set the standard for trailer to bike protection for years. The Electronically Isolated Trailer Wire Harness is available as a Universal fitment for all other motorcycles. Electronic backflow is eliminated with heavy-duty, self-setting relays to protect your motorcycle. This five-wire system provides direct connection for running, brake, left turn signal, right turn signal and ground. Weather-resistant gel sealed splice connectors are included to make an easy and durable connection for long term use. Designed for use on Harley®, Yamaha and other great trailer pulling vehicles.

P/N	Retail
418777	55.99

**NEW!****SHOW CHROME® ACCESSORIES HITCH LOCK**

This 12 in. Dead Bolt Hitch Lock provides extra security for trailers. Comes with its own pair of keys for quick unlocking.

- 1/2 in. Hitch Pin for 1-1/4" x 1-1/4" Receivers
- US PAT# 4, 711, 100
- Made in USA



P/N	Retail
418959	19.95

AUDIO, VIDEO
& NAVIGATIONINDIAN
& VICTORY

WINDSHIELDS

SEATS &
SISSY BARS

LUGGAGE

SECURITY
& COVERSTIRES &
WHEELS

BRAKES

CHASSIS

SUSPENSION

SHEET METAL

EXHAUST

FUEL & AIR
SYSTEMSENGINE &
OIL FILTERS

PRIMARY DRIVE

TRANSMISSION
& FINAL DRIVEGASKETS &
HARDWAREHANDLEBARS
& CONTROL

CABLES

FOOT
CONTROLINSTRUMENT
& LIGHTING

ELECTRICAL

BATTERIES &
CHARGERSTRAILERS
& RAMPSCHEMICALS
& LUBESTOOLS &
SUPPLIESGENERAL
ACCESSORIES
& DISPLAYCROSS
REFERENCE

INDEX

TRAILERS & RAMPS

DROP-TAIL CRUISER TRAILER

IHDTS (Integrated Hydraulic Drop-Tail System) with Auto-Lock feature. Conveniently folds up and stands up for space-saving garage storage. Tailgate ramp converts into a convenient storage shelf while in stand-up storage configuration. Integrated multiposition cycle chock trailer mount locations. Fully aluminum decked.



Radial trailer tires and custom chrome wheels. Recessed LED trailer lighting. Multiple recessed/flip-up tie down locations. Integrated stone guard. Integrated spare tire mount location under rear platform. Lightweight, high-strength tubular frame construction. Independent torsion axle suspension. Convenient grease-zerk for lubrication of wheel hub assembly. Multiposition tailgate ramp (pins at 90 and 45° angles). Built-in coupler handle. Ability to tow unloaded trailer in either the fold-up or flat configurations. Powder-coated, UV-resistant finish.


DROP-TAIL TWO-UP CRUISER TRAILER

Trailer configured to transport one to two Cruiser/Sport Bikes, one to two ATVs, UTVs, golf carts or flatbed use.

- Powder-coated, UV-resistant finish
- Tool kit included
- One-year manufacturer's warranty
- Class II Trailer
- Two heavy-duty PROMAX cycle chocks
- 2 in. coupler (2 in. hitch ball required)
- GVWR 2,700 lbs.
- Load capacity: 2,100 lbs.
- Deck area: 70" x 106"
- Max length: 126 in.
- Max width: 91 in.
- Storage/stand-up height: 94 in.
- Storage/stand-up depth: 40 in.
- Width between cycle chocks: 42 in.

- Width between fenders: 74 in.
- Ball hitch height: 18 to 19 in. (top of ball to ground)
- Tire size: ST175/80R13 radial trailer tire
- Electrical connection: 4-way flat
- Easily convert to utility flatbed configuration with quick removal of cycle chock(s)
- Ability to quickly transfer cycle chock(s) from trailer to other Drop-Tail products such as DT Floor-Stand Base and Cycle Glyder PRO
- NATM compliant trailer
- DT Tongue Jack quick-mount capability (tongue jack optional)
- DT Guide-On assist rail kits
- Spare tire sold separately P/N 775610

P/N	Retail
775660	3495.00



DROP-TAIL ONE-UP CRUISER TRAILER

Trailer configured to transport one cruiser/sport bike, one small ATV or simply for flatbed use.

- Class I Trailer
- One heavy-duty PROMAX cycle chock
- 2 in. coupler (2 in. hitch ball required)
- GVWR 2,000 lbs.
- Empty weight: 474 lbs.
- Load capacity: 1,500 lbs.
- Deck area: 40" x 106"
- Max length: 126 in.
- Max width: 65 in.
- Storage/stand-up height: 94 in.
- Storage/stand-up depth: 40 in.
- Width between fenders: 47 in.

- Ball hitch height: 18 to 19 in. (top of ball to ground)
- Tire size: ST175/80R13 radial trailer tire
- Electrical connection: 4-way flat
- Easily convert to utility flatbed configuration with quick removal of cycle chock(s)
- Ability to quickly transfer cycle chock from trailer to other Drop-Tail products such as DT Floor-Stand Base and Cycle Glyder PRO
- NATM compliant trailer
- DT Tongue Jack quick-mount capability - (tongue jack optional)
- DT Guide-On assist rail kit
- Spare tire sold separately P/N 775610

P/N	Retail
775661	2695.00



DROP-TAIL TRIKE CRUISER TRAILER

Trailer configured to transport one trike, one cruiser/sport bike, one to two ATVs, UTVs, golf carts or flatbed use.

- Powder-coated, UV-resistant finish.
- Includes wheel chock and tool kit
- One-year manufacturer's warranty
- Class II Trailer
- Fully aluminum decked
- One heavy-duty PROMAX cycle chock
- 2 in. coupler (2 in. hitch ball required)
- GVWR 2,700 lbs.
- Empty weight: 2,100 lbs.
- Deck area: 70" x 106"
- Max length: 126 in.
- Max width: 91 in.
- Storage/stand-up height: 94 in.
- Storage/stand-up depth: 40 in.
- Width between fenders: 74 in.

- Ball hitch height: 18 to 19 in. (top of ball to ground)
 - Tire size: ST175/80R13 radial trailer tire
 - Electrical connection: 4-way flat
 - Easily convert to utility flatbed configuration with quick removal of cycle chock(s)
 - Ability to quickly transfer cycle chock from trailer to other Drop-Tail products such as DT Floor-Stand Base and Cycle Glyder PRO
 - NATM Compliant Trailer
 - DT Tongue Jack quick-mount capability (tongue jack optional)
 - DT Guide-On assist rail kits
 - Spare tire sold separately P/N 775610
- Note: Not Recommended for Gold Wing® Trikes or Trikes over 106" in length.

P/N	Retail
775662	3395.00



DROP-TAIL CRUISER TRAILER continued from previous page.

DROP-TAIL 2100 POWERSPORT UTILITY TRAILER

Trailer configured to transport one or two ATVs, UTVs, golf carts or simply for utility flatbed use; great for Can-Am® Spyder or Harley-Davidson® Trikes.

- Powder-coated, UV-resistant finish
- Includes wheel chock and tool kit
- One-year manufacturer's limited warranty
- Class II Trailer
- Expanded metal decking
- 2 in. coupler
- GVWR 2,700 lbs.
- Empty weight: 625 lbs.
- Load capacity: 2,100 lbs.

P/N	Retail
775665	2499.00

- Deck area: 70" x 106"
- Max length: 126 in.
- Max width: 91 in.
- Tire size: ST175/80R13 radial trailer tire
- Storage/stand-up height: 94 in.
- Storage/stand-up depth: 40 in.
- Width between fenders: 74 in.
- Ball hitch height: 18 to 19 in. (top of ball to ground)
- Electrical connection: 4-way flat
- NATM compliant trailer
- DT Tongue Jack P/N 775648 quick-mount capability
- Spare tire sold separately P/N 775610



DROP-TAIL STREET PRO 2200 POWERSPORT UTILITY TRAILER

Trailer configured to transport one or two ATVs, UTVs, golf carts or simply for utility flatbed use; great for Can-Am® Spyder or Harley-Davidson® Trikes.

- Fully aluminum decked
- 2 in. coupler
- GVWR 2,700 lbs.
- Empty weight: 620 lbs.
- Load capacity: 2,100 lbs.
- Deck area: 70" x 106"
- Max length: 126 in.
- Max width: 91 in.
- Tire size: ST175/80R13 radial trailer tire

P/N	Retail
775663	3230.00

- Storage/stand-up height: 94 in.
- Storage/stand-up depth: 40 in.
- Width between fenders: 74 in.
- Ball hitch height: 18 to 19 in. (top of ball to ground)
- Electrical connection: 4-way flat
- NATM compliant trailer
- DT Tongue Jack P/N 775648 quick-mount capability
- Spare tire sold separately P/N 775610



DROP-TAIL STORAGE AND TOOL BOX

Durable, welded aluminum lid with integrated air spring. Bolts to trailers using modular knob bolts used for attaching all Drop-Tail Cycle Chocks.

- 81 in. model also works with 91 in. trailers
- Both models designed specifically for Drop-Tail Trailers
- Keyed lock

Description	P/N	Retail
Small (for use with 81 or 91" wide trailer models)	775607	188.00
Large (for use with 91" wide trailer models)	775606	230.00

DROP-TAIL SPARE/REPLACEMENT WHEEL AND TIRE SET

- 13 in. custom chrome wheel.
- Radial trailer tire: ST175/80R13
- Drop-shipped

P/N	Retail
775610	185.00



DROP-TAIL TONGUE JACK

Allows quick disconnect from tow vehicle. Two versions available to fit all Drop-Tail trailer models.

- 2,000 lbs. capacity
- 10 in. lifting height
- 14 in. minimum height, retracted
- 24 in. maximum height, extended
- Weight 11 lbs.



Description	P/N	Retail
Bolt-on Tongue Jack (models 2012-up)	775648	48.00
Retro Kit Tongue Jack (models prior to 2012)	775649 ^{1, 2}	53.00

¹ Ring tube adaptor included, welding required ² Special Order Only



DROP-TAIL STONE SHIELD KIT

20 in. height custom aluminum Stone Shield with all hardware to attach to trailer. Easily bolts to all 91 in. wide Drop-Tail trailers. Full-deck width coverage with rubber-molded trim on top edge.

- Tool box not included
- Special order only



P/N	Retail
775647	310.00



DROP-TAIL GUIDE-ON ASSIST RAIL KIT

Assists in guiding motorcycle onto trailer and into cycle chock. Easily bolts to all 2012-Up Drop-Tail trailer models.

- Drilling required on Drop-Tail trailers prior to 2012
- Special order only.



P/N	Retail
775651	42.00



AUDIO, VIDEO & NAVIGATION

INDIAN & VICTORY

WINDSHIELDS

SEATS & SISSY BARS

LUGGAGE

SECURITY & COVERS

TIRES & WHEELS

BRAKES

CHASSIS

SUSPENSION

SHEET METAL

EXHAUST

FUEL & AIR SYSTEMS

ENGINE & OIL FILTERS

PRIMARY DRIVE

TRANSMISSION & FINAL DRIVE

GASKETS & HARDWARE

HANDLEBARS & CONTROL

CABLES

FOOT CONTROL

INSTRUMENT & LIGHTING

ELECTRICAL

BATTERIES & CHARGERS

TRAILERS & RAMPS

CHEMICALS & LUBES

TOOLS & SUPPLIES

GENERAL ACCESSORIES & DISPLAY

CROSS REFERENCE

INDEX

TRAILERS & RAMPS

KendonStand-Up
TRAILERS & LIFTS

KENDON® DUAL RIDE-UP SRL STAND-UP MOTORCYCLE TRAILER

Conveniently and easily ride your bikes onto the trailer. SRL (Suspension Reactive Loading) technology eliminates loading clearance problems. Extra-wide ramp and deck extensions for safe footing while loading. Independent torsion bar suspension. Raised rail guidance system and front wheel chocks. Bikes can be safely hauled on one side, both sides or in the middle. Optional center rail kit available

- Made in USA
- Recommended Use: 1 or 2 heavyweight touring motorcycles or smaller
- Trailer weight unloaded: 450 lbs.
- Load carrying capacity: 2000 lbs.
- Standing height: 93.5 in.
- Max width: 86 in.
- Max length: 123 in.
- Depth: 27 in.



P/N	Retail
775515	3699.99



KENDON® LIMITED EDITION DUAL RIDE-UP SRL STAND-UP TRAILER

All the features and benefits of the Dual Ride-Up SRL (Suspension Reactive Loading) Trailer. Conveniently and easily ride your bike onto the trailer. SRL technology eliminates loading clearance problems. Extra-wide ramp and deck extensions for safe footing while loading. Orange and black two-tone powder coating. Swing out license plate holder, LED tail lights and aluminum wheels with locking lug nuts. Full-size spare wheel and tire. Crank-down swivel jack stand. Eight ratchet tie-downs and soft ties. Coupler lock and wheel stops.

- Made in USA
- Recommended use: one or two heavyweight touring motorcycles or smaller
- Trailer weight unloaded: 450 lbs.
- Load carrying capacity: 2000 lbs.
- Standing height: 93.5 in.
- Max width: 86 in.
- Max length: 123 in.
- Depth: 27 in.



P/N	Retail
775516	4499.99



KENDON® DUAL RAIL STAND-UP TRAILER

Independent torsion bar suspension. Raised rail guidance system and front wheel chocks. Low ramp to deck apex minimizes clearance problems when loading. Optional center rail kit available. Removable rails for general utility use. Bikes can be safely hauled on one side, both sides or in the middle.


Made in USA

- Recommended use: one or two heavyweight touring motorcycles or smaller
- Trailer weight unloaded: 420 lbs.
- Load carrying capacity: 2000 lbs.
- Standing height: 93.5 in.
- Max width: 86 in.
- Max length: 123 in.
- Depth: 27 in.
- Platform: 5' W x 7' L

Note: Always push your bike onto this trailer model.



P/N	Retail
775514	3299.99



AUDIO, VIDEO
& NAVIGATION

INDIAN
& VICTORY

WINDSHIELDS

SEATS &
SISSY BARS

LUGGAGE

SECURITY
& COVERS

TIRES &
WHEELS

BRAKES

CHASSIS

SUSPENSION

SHEET METAL

EXHAUST

FUEL & AIR
SYSTEMS

ENGINE &
OIL FILTERS

PRIMARY DRIVE

TRANSMISSION
& FINAL DRIVE

GASKETS &
HARDWARE

HANDLEBARS
& CONTROL

CABLES

FOOT
CONTROL

INSTRUMENT
& LIGHTING

ELECTRICAL

BATTERIES &
CHARGERS

TRAILERS
& RAMPS

CHEMICALS
& LUBES

TOOLS &
SUPPLIES

GENERAL
ACCESSORIES
& DISPLAY

CROSS
REFERENCE

INDEX



KENDON® SINGLE RIDE-UP SRL STAND-UP MOTORCYCLE TRAILER

Very lightweight for ease of use and one-person maneuverability. Conveniently and easily ride your bike onto the trailer. SRL (Suspension Reactive Loading) technology eliminates loading clearance problems. Extra-wide ramp and rear section for safe footing while loading. Independent torsion bar suspension. Raised rail guidance system and front wheel chock. Made in USA

- Recommended use: one heavyweight touring motorcycle or smaller
- Trailer weight unloaded: 350 lbs.
- Load carrying capacity: 1,000 lbs.
- Standing height: 89 in.
- Max width: 72 in.
- Max length: 96 in.
- Depth: 27 in.



P/N	Retail
775511	2999.99



KENDON® LIMITED EDITION SINGLE RIDE-UP SRL STAND-UP TRAILER

All the features and benefits of the Single Ride-Up SRL (Suspension Reactive Loading) Trailer. Conveniently and easily ride your bike onto the trailer. SRL technology eliminates loading clearance problems. Extra-wide ramp and rear section for safe footing while loading. Orange and black two-tone powder coating. Swing out license plate holder, LED tail lights and aluminum wheels with locking lug nuts. Full-size spare wheel and tire. Crank-down swivel jack stand. Four ratchet tie downs and soft ties. Coupler lock and wheel stops.

- Made in USA
- Recommended use: one heavyweight touring motorcycle or smaller
- Trailer weight unloaded: 400 lbs.
- Load carrying capacity: 1,000 lbs.
- Standing height: 89 in.
- Max width: 72 in.
- Max length: 96 in.
- Depth: 27 in.



P/N	Retail
775512	3599.99



KENDON® SINGLE RAIL STAND-UP TRAILER

Independent torsion bar suspension. Raised Rail Guidance System and front wheel chock. Low ramp-to-deck apex minimizes clearance problems when loading. Removable rail for general utility use. Very lightweight for ease of use and one-person maneuverability.

- Made in USA
- Recommended use: one heavyweight touring motorcycle or smaller
- Trailer weight unloaded: 300 lbs.
- Load carrying capacity: 1,000 lbs.
- Standing height: 89 in.
- Max width: 72 in.
- Max length: 114 in.
- Depth: 27 in.
- Diamond shape platform: 35" x 84"
- Chopper trailer max length: 133 in.

Note: Available via special order in extended length for choppers. Always push your bike onto a standard model trailer.



Description	P/N	Retail
Single Rail Stand-Up™ Trailer	775510	2599.99
Chopper Trailer	775513 ¹	2699.95

¹ Special Order Only



775510

TRAILERS & RAMPS

KendonStand-Up
TRAILERS & LIFTS

KENDON® 3-RAIL COMBO STAND-UP MOTORCYCLE TRAILER


Perfect for three dirt bikes, two sport bikes or three scooters. Independent torsion bar suspension. Expanded metal deck allows dirt and debris to fall through. Raised rail guidance system and front wheel chocks. Low ramp to deck apex minimizes clearance problems when loading. Bikes can be safely hauled on one side, both sides or in the middle.

52" W x 70" L deck area with removable center rail

- Made in USA
- Recommended use: three dirt bikes, two street bikes or one heavyweight touring motorcycle or smaller
- Trailer weight unloaded: 380 lbs.
- Load carrying capacity: 1,500 lbs.
- Standing height: 88"
- Max width: 84"
- Max length: 110"
- Depth: 27"



P/N	Retail
775517	2799.99



KENDON® RIDE-UP SRL RETROFIT KIT

This simple conversion retrofit kit will allow you to upgrade the standard Single Rail (P/N 775511), standard Single Chopper (P/N 775548) and standard Dual Rail (P/N 775514) trailer to the Ride-Up SRL (Suspension Reactive Loading) technology.

- Fits 03-Up round tube USA model trailers only
- Kit is shipped UPS in two boxes
- Made in USA

Single Kit includes:

- Ride-Up rear section
- Ramps: outside (L and R) and loading
- 6 in. rubber latch with mount
- Ramp pins
- Additional hardware and instructions necessary for the conversion

Dual Kit includes:

- Ride-Up rear section
- Dual Ride-Up folding ramp
- Foot extension
- Ramp strap
- Foot steps and brackets
- Additional hardware and instructions necessary for the conversion
- Retail pricing includes shipping costs



Description	P/N	Retail
Single Ride-Up SRL Retrofit Kit	775532	715.99
Dual Ride-Up SRL Retrofit Kit	775533	1076.99

NEW!

KENDON® TRAILER COVERS

Made of heavy-duty, 300-denier Oxford synthetic fabric with PU coating. Specially treated to resist UV fading and wear. Easy on and off with gathered elastic band at bottom.

- One-year limited manufacturer's warranty



775561

Description	P/N	Retail
Single Rail	775560	105.99
Dual Rail	775561	129.99
Combo	775562	129.99



Dual Utility Box



Optional Center Rail



Swivel Jack Stand



Replacement Loading Ramp



13" Spare Tire



Single Utility Box

KENDON® TRAILER PARTS AND ACCESSORIES

- Only fits 2004-Up USA model trailers (except P/N 775524 and 775520 13 in. spare tire, which only fits 2005-Up USA model trailers)

Description	P/N	Retail
Dual Utility Box (ea)	775492	372.99
Optional Center Rail	775550	217.99
Replacement Loading Ramp	775498	76.99
13" Bias Spare Tire For 05-13 Model	775524	172.99
13" Radial Spare Tire For 14-15 Models	775520	179.99
Single Rail Trailer Utility Box (pr)	775493	453.99
Swivel Jack Stand	775549	159.99

**ITP® TRAILER TIRES AND WHEELS**

Description	Bolt Holes	Load Range	P/N	Retail
4.80 x 8	4	C-745	372370	50.89
4.80 x 12	5	C-990	372397	85.85

Replacement Trailer Tires

Description	P/N	Retail
4.80 x 8	372372	42.41
4.80 x 12	372396	65.85

**ITP® REPLACEMENT HUBS**

High-speed replacement hubs for trailers with 1 in. spindles. Complete with bearings, seals, dust cap and nuts.

Description	P/N	Retail
4-Hole, 4 in. Spacing	370676	52.00
5-Hole	370677	48.69

**FULTON® BEARING PROTECTORS**

Replaces dust cap on trailer hubs. Lubricates and protects bearings.

- Includes protector covers
- 1.98 in. OD
- Sold in pairs

P/N	Retail
155826	17.49

**FULTON® BEARING SETS**

Complete kit for one hub.

- Kit includes two bearing cones, two cups, grease seal and cotter pin
- Fits 1 in. spindle
- Sold individually

P/N	Retail
155845	29.99

**WESBAR® ROUND 7-WAY TO 4-WAY FEMALE ADAPTOR**

Converts 7-way connector with blade-type terminals to standard 4-way flat connector.

P/N	Retail
159662	20.49

**WESBAR® SUBMERSIBLE UNDER 80" TAILLIGHT KIT**

Uses a diving bell/trapped air system to keep bulbs dry and safe. All lamps are pre-wired for installation.

- Conforms to all applicable D.O.T. 108 regulations
- Includes two multifunction submersible taillights with gasketed lenses, one license plate bracket, one 25 ft. wishbone trailer wiring harness, one 4 ft. trunk connector and accessory bag with frame clips and wire taps

Description	P/N	Retail
Taillight Kit	159663	55.49
Replacement License Plate Bracket	159664	2.49

**WESBAR® LENS SET**

Replacement lens set.

- Fits all low-profile Wesbar taillights
- Order one for each light

P/N	Retail
155876	12.49

**WESBAR® UNDER 80" TAIL LAMPS**

Designed for a wide variety of trailers. Meets D.O.T. requirements for stop, turn, tail, side marker light, side and rear reflectors. Left-hand has built-in LP illuminator.

- Compact design 4.7" W x 4.7" H x 2.8" D
- Push-in wiring connections
- Mounts with 2-1/4 in. studs on industry standard 2 in. centers

Description	P/N	Retail
Left	159660	8.49
Right	159661	12.99

WESBAR® TAILLIGHTS

Low-profile, waterproof taillight assembly. Replaceable, sealed lamp capsule. Flush or recessed mounting.

- Includes 15 in. pigtail and mounting hardware
- 8" L x 2-7/8" H x 2-3/4" D
- Sold individually

Description	P/N	Retail
Left	155871	18.99
Right	155870	18.99



AUDIO, VIDEO & NAVIGATION

INDIAN & VICTORY

WINDSHIELDS

SEATS & SISSY BARS

LUGGAGE

SECURITY & COVERS

TIRES & WHEELS

BRAKES

CHASSIS

SUSPENSION

SHEET METAL

EXHAUST

FUEL & AIR SYSTEMS

ENGINE & OIL FILTERS

PRIMARY DRIVE

TRANSMISSION & FINAL DRIVE

GASKETS & HARDWARE

HANDLEBARS & CONTROL

CABLES

FOOT CONTROL

INSTRUMENT & LIGHTING

ELECTRICAL

BATTERIES & CHARGERS

TRAILERS & RAMPS

CHEMICALS & LUBES

TOOLS & SUPPLIES

GENERAL ACCESSORIES & DISPLAY

CROSS REFERENCE

INDEX

TRAILERS & RAMPS

Wesbar®

WESBAR® TAILLIGHT CONVERTER

Converts foreign and domestic vehicles with separate turn signals to trailer lighting specifications.

- All electronic 60 in. lead

P/N **Retail**
155835 **29.99**



WESBAR® TRAILER WIRING KIT

Complete with all hardware and instructions. 25 ft. length with connectors.

- Blister-packed for easy displaying

P/N **Retail**
155831 **34.99**



WESBAR® TRUNK AND TRAILER WIRING KIT

- 4 ft. trunk connector
- 18 in. trailer connector

P/N **Retail**
155830 **11.99**



STANDARD

MOTORCYCLE PRODUCTS

STANDARD® TRAILER CONNECTORS

Perfect for a wide range of trailer hook-ups. Ideal for connecting electrical systems. Molded case ensures all-year weather protection. Two-pole flat type.

P/N **Retail**
215223 **6.21**



BULLY

LOCKS

[EXCLUSIVE]

BULLY LOCKS™ LOCK JAWS

A must for securing your ATV or trailer at home, on the trail or on the road. Hardened-steel resists cutting. Ratchet adjusts to fit up to an 11 in. wide wheel and is 6 in. deep. Sized for ATVs and trailers.

- Rubber-coated arms to protect wheel finishes
- Anti-pick lock
- Reminder lanyard included

P/N **Retail**
132239 **64.95**



KURYAKYN



495620



419396

KURYAKYN® TRAILER WIRING HARNESS FOR V-TWIN

Safely and effectively apply the load from your trailer lighting to the battery and not to the rest of the bike's electrical system. Eliminate blown fuses caused by overloading stock lighting or accessory circuits; the relay harness utilizes inputs from the motorcycle to direct power from the battery to the appropriate trailer lighting circuit.

Five-wire-plus-one kits provide standard five-wire output (run, brake, left turn, right turn, ground) plus a bonus wire that can be connected as needed to provide fused 12-Volt power to the trailer for compartment lights or keyless entry systems that are wired independently of the trailers essential lighting.

Note: Receptacle kits are not included because the style of receptacle used on trailers varies by manufacturer.

HARLEY-DAVIDSON	YEAR	MFG/N	P/N	RETAIL
FLH, FLT	85-16	7671	495620¹	79.99
FLTR	98-13	7672	419396²	89.99
FHLX	06-09	7672	419396	89.99
FLHR	97-13	7672	419396	89.99
FXST, FLST	96-10	7672	419396³	89.99
FXD	97-11	7672	419396⁴	89.99
FLHCTUTG, FLHXXX	09-13	7672	419396	89.99

¹ Universal Trailer Wiring and Relay Harness

² exc. 2009 FLTRSE; 10-14 FLTRX; 2012-14 FLTRXSE

³ exc. 08-10 Rocker; 2010 FLSTSE

⁴ exc. 10-11 FXDWG



KURYAKYN® 5 TO 4 WIRE CONVERTER

5 to 4 Wire Converter: plugs in and allows wiring and relay kits to power trailers requiring a four wire harness (run, left turn/brake, right turn/brake, ground); the bonus wire is still available to provide fused 12-Volt power to the trailer for compartment lights or keyless entry systems that are wired independently of the trailers essential lighting (includes 4-pin flat vehicle connector).

Mfg/N **P/N** **Retail**
7675 **494103** **36.99**

[EXCLUSIVE]

BULLY LOCKS™ HARDENED-STEEL TRAILER HITCH LOCK SET

Class III hitch package protection that locks the hitch coupler and receiver. Beautifully finished matching pair and no fumbling for different keys since they are keyed alike.

- Hardened-steel pins
- 2-3/4 in. shackle length fits 2 in. square receivers
- 1/2 in. pin fits lever coupler hitch styles
- Anti-pick locks

P/N **Retail**
132242 **24.95**



**FULTON® TOW-READY CHROME-PLATED HITCH BALL**

Solid-steel hitch balls are engineered to meet all safety requirements of VESC regulations.

Ball Size	Shank Length	Shank Diameter	Capacity	P/N	Retail
1-7/8"	1-1/2"	3/4"	2000 lbs.	155811	14.99
2"	1-1/2"	3/4"	3500 lbs	155812	14.99
2"	2.38"	3/4"	3500 lbs	155813	17.99
2"	2.12"	1"	6000 lbs	155816	17.49
2-5/16"	2.12"	1"	6000 lbs	155817	21.99

FULTON® COUPLERS

Description	P/N	Retail
1-7/8" Ball - 2 Tongue	155801	31.49
2" Ball - 2 Tongue	155803	35.49
2" Ball - 3 Tongue	155804	35.49

FULTON® TOW-READY BALL MOUNT SECURITY PIN

- 5/8 in. pin

P/N	Retail
155818	11.49

FULTON® SPARE TIRE CARRIER

Extra length allows the handling of extra-wide tires or wider tongues. Will fit either four- or five-hole rims. Clamps Spare tire to square trailer frames.

P/N	Retail
155824	14.99

**KHROME WERKS® BALL MOUNT BRACKET**

- Mounts under hitch ball mount holes for trailer wiring harness and 5-pin plug-in
- Chrome

P/N	Retail
491146	19.95

**KURYAKYN® TRAILER HITCH BALL COVER**

- Includes a foam lining to ensure a good fit
- Fits all 1-7/8 in. and 2 in. balls
- Sold individually

Mfg/N	P/N	Retail
7658	491099	10.99

**FULTON® BALL MOUNT 2" DROP**

Steel construction and black powder-coated.

- 2" x 2"
- Requires 5/8 in. diameter pin
- Requires ball with 1 in. diameter mounting shank
- Maximum gross trailer weight of 7,500 lbs.
- Maximum tongue weight 7,500 lbs.

P/N	Retail
155809	25.99

**FULTON® GALVANIZED STEEL SPARE TIRE CARRIER**

Heavy-duty galvanized construction. Mounts tire up and out from the trailer frame.

- Fits four or five lug wheels
- For tongues up to 3" W x 4" H

P/N	Retail
155825	51.99

**FULTON® TONGUE JACK**

Raise or lower trailer tongue. Clamps on to most square or rectangular trailer tongues. Swivels out of the way when pulling trailer.

- 1,200 lbs. tongue weight capacity

P/N	Retail
155820	92.49

**GREAT DAY INC. HITCH-N-RIDE STABILIZER**

Quiets the rattling and swaying caused from a loose hitch receiver. Easy-to-install: just slip over the trailer hitch and tighten screws. Two stabilizing 3/8 in. screws apply vertical and horizontal pressure on the hitch. Constructed of high-carbon steel.

- Made in USA



P/N	Retail
403493	39.45



AUDIO, VIDEO & NAVIGATION

INDIAN & VICTORY

WINDSHIELDS

SEATS & SISSY BARS

LUGGAGE

SECURITY & COVERS

TIRES & WHEELS

BRAKES

CHASSIS

SUSPENSION

SHEET METAL

EXHAUST

FUEL & AIR SYSTEMS

ENGINE & OIL FILTERS

PRIMARY DRIVE

TRANSMISSION & FINAL DRIVE

GASKETS & HARDWARE

HANDLEBARS & CONTROL

CABLES

FOOT CONTROL

INSTRUMENT & LIGHTING

ELECTRICAL

BATTERIES & CHARGERS

TRAILERS & RAMPS

CHEMICALS & LUBES


TOOLS & SUPPLIES

GENERAL ACCESSORIES & DISPLAY

CROSS REFERENCE

INDEX

TRAILERS & RAMPS



560054

560055

EXCLUSIVE

QUADBOSS® ARCHED RAMPS

Arched ramps can provide additional, needed clearance to avoid bottoming out while loading. Robotically welded 6063-T5 aluminum billet. Lightweight with vinyl-coated tips.

- Wall thickness is 0.07 in.
- 10-year manufacturer's warranty against defects
- Includes security straps
- Made in USA
- Dimensions: 12" x 89"

Note: Security straps are required when using this product.

Not recommended for UTV use. Remember, weight capacity should well exceed total overall weight, including rider and all attached accessories!

Dual runners have a combined weight capacity of 1,500 lbs. Single runner weight capacity is 750 lbs.



Dimensions	Capacity	P/N	Retail
12" x 89" Pair of Ramps	1500 lbs.	560055¹	247.99
12" x 89" Single Ramp	750 lbs.	560054	136.99
Replacement Vinyl Tip		560048	1.99
Replacement Security Strap		563056	7.99

¹ Total capacity is rated using a pair of ramps; capacity is cut in half when using single ramp



560054



563056



560048

Arched Ramps Pallet of 10

- Order one and receive 10 PAIRS of ramps
- Pallet of 10 drop-ships directly to dealer



Dimensions	Capacity	P/N	Retail
12" x 89"	1500 lbs.	560324	247.99

ATV Arched Ramps Custom Pallet

Mix and match a custom pallet with of QuadBoss ramps. A convenient and cost effective way to stock up on a mix of QuadBoss ramps. See your Tucker Rocky Sales Rep for details.

- Choose a combination of P/N 563850, 563851, 563852, 563853, 563854, 563855, 563856, 563857 and 563860
- Must order a minimum of 10 ramps to a maximum of 20 ramps per pallet
- Drop ships directly to dealer
- Must fill out Custom Pallet Order Form



Dimensions	Capacity	P/N	Retail
12" x 89"	1500 lbs.	563855	247.99

EXCLUSIVE

QUADBOSS® UTV FOLDING ARCHED RAMPS

Arched ramps can provide additional, needed clearance to avoid bottoming out while loading. Remember, weight capacity should well exceed total overall weight, including rider and all attached accessories! Dual runners have a combined weight capacity of 2,400 lbs. Single runner weight capacity is 1,200 lbs. Made in USA with 6063T5 aluminum billet. Robotically welded. Lightweight with vinyl-coated tips.

- Includes security straps
- Wall thickness is 0.07 in.
- 10-year manufacturer's warranty against defects
- Dimensions: 18" x 88"

Note: Security straps are required when using the product.



Dimensions	Capacity	P/N	Retail
18" x 88" Pair of Ramps	2,400 lbs.	570088¹	513.99
18" x 88" Single Ramp	1,200 lbs.	560328	260.99
Replacement Vinyl Tip		560048	1.99
Replacement Security Strap		563056	7.99

¹ Total capacity is rated using the pair of ramps; capacity is cut in half when using single ramp



Single: 560328
Pair: 570088



563056



560048

Folding Arched Ramps Pallet of 10

- Order one and receive 10 PAIRS of ramps
- Pallet of 10 drop-ships directly to dealer



Dimensions	Capacity	P/N	Retail
18" x 88"	2400 lbs.	560325	513.99

UTV Folding Arched Ramps Custom Pallet

Mix and match a custom pallet with of QuadBoss ramps. A convenient and cost effective way to stock up on a mix of QuadBoss ramps. See your Tucker Rocky Sales Rep for details.

- Choose a combination of P/N 563850, 563851, 563852, 563853, 563854, 563855, 563856, 563857 and 563860
- Must order a minimum of 10 ramps to a maximum of 20 ramps per pallet
- Drop ships directly to dealer
- Must fill out Custom Pallet Order Form



Dimensions	Capacity	P/N	Retail
18" X 88"	1200 lbs.	563856	260.99
18" X 88"	2400 lbs.	563857	513.99



563056



560048

EXCLUSIVE

QUADBOSS® FOLDING WIDE-BOY CRUISER RAMP

Load and unload with confidence. The wide-width and rungs spaced 2-3/4 in. apart make this an easy walk. Arched top half of ramp helps prevent drag. Made in USA with robotically welded 6063-T5 aluminum billet. Lightweight with vinyl-coated tips.

- Includes safety straps
- Wall thickness is 0.07 in.
- 10-year manufacturer's warranty against defects
- Dimensions: 33" x 88"
- Capacity: 1,500 lbs.

Note: Safety straps are required when using this product. Not recommended for UTVs.



Dimensions	Capacity	P/N	Retail
33" x 88" Folding "Wide Boy" Ramp	1,500 lbs.	563858 ¹	514.99
Replacement Security Strap		563056	7.99
Replacement Vinyl Tip		560048	1.99

¹ Not recommended for UTV use



563858



Folding Wide-Boy Cruiser Ramp Pallet of 10

- Order one and receive 10 PAIRS of ramps
- Pallet of 10 all drop-ships directly to dealer



Dimensions	Capacity	P/N	Retail
33" x 88"	1500 lbs.	563859	514.99

Folding Wide-Boy Cruiser Ramp Custom Pallet

Mix and match a custom pallet of QuadBoss ramps. A convenient and cost effective way to stock up on a mix of QuadBoss ramps. See your Tucker Rocky Sales Rep for details.

- Choose a combination of P/N 563850, 563851, 563852, 563853, 563854, 563855, 563856, 563857 and 563860
- Must order a minimum of 10 ramps to a maximum of 20 ramps per pallet
- Drop ships directly to dealer
- Must fill out Custom Pallet Order Form



Dimensions	Capacity	P/N	Retail
33" X 88"	1500 lbs.	563860	514.99



PRAIRIE VIEW INDUSTRIES BAD BOY MOTORCYCLE RAMP

High-strength, lightweight aluminum, skid-resistant surface. Full platform for stability and footing. Folds in half for compact storage with two handles for carrying.

- 1-1/2 in. curb for edge protection
- Folded dimensions: 55" x 36" x 6"
- Weight: 68 lbs.
- Special order only



Dimensions	Mfg/N	Capacity	P/N	Retail
96" x 36" x 4"	BB836	1200 lbs.	150903	559.95



PRAIRIE VIEW INDUSTRIES LOADING RAMP

Made from top-quality aluminum.

- 1,000 lbs. load capacity
- Unfolded dimensions 8' x 12"
- Folded dimensions 53" x 12"

P/N	Retail
150901	209.95



TRAILERS & RAMPS

DROP-TAIL WHEEL CHOCKS

The Ride-On, Get-Off Motorcycle Chocks.

Heavy-duty V-channel floor-stand base for ensured stability. Multiple durable rubber stand-off pads to keep base firmly in place. Modular, bolt-on cycle chock with integrated threaded bolt flanges, allows to easily switch from trailer to floor-stand base. Self-stand feature allows to easily service or detail most bikes.



DROP-TAIL PROMAX FLOOR-STAND CHOCK KIT

- Specifically designed for heavier bikes such as V-Twins, Cruisers and Sport Bikes
- Wheel chocks and floor stand included

P/N	Retail
775613	168.00



DROP-TAIL PROMAX WHEEL CHOCK

- Specifically designed for heavier bikes such as V-Twins, Cruisers and Sport Bikes
- Includes universal trailer mount kit

P/N	Retail
775611	115.00



DROP-TAIL PROMAX FLOOR-STAND BASE

- If you already own the PROMAX Cycle Wheel Chock, you only need the base

P/N	Retail
775615	57.00



DROP-TAIL UNIVERSAL TRAILER MOUNT

Easily mounts wheel chock to any flat surface trailer.

P/N	Retail
775617	21.00



PINGEL® CYCLE JAWS

Cycle Jaws® is used to stabilize your motorcycle for trailer or truck transportation or freestanding on concrete garage floors and asphalt pit areas at race tracks. Easy one-person operation, just roll or drive your motorcycle in, leave it in gear with the side stand up and get off. A close adjustment of the jaws to your tire holds the motorcycle upright until you dismount and tighten the jaws.



Smooth clamping motion on tire sizes from 3 to 6-1/2 in. wide. No bulky hardware or complicated mechanism to pull your bike back over as there is with other manufacturers' devices. The adjustable tire locator prevents damage to your valuable rotors and rims. Can be removed from your trailer or truck in just minutes by spinning the four mounting bolts out; the four mounting plates are all that remain under the floor. Heavy-duty, thick-wall yellow zinc-plated steel construction is used, so your Cycle Jaws will withstand the test of time and the elements.

- Maximum tire contact for maximum security; adjusts to the exact size of the tire
- No pinch-points to wear and deform the sidewalls of the tire
- Made in USA

Note: Tie downs are recommended for added security.



P/N	Retail
498477	295.95





498628

PINGEL® E-TRACK WHEEL CHOCK

Allows you to locate your motorcycle anywhere along the track for best position. Multiple motorcycles can now be quickly and easily installed in your trailer with optimum space utilization. With E-Track already in place, there is no further hardware to install. Installation is easy: two clips and a pull of a strap and your chock is secured. Installs securely in both recessed and floor mounted E-Tracks. Features a heavy-duty, steel construction, chrome plated, durable aluminum mounting plate and quality fasteners.

- Patented unique design
- Made in USA
- Wheel chock only, track not included



Description	P/N	Retail
3-1/2" Recess Mount	498628	196.95
6-1/2" Recess Mount	498629	196.95
3-1/2" Floor Mount	498630	196.95
6-1/2" Floor Mount	498631	196.95



030509



498838

PINGEL® E-TRACK

Description	P/N	Retail
E-Track Tie-down Fitting	030509	19.95
5 ft. Black Powder-Coated E-Track	498838	22.95

PINGEL® PERMANENT MOUNT WHEEL CHOCK

Bolts directly to the floor of any trailer. Chrome-plated, heavy-duty steel construction.

- Includes mounting bolts, nuts and washers
- Made in USA



Description	P/N	Retail
3-1/2"	030572	58.95
6-1/2"	030574	58.95

**PINGEL® REMOVABLE WHEEL CHOCK**

Features quick and easy installation and removal, ideal for wood floor.

Removable chock is made of steel tube construction with a show chrome finish. Complete with mounting hardware. Mounting hardware remains fastened to floor, chock easily removes from hardware when not in use.

- Made in USA



Description	P/N	Retail
Fits tire widths up to 3-1/2"	030513	85.95
Fits tire widths up to 6-1/2"	030532	85.95
Mounting Plate - Fits 3-1/2" or 6-1/2" wheel chocks	030533	77.95



030513



030515



498492

Extra Mounting Hardware for Removable Wheel Chock

Description	P/N	Retail
Fits all sizes	030515	34.95
T-Bolt & Anchor	498492	6.95

PINGEL® REMOVABLE TRUCKBED WHEEL CHOCK

Chock bolts directly to the floor of any truck, van or trailer.

- Chrome-plated, heavy-duty steel construction
- Includes mounting bolts, nuts and washers
- Made in USA



Description	P/N	Retail
3-1/2"	030527	138.95
6-1/2"	030534	138.95
Mounting Plate	030533	77.95


BikeMaster
NEW! EXCLUSIVE**BIKEMASTER® MOTORCYCLE CARRIER**

The easy solution for transporting your motorcycle or scooter safely.

- Heavy-duty steel construction for the highest level of strength and durability
- Powder-coated black for a beautiful finish
- Safely carries up to 500 lbs. and bikes with up to 5 in. wide tires
- Overall length 76-1/2 in. (81-1/2 in. with stopper)
- 38-1/2 in. steel loading ramp attaches securely to the carrier rack for convenient loading and unloading
- Fits standard 2 in. class III or IV receivers
- 18 in. long main hitch tube from center of hitch pin to center of ramp
- Front tire slot included for additional stability as well as anti-tilt bracket

P/N	Retail
151520	179.95



TRAILERS & RAMPS

BikeMaster



EXCLUSIVE

BIKEMASTER® UNIVERSAL ROLL-ON STAND

Perfect for the track or shop, the Universal Roll-On Stand fits all motorcycles. With a tipping point design that ensures the weight of the bike holds it firmly in the vertical position, this stand is adjustable for both height and wheel diameter. It has a durable and lightweight steel design with a powder-coated finish for long-lasting good looks.

P/N	Retail
151573	149.95



EXCLUSIVE

BIKEMASTER® HEAVY-DUTY WHEEL CHOCK

Perfect for the shop, trailer or truck bed, these chocks mount directly to your floor or truck bed with supplied hardware. It features heavy-duty steel construction for years of service and a four-position locking pin to prevent accidental roll backs. It is designed for one person operation.

- Adjustable self-locking chock works on tires up to 6-1/2 in. wide

P/N	Retail
152453	59.95



152272



152275



EXCLUSIVE

BIKEMASTER® WHEEL CHOCKS

With four-point mounting for improved stability, the chocks come in brilliant chrome or a sleek black finish. Hardware not included.

- Available in 3-1/2 and 6-1/2 in. to fit most applications

Size	Color	P/N	Retail
3-1/2 in.	Black	152272	34.95
3-1/2 in.	Chrome	152273	39.95
6-1/2 in.	Black	152274	34.95
6-1/2 in.	Chrome	152275	39.95



ANCRA INTERNATIONAL® WHEEL CHOCK

Patented, lock n' load system using high-strength, aircraft-style track provides positive attachment to our bike hauler.

Designed to fit front tires 3-1/2 to 5-1/2 in. wide. Reinforced, powder-coated, tubular steel, solid base plate. Designed to fit standard truck beds and flat floor trailers. To install, position chock stud feet into track, press down and slide chock forward.

- Additional mounting kit can be ordered separately enabling you to use wheel chock in more than one vehicle/trailer

Description	P/N	Retail
Wheel Chock	100882	77.99
Additional Mounting Kit	100894	23.99



K&L® MC15R CYCLE DOCK

This self-locking clamp allows one person to load and unload a motorcycle in a trailer, pickup truck or on a service lift. The pivot mechanism uses the weight of the bike to hold itself upright, leaving your hands free to secure the bike; simple in design and ruggedly built. Use the supplied mounting rails to mount the Dock into a trailer or pickup truck. The rails mount to the deck so you can slide the Dock out leaving just the mounting rails behind, this frees up your truck or trailer for other uses.

- The kit comes with two mounting rails
- UPS shippable

Note: Tie downs recommended.

P/N	Retail
293105	325.59



BLINGSTAR® WHEEL CHOCK

Custom recessed wheel chock is designed to mount flush with your trailer floor. Flip up wheel chock allows a safe and easy way to tie down your bike.

- Internal dimensions: 13" x 7"

P/N	Retail
326691	83.95

CONDOR.



100936



100937

CONDOR® PIT STOP/TRAILER STOP

This fully adjustable wheel locking system is capable of accommodating either front or rear wheels in sizes from 15-22 in., 80-220 mm wide. The patented locking mechanism securely supports your motorcycle in an upright position on any type of flat surface or transport platform. The Pit Stop also serves as a Trailer Stop with the optional Trailer Adaptor Kit, which allows quick attaching or detaching. Requires only one person to load or release any motorcycle and in most cases, two tie down straps are required to secure the bike for transport.

Description	P/N	Retail
Condor Pit Stop/Trailer Stop	100936	269.75
Trailer Kit for Pit Stop	100937	27.50



CONDOR® TRAILER CHOCK

Fully adjustable wheel locking system capable of accommodating either front or rear wheels in sizes from 14-22 in. dia./80-220 wide and bikes weighing up to 3,000 lbs. Patented locking mechanism securely supports motorcycles in an upright position. As a trailer chock it easily snaps on and off transport platforms. Requires only one person to load or release any motorcycle and two tie down straps to secure bike for transport. Folds down for easy storage.

- Includes mounting kit, two steel-plates and hardware

P/N	Retail
100938	194.75



CONDOR® CHOPPER CHOCK FOR 90 TIRE

The same high-quality of the Pit Stop but with additional bracing for optimal stability. Comes complete with the trailer adaptor kit. Requires only one person to load or release any motorcycle and in most cases, two tie down straps are required to secure the bike for transport.

P/N	Retail
100941	327.00



CONDOR® UNIVERSAL E-TRACK ADAPTOR KIT

Designed to use on all parallel E-Track (E-Track not included). Allows the Pit Stop or Trailer-Only Stop models to be secured to the floor of a trailer without the need for the hardware brackets designed for either chock.

- Maximum span is 46 in. and minimum is 35 in.

P/N	Retail
100947	129.00



CONDOR® TRAILER KIT ADAPTOR

If you need an extra kit so you can mount the Trailer-Only Chock in a different spot on your trailer, or to transfer the chock to a different trailer or lift table, you can order this kit separately.

P/N	Retail
100949	27.50

ANCR
INTERNATIONAL



ANCR INTERNATIONAL® S-LINE O-TRACK STANDARD ALUMINUM LOGISTICS TRACK

Designed for multiple tie down use on trailers, vans and pickups.

- 1,333 lbs. working load limit
- 12 in., pre-cut lengths

Length	P/N	Retail
6'	101018	67.99
12"	100863	13.99



ANCR INTERNATIONAL® S-LINE O-TRACK SINGLE STUD ANCHOR

For use with Standard or Beveled Aluminum Logistics Track. Single-button design for easy adjustments or removal.

- 1,333 lbs. working load limit

P/N	Retail
100865	3.99

TRAILERS & RAMPS



ANCRA INTERNATIONAL® S-LINE 12" E-TRACK

Bolt or screw to floors, sidewalls or ceilings of trailers
Enamel paint finish

- 12-gauge steel
- 2,000 lbs. working load limit

P/N	Retail
100867	8.99

ANCRA INTERNATIONAL® S-LINE SINGLE SNAP-LOC SYSTEM

Bolt or screw to floors, sidewalls or ceilings of trailers. Single-slot design for more customization.

- 1,333 lbs. working load limit

P/N	Retail
100870	7.99

ANCRA INTERNATIONAL® S-LINE BED BOLT ANCHOR RING

Bolts to floors, sidewalls and ceilings of trailers.

- 800 lbs. working load limit

P/N	Retail
100872	8.49

ANCRA INTERNATIONAL® S-LINE O-TRACK BEVELED ALUMINUM LOGISTICS TRACK

Great for floor mounting application. Easy ride-over/walk-over design.

- 1,333 lbs. working load limit
- 12 in., pre-cut lengths

Length	P/N	Retail
6'	101019	69.99
12"	100864	14.99



ANCRA INTERNATIONAL® S-LINE O-TRACK DOUBLE STUD ANCHOR

For use with Standard or Beveled Aluminum Logistics Track. Lift up and slide design for easy adjustments or removal.

- 1,333 lbs. working load limit

P/N	Retail
100866	5.59



ANCRA INTERNATIONAL® S-LINE E-TRACK SYSTEM ANCHOR RING

Makes E-Track usable with tie down hooks. Low-profile design.

- 1,000 lbs. working load limit

P/N	Retail
100868	8.99



ANCRA INTERNATIONAL® S-LINE E-TRACK SYSTEM TIE-OFF STRAP

Makes E-Track usable with tie down hooks. 7 in. extension with stamped ring.

- 1,000 lbs. working load limit

P/N	Retail
100869	6.99

BikeMaster

EXCLUSIVE

BIKEMASTER® STANDARD TIE DOWNS

Keep your ride secure while transporting with Tie Downs from BikeMaster.

Made of double-stitched woven webbing, these tie downs will help you travel with peace of mind.

- Sold in pairs or pack of 20



Description	Color	Load	Material	Package Quantity	P/N	Retail
1" x 72"	Black	1,200 lbs.	Nylon	1 pr	100510	17.95
1" x 72"	Blue	1,200 lbs.	Nylon	1 pr	100520	17.95
1" x 72"	Camo	1,200 lbs.	Nylon	1 pr	100523	17.95
1" x 72"	Green	1,200 lbs.	Nylon	1 pr	100508	17.95
1" x 72"	Orange	1,200 lbs.	Nylon	1 pr	100505	17.95
1" x 72"	Pink	1,200 lbs.	Nylon	1 pr	100503	17.95
1" x 72"	Purple	1,200 lbs.	Nylon	1 pr	100512	17.95
1" x 72"	Red	1,200 lbs.	Nylon	1 pr	100500	17.95
1" x 72"	Black	1,200 lbs.	Nylon	20 pk	100571	8.95
1" x 72"	Red	1,200 lbs.	Nylon	20 pk	100572	8.95
1" x 72"	Blue	1,200 lbs.	Nylon	20 pk	100573	8.95



BikeMaster

100537



100538



100536



100514



100515

EXCLUSIVE**BIKEMASTER® INTEGRATED SOFT HOOK TIE DOWNS**

Made of double-stitched woven webbing, these soft hook straps prevent scratching or marring.

- Sold in pairs

Description	Type	Color	Load	Material	P/N	Retail
1" x 72"	Integrated	Black	1,200 lbs.	Nylon	100514	19.95
1" x 72"	Integrated	Blue	1,200 lbs.	Nylon	100515	19.95
1" x 72"	Integrated	Red	1,200 lbs.	Nylon	100513	19.95
1" x 84"	Carabiner	Black	1,200 lbs.	Nylon	100537	22.95
1" x 84"	Carabiner	Blue	1,200 lbs.	Nylon	100538	22.95
1" x 84"	Carabiner	Red	1,200 lbs.	Nylon	100536	22.95
1.5" x 84"	Integrated	Black	1,200 lbs.	Nylon	100517	24.95
1.5" x 84"	Integrated	Blue	1,200 lbs.	Nylon	100518	24.95
1.5" x 84"	Integrated	Red	1,200 lbs.	Nylon	100516	24.95



100513



100517



100518



100516

EXCLUSIVE**BIKEMASTER® RATCHET TIE DOWNS**

These heavy-duty ratchet tie downs come in three different sizes and two lengths, and are made of nylon.

- Sold in pairs

Dimensions	Color	Load	Material	P/N	Retail
1" x 66"	Black	1,200 lbs.	Nylon	100524	24.95
1" x 66"	Red	1,200 lbs.	Nylon	100522	24.95
1.5" x 84"	Black	1,200 lbs.	Nylon	100529	29.95
1.5" x 84"	Blue	1,200 lbs.	Nylon	100531	29.95
1.5" x 84"	Red	1,200 lbs.	Nylon	100519	29.95
2" x 84"	Black	2,200 lbs.	Nylon	100576	36.95
2" x 84"	Red	2,200 lbs.	Nylon	100577	36.95
2" x 84"	Blue	2,200 lbs.	Nylon	100578	36.95



100524



100522



100529



100531



100519



100576



100577



100578

EXCLUSIVE**BIKEMASTER® SWIVEL SOFT HOOK TIE DOWN**

With a patented swivel carabiner hook, you no longer have to deal with twisted straps. Our Swivel Soft Hook Tie Downs feature a super heavy-duty buckle, thumb tang and soft hook straps to prevent scratching or marring.

- Sold in pairs

Description	Color	Load	Material	P/N	Retail
1.5" x 84"	Black	1,200 lbs.	Nylon	100541	29.95



100574

100575

EXCLUSIVE**BIKEMASTER® FLOOR ANCHOR QUICK RELEASE KIT**

These floor mount anchors are there when you need them. Constructed of aluminum and high-quality steel, these anchors release with a simple push of your thumb.

- Two anchors per kit

P/N	Retail
151966	15.95

**EXCLUSIVE****BIKEMASTER® BAR HARNESS TIE DOWN ASSIST**

Protect your fairing during transportation with the BikeMaster® Bar Harness Tie Down Assist. Eliminates tie down pressure on your fairings by extending tie down mounting points past your grips. These tie downs fit most handlebar widths from 24 to 34 in. They come equipped with convenient strap-securing bands to hold extended length in place.

Description	P/N	Retail
Black	100574	24.95
Black/Red	100575	24.95

TRAILERS & RAMPS



ANCRA INTERNATIONAL® TIE DOWN FITTING KIT

Tie-down fitting locks into floor-mounted anchor plate for secure attachment of tie down straps. Attachment ring for tie down strap, rope, etc. Leaves no protruding hardware when not in use. Includes removable ring arm, base plate and hardware.

P/N	Retail
100890	16.95



ANCRA INTERNATIONAL® ATV RAT PACK

Twin pack of tie downs featuring Ancra's famous mini-ratchet.

- Each strap rated at 1,200 lbs. (working capacity: 400 lbs.)
- Ratchets same as found in quad pack

P/N	Retail
100899	36.95



ANCRA INTERNATIONAL® QUAD PACK TIE DOWNS

Four matched tie downs for four-way securing. Ideal for transporting over rough terrain or cross-country.

- 1,200 lbs. rated assembly strength
- Sold in pack of four

Color	Size	P/N	Retail
Red	1" x 5-1/2"	100898	63.99
Black	1" x 5-1/2"	100958	58.99



ANCRA INTERNATIONAL® LITES TIE DOWNS

Durable, weather-resistant 1 in. nylon webbing. 1,200 lbs. rated assembly strength. Cam-lever locking buckle stays locked.

- 1,000 lbs. rated assembly strength
- Sold in pairs

Color	P/N	Retail
Blue	100895	24.99
Black	100900	24.99
Red	100901	24.99



ANCRA INTERNATIONAL® RED SNAPPER TIE DOWN

Industrial quality snap hook with spring-loaded keeper.

- 1,200 lbs. rated assembly strength
- 1 in. nylon webbing and patented cam-buckle, 66 in. long
- Sold in pairs

P/N	Retail
100889	35.99



ANCRA INTERNATIONAL® CLASSIC TIE DOWNS

Durable, weather-resistant 1 in. nylon webbing. 1,200 lbs. rated assembly strength. Cam-lever locking buckle stays locked.

- Measures 5-1/2 ft. in length
- Sold in pairs

Color	Size	P/N	Retail
Lime	5-1/2'	100885	29.99
Neon Orange	5-1/2'	100887	29.99
Red	5-1/2'	100888	28.95
Black	5-1/2'	109050	28.95
Blue	5-1/2'	100883	29.99



ANCRA INTERNATIONAL® INTEGRA RAT PAK

Ratchet buckle tie down with integrated soft hook.

- 1,200 lbs. rated assembly strength with 400 lbs. working load
- 1" x 69"
- Sold in pairs

Color	P/N	Retail
Red	100916	37.99
Black	100917	37.99
Blue	100918	37.99



ANCRA INTERNATIONAL® 13' RED TIE DOWN

- Webbing: 4,500 lbs. tensile strength nylon
- Buckle: 1,800 lbs. rated heavy-duty cam buckle with pressure plate
- Hooks: two each, 1,200 lbs. rated vinyl-coated S-hooks per strap
- Overall length: 13 ft. with sewn hand loop
- Minimum assembly strength: 1,200 lbs. per strap
- Day-to-day work load capacity: 400 lbs. per strap
- Packaged individually.

P/N	Retail
100909	25.95



ANCRA INTERNATIONAL® INTEGRA CLASSIC TIE DOWN

Classic tie down with integrated soft hook.

- 1,200 lbs. rated assembly strength
- 69 in. length
- Sold in pairs

Color	P/N	Retail
Red	100906	33.99
Black	100907	33.99
Blue	100908	33.99



ANCRA INTERNATIONAL® WHEEL TIE DOWN

Wheel tie down straps keep rear wheel on trailer.

- 36 in. long
- Sold in pairs

P/N	Retail
100891	10.99

**HIGH ROLLER™ HANDLEBAR HARNESS**

Patented and designed for safely transporting motorcycles and ATVs. Adjustable grip webbing eliminates grip damage. Four tie down locations to provide full forward, backward and side-to-side support.

- One-size-fits-all design is adjustable to fit handlebars from 22 to 34 in. wide
- Black

P/N	Retail
100057	29.95

**HIGH ROLLER™ RATCHET TIE DOWN**

Patent pending, heavy-duty, carabiner-style base hooks. Built-in soft hooks. Non-slip, rubber-coated S-hooks. Loop end for easy tightening. Built-in soft hooks.

- 72" x 1" with 1,200 lbs. straight-tension strength
- Black
- Sold in pairs

P/N	Retail
100042	42.95

**HIGH ROLLER™ CAM-LOCK TIE DOWNS**

Heavy-duty, non-slip cam lock tie downs with soft hooks. Patent pending, heavy-duty, carabiner-style base hooks. Non-slip, rubber-coated S-hooks. 1,200 lbs. straight-tension strength. Loop end for easy tightening.

- 72" x 1" with 1,200 lbs. straight-tension strength
- Black
- Sold in pairs

P/N	Retail
100039	32.95

**HIGH ROLLER™ ULTRA CAM-LOCK TIE DOWNS**

Ultra heavy-duty, with 2,000 lbs. straight-tension strength. Patent-pending, heavy-duty, carabiner-style base hooks on each end. Non-slip cam lock tie downs with soft hooks. Loop end for easy tightening.

- Black
- Sold in pairs

P/N	Retail
100063	39.95

**HIGH ROLLER™ ULTRA RATCHET TIE DOWNS**

Patent-pending, heavy-duty, carabiner-style base hooks on each end with heavy-duty, non-slip ratchet buckles. Loop end for easy tightening.

- 72" x 1-1/2" with 2,000 lbs. straight-tension strength
- Black
- Sold in pairs

P/N	Retail
100066	54.95

DROP-TAIL STRAP-TYES

Premium quality, high-test, polyester Soft Touch webbing makes these tie downs perfect. They come complete with double-security stitching and heavy-duty ratchets with extra-wide Soft Grip handles. Includes durable and secure rubberized S-type Snap Hooks with rubber-sleeved wire clips. Convenient strap bag included for all DT Strap-Tyes™ ratchet-style tie downs.

**DROP-TAIL STRAP-TYES PREMIUM POWERSPORT TIE-DOWN KIT**

Everything you need to safely secure one powersport vehicle.

Includes:

- Two pair 2" x 144" tie-downs
- Two pair neoprene strap wrap ratchet covers
- Two pair plush soft sleeves
- One tote bag

P/N	Retail
775645	115.00

**DROP-TAIL STRAP-TYES PREMIUM MOTORCYCLE TIE-DOWN KIT**

Everything you need to safely secure one motorcycle.

Includes:

- One pair 2" x 84" tie-down straps with sewn-in plush soft ties
- One pair 1-1/2" x 54" back end tie-down straps with sewn-in plush soft ties
- One pair 1-1/2" x 18" soft ties
- Two pair neoprene straps wrap ratchet covers
- Two pair plush soft sleeves
- One tote bag

P/N	Retail
775644	100.00

TRAILERS & RAMPS

DROP-TAIL STRAP-TYES™ continued from previous page.



DROP-TAIL STRAP-TYES PREMIUM UTILITY TIE-DOWN KIT

Everything you need to safely secure one utility load.

Includes:

- Two pairs 2" x 144" tie-downs
- Two pairs neoprene strap wrap ratchet covers
- One tote bag

P/N	Retail
775646	102.00



DROP-TAIL STRAP-TYES UTILITY TIE-DOWN STRAPS

- Ratchet straps, heavy-duty double S-hooks and strap bag
- Sold in pairs

Description	Load	Size	P/N	Retail
Premium	4,400 lbs.	2" x 168"	775629	41.00
Econo	2,200 lbs.	1" x 168"	775631	29.00

DROP-TAIL STRAP-TYES STRAP WRAP RATCHET COVER

- Velcro sewn-in for easy attachment to ratchet
- Eliminates worries of scratching chrome or paint
- Secures ratchet into lock position
- Keeps excess strap webbing together
- Universal design for most all ratchet strap sizes



P/N	Retail
775637	12.50

DROP-TAIL STRAP-TYES STRAP BAG

Small, draw-string bag for a pair of Strap-Tyes™

P/N	Retail
775638	4.50



DROP-TAIL STRAP-TYES TIE-DOWN STRAPS

Ratchet straps with built-in soft ties and plush sleeves, snap hooks and strap bag

- Sold in pairs



Description	Load	Size	P/N	Retail
Premium	3,300 lbs.	2" x 84"	775622	43.00
Econo	1,760 lbs.	1" x 84"	775624	31.00



DROP-TAIL STRAP-TYES POWERSPORT TIE-DOWN STRAPS

- Ratchet straps, snap hooks and strap bag
- Sold in pairs

Description	Load	Size	P/N	Retail
Premium	3,300 lbs.	2" x 144"	775626	39.00
Econo	1,760 lbs.	1" x 144"	775628	27.00

DROP-TAIL STRAP-TYES BACK-END TIE-DOWN STRAPS

- Designed specifically to secure the back end of powersport vehicles where limited tie down space is available
- Strap length can be shortened to 9 in. ratchet straps with plush sleeves
- J-hooks and strap bag
- Sold in pairs



Description	Load	Size	P/N	Retail
Deluxe	1,100 lbs.	1-1/2" x 54"	775625	28.00

DROP-TAIL STRAP-TYES TOTE BAG

- Large bag with Velcro® seal for multiple straps

P/N	Retail
775639	7.50



Lockstraps

Locking tie-downs

LOCKSTRAPS TIE DOWNS

Each tie down has two combo locking carabiners, so there are no keys to worry about. No other strap has a full-length, steel cable to prevent theft by the casual criminal. Built-in, soft tie extensions make sure the locks are nowhere near your paint job or plastic; don't worry about scratches.

- Up to 1,200 lbs. load capacity
- 8-1/2 ft. long
- Sold individually

P/N	Retail
100650	44.95



LOCKSTRAPS 2" HELMET/JACKET LOCK

Now you don't have to carry around your heavy street bike jacket or leave your helmet on the seat. You can lock all of them together and then lock them to your bike. Great for carrying in your pack to lock up your dirt bike, bicycle, etc. Locking carabiner so there are no keys to worry about. Full-length, steel, braided cable to prevent theft by the casual criminal.

- Sold individually

P/N	Retail
100658	24.95

LOCKSTRAPS LOCKING CARABINER

Perfect for use on anything you need to lock up, even your tie down straps. Locking carabiner so there are no keys to worry about.

- Holds up to 500 lbs.
- Sold individually

P/N	Retail
100657	15.95





VORTEX® HANDLEBAR CUFF WITH TIE DOWN SYSTEM

Ideal for solid mount handlebars and sport bikes of all kinds. Easy to install: slips right over handlebars. Maximum width from inside of grip to inside of grip is 35 in. Sturdy, welded, metal D-rings provide safe and strong application points for tie downs.

- 880 lbs. capacity

P/N	Retail
595699	39.99



CANYON DANCER® STRAP RINGS

Stainless steel snap ring attaches a tie-down almost anywhere there is a 8 mm or smaller bolt (recommended 8 mm). Break-rated at 2,000 lbs. exceeds all tie-down hooks on the market. Attach to triple clamp, passenger pegs, truck bed, etc.

- Made in USA
- Sold in pairs



P/N	Retail
100817	8.95

DROP-TAIL STRAP-TYES SOFT TIES

Tie-down extension for wrapping around handlebars

- Sold in pairs

Description	Load	Size	P/N	Retail
Premium	3,300 lbs.	1-1/2" x 18"	775632	6.50
Deluxe	1,800 lbs.	1" x 18"	775633	5.50

EXCLUSIVE

BIKEMASTER® TIE-DOWN EXTENSIONS

Our Tie-down Extensions provide additional protection for fiberglass and metal parts and extend the usable length of the down straps.

- 1" x 18"
- Rated at 2,000 lbs.
- Sold in pairs

Color	P/N	Retail
Black	100525	7.95
Red	100526	7.95
Blue	100527	7.95

EXCLUSIVE

BIKEMASTER® WHEEL TIE DOWN

Featuring a quick-release buckle, these tie downs will keep the front wheel secure when using a wheel chock to transport.

- 1" x 18"
- Rated at 750 lbs.
- Sold in pairs

P/N	Retail
100528	10.95



CANYON DANCER® BAR-HARNESS II

Features a glass-filled, injection-molded, polycarbonate cup with steel lay-in that replaces the old handlebar cuff. Cross straps are held farther away from switchgear. Cups eliminate possible damage to soft grips and hold the cross straps further out on the bars to clear a wider variety of fairings. Cups are sized to fit the fattest grips in the industry. Steel D-ring lay-ins prevent losses even after many years of weather and abuse begin to weaken the polycarbonate cup. Heavier thread with more stitches for greater strength.

- Short harness fits bars up to 28 in. wide
- Sport/Standard fits bars up to 32 in. wide
- X-Wide fits bars up to 36 in. wide
- XX-Wide fits bars up to 40 in. wide

Style	Color	Max Bar Length	P/N	Retail
Short	Black	28"	100800	29.95
Sport/Standard	Black	32"	100801	29.95
X-Wide	Black	36"	100802	29.95
XX-Wide	Black	40"	100803	29.95

CANYON DANCER® BAR-HARNESS FOR V-TWIN

Can be used on a wide variety of motorcycles. Allows tie downs to hold motorcycle securely. Eliminates damage to body work. Simple, quick, and easy to use.

- 39 in. harness fits bars up to 36 in. wide

Color	Size	P/N	Retail
Black	36"	100813	29.95
Red/Black	36"	100814	29.95
Blue/Black	36"	100815	29.95



DROP-TAIL STRAP-TYES PLUSH SOFT SLEEVE

- Simulated sheepskin with velcro to protect scratching chrome and/or paint
- Sold in pairs

Size	P/N	Retail
2" x 12"	775634	9.50
1" x 12"	775636	7.50



ANCRA INTERNATIONAL® SOFT HOOK TIE-DOWN EXTENSIONS

Tie-down Extensions add excellent protection for painted and chrome surfaces when transporting. Soft hook eliminates metal-to-metal contact.

- Sold in pairs

Color	Size	P/N	Retail
Black	1" x 12"	100893	7.49
Black	1" x 18"	100892	7.99
Orange	1" x 18"	100956	9.99
Lime	1" x 18"	100957	9.99



PRO PAD REAL SHEEPSKIN TIE DOWN SLEEVES

10 in. sleeves to use with an existing tie-down strap. Soft sheepskin sleeve protects chrome or painted surface.

P/N	Retail
048719	9.95



TRAILERS & RAMPS



496810



496810



496811

Shown with tie-down strap attached.

KURYAKYN® CUSTOM TIE-DOWN BRACKETS FOR TOURING MODELS

Stylish, custom brackets bolt to the sides of the front fork and provide a secure, easily accessible point to attach tie-down straps to the front of the motorcycle.

- Works with detachable windshields on Road King models
- Sold in pairs

Style	Mfg/N	P/N	Retail
Teardrop	928	496810	59.99
Silhouette	929	496811	59.99
Tie Down Bracket	924	419426 ¹	59.99

¹ Fits 06-13 FLHX; 04-05 FLHTCSE; 06-13 FLHTCUSE; 10-12 FLHXSE and any Touring models equipped with 494756 (Mfg/N 5005) or 419321 (Mfg/N5029) driving lights

KURYAKYN® CUSTOM TIE-DOWN BRACKETS FOR SOFTAIL MODELS

Stylish, custom brackets bolt to the sides of the front fork and provide a secure, easily accessible point to attach tie-down straps to the front of the motorcycle.

- Compatible with stock H-D® detachable windshield
- Not compatible with AirMaster® quick release windshields or Air Master fairings
- Fits FLST Softail® models
- Sold in pairs



419000

Style	Mfg/N	P/N	Retail
Teardrop	926	419000	59.99

NEW! KURYAKYN® TEAR DROP TIE DOWN BRACKETS

Bolts directly to the sides of the front fork to provide a secure, easily accessible point to attach tie-down straps to the front of the motorcycle.

Mfg/N	P/N	Retail
949	418457	59.99

CHASE HARPER USA BUNGEE BUDDY

Made from tough nylon mesh and extra-strong 18 in. adjustable bungee cords. Bungee cords have adjustable hooks.

- Self-contained storage pouch included
- Black
- Made in USA
- Measurement: 10" x 10"



P/N	Retail
108371	27.95


EXCLUSIVE

BIKER'S CHOICE® BUNGEE NUTS

Avoid damage to chrome, frame or paint, while securing your load with bungee cords. These bungee nuts may also be used to replace the shock absorber nuts on most Harley-Davidson® models. Made from chrome-plated high grade carbon steel.

- Available for fender bolt, shock bolts or top shock bolts
- Sold in pairs

Description	P/N	Retail
5/16"-18	601880	9.25
3/8"-24, O.E.M. 98184-90T	601881	9.25
3/8"-16	601882	9.25








EXCLUSIVE

BIKEMASTER® STRETCH NET

This 13" x 13" multihook cargo net features metal hooks with rubber tips and comes in seven different colors.

Color	P/N	Retail
Black	100010	8.95
Blue	100009	8.95
Green	100005	8.95
Orange	100006	8.95
Purple	100004	8.95
Red	100008	8.95
Yellow	100011	8.95




EXCLUSIVE

BIKEMASTER® STANDARD MULTICOLOR BUNGEE CORDS

BikeMaster Bungee Cords are available in standard 8 mm multicolor.

- Sold individually, order 10 for a pack

Size	Style	P/N	Retail
12"	2 Hooks	100012	2.95
18"	2 Hooks	100018	2.95
24"	2 Hooks	100024	2.95
24"	4 Hooks, 4-Way	100071	4.95



EXCLUSIVE

BIKEMASTER® HEAVY-DUTY BLACK BUNGEE CORDS

BikeMaster Bungee Cords are available in heavy-duty 10 mm black.

Length	Style	P/N	Retail
12"	2 Hooks	100112	2.95
18"	2 Hooks	100118	2.95
18"	3 Hooks	100138	2.95
24"	2 Hooks	100124	2.95
24"	3 Hooks	100134	2.95
24"	4 Hooks, 4-Way	100171	4.95
30"	2 Hooks	100172	3.95



DOWCO® GUARDIAN UNIVERSAL BUNGEE NET

Made from tough nylon mesh and extra-strong 18 in. bungee cords. Bungee cords have adjustable hooks.

- 10" x 10"
- Self-contained storage pouch
- Black

P/N	Retail
105254	14.99

